

LIFE SCIENCES

MN MACHEREY-NAGEL **25%** **Until 31.12.2025**

Classics for nucleic acid purification

NIPPON Genetics EUROPE **20%** **Until 31.12.2025**
INNOVATION FOR YOU

(q)PCR enzymes, plastics, free bambanker samples

CHROMATOGRAPHY

MN MACHEREY-NAGEL **Up to 30%** **Until 31.12.2025**

Syringe filters, modern SPE phases, vials & caps and derivatization reagents for GC

WATER ANALYSIS

MN MACHEREY-NAGEL **35%** **Until 31.12.2025**

Spectrophotometer & heating block bundles

GENERAL CONSUMABLES

LABSOLUTE **10%** **Until 31.12.2025**
A BRAND OF TH. GEYER

SERVICES

RIVAQUA **C.S.L.M.**

Demineralised water installations **Maintenance of equipment**

LIQUID HANDLING

GILSON **SOCOREX SWISS** **starlab**

Up to 40% **Until 31.12.2025** **Up to 30%** **Until 31.12.2025** **Up to 25%** **Until 17.12.2025**

BRAND **20%** **Until 30.11.2025**

In-house calibration service 15-19 december

starlab

eppendorf **Up to 20%** **Until 31.12.2025**

Trade-in offer pipettes, triopacks & tubes




20%

Until 31.12.2025

Balances & Moisture Analyzers

Centrifuges & Multi-tube vortex mixers






Up to 25%

Until 31.12.2025

(q)PCR instruments, DNA/RNA & protein electrophoresis, gel documentation & Capmaster Pro





15%

Until 31.12.2025

Portable and bench-top pH meters

New!





Up to 25%

End of stock



10%

Until 31.12.2025

Magnetic stirrers & vortexer

Chiller, circulators & waterbath






14%

Until 31.12.2025


Centrifuges & Mixmate





10%

Until 31.12.2025




10%

Until 30.11.2025

ULTRA-TURRAX® & Dry Block Heaters

Desiccators and Glove Boxes





20%

Until 31.12.2025




Up to 25%

Until 17.12.2025


Balances, moisture analyzer & video microscopes

Essential lab equipment






15%



10%




15%

Multiparameter handhelds

Hand pumps

Heating mantles



NEW WEBSHOP ON IT'S WAY!

Subscribe to our newsletter to stay up-to-date regarding the launch and other news & promotions

Contact us for more information!



Isolation of RNA

Innovative isolation of high-purity RNA using silica membrane technology

NucleoSpin® RNA achieves in comparative studies with the widely used RNeasy® kit, comparable yields and RIN values and consistent performance in qRT-PCR. With the advantage of a more streamlined, all-in-one solution.



Application data

Comparative data NucleoSpin RNA and QIAGEN RNeasy®

- Sample materials: Animal tissue, bacteria, cultured cells, human tissue, yeast
- Fragment size: > 200 nt
- Typical yield: 14 µg from 10⁶ HeLa cells; 70 µg from 10⁹ bacterial cells
- Binding capacity: Up to 200 µg RNA
- RNA quality: A260/A280 ratio 1.9–2.1; RIN > 9
- Elution volume: 30–120 µL
- Preparation time: ~35 min / 6 preps
- Downstream applications: RNA-Seq, RT-PCR, enzymatic labeling
- Included in kit: rDNase and NucleoSpin® Filter – no extra consumables required

Isolation of genomic DNA

Broad and versatile portfolio of DNA isolation solutions



Product brochure & application data

NucleoBond® HMW DNA

Success for high-quality genomic DNA begins with effective lysis of your sample material and removal of contaminants that can interfere with downstream workflows. MACHEREY-NAGEL offers a portfolio covering **blood, tissue, cells, plants, microbes, insects, and more.**

One of their latest additions, the **NucleoBond® HMW DNA**, stands out for its ability to recover exceptionally long DNA fragments, preserving lengths of up to **200 kbp with minimal shearing**. At the same time, they deliver typical yields of 50–200 µg high-purity genomic DNA, depending on the sample type. Driven by continuous research and development, MACHEREY-NAGEL has built a strong reputation for innovation in nucleic acid purification.

Isolation of plasmid DNA

Flexible and scalable plasmid DNA purification portfolio



Application data

NucleoBond® Xtra

From **mini preps for routine cloning to giga preps for large-scale production**, MACHEREY-NAGEL provides plasmid purification kits that cover every laboratory need. The product line includes **silica membrane, anion exchange chromatography, and high-capacity column formats**, ensuring the right solution for each workflow.

The **NucleoBond® Xtra** anion exchange plasmid kits, combine optimized chemistry for exceptional DNA recovery with an advanced column design that significantly reduces processing time. As a result, plasmid **purification can be up to 60 % faster while still delivering consistently extraordinary high yields up to 100%** compared to competitive brands.

Clean-up

NucleoMag® NGS Clean-up and Size Select for PCR cleanup, RNA/cDNA cleanup & NGS library prep



The NucleoMag® NGS Clean-Up & Size Select kit provides efficient magnetic bead-based purification for DNA and RNA, combining enzymatic cleanup with flexible size selection. Supporting both single- and double-sided selection, it allows precise recovery of desired fragment lengths with high yields and minimal workflow adjustments.

Product brochure & application data

NucleoMag® NGS Clean-up and Size Select

Product guides

Find more product brochures & guides at the [website of MN.](#)



Guide
RNA

Guide
Genomic DNA

Guide
Plasmid purification

Guide
DNA/RNA Clean-up

In need of a sample?

Do not hesitate to contact [your representative!](#)

Promotion pricelist

25% discount

| Kit | Preps | Reference | Price | Now* | Celebrations |
|--|--------|-------------------------------|-----------|-----------|--------------|
| Isolation of RNA | | | | | |
| NucleoSpin® RNA | 50 | MN 740955.50 | € 311.00 | € 233.25 | 1 |
| | 250 | MN 740955.250 | € 1345.00 | € 1008.75 | 3 |
| NucleoSpin® RNA XS | 50 | MN 740902.50 | € 360.00 | € 270.00 | 1 |
| | 250 | MN 740902.250 | € 1560.00 | € 1170.00 | 3 |
| NucleoSpin® RNA Plus | 50 | MN 740984.50 | € 330.00 | € 247.50 | 1 |
| | 250 | MN 740984.250 | € 1440.00 | € 1080.00 | 3 |
| NucleoSpin® RNA Plus XS | 50 | MN 740990.50 | € 380.00 | € 285.00 | 1 |
| | 250 | MN 740990.250 | € 1675.00 | € 1256.25 | 3 |
| NucleoZOL | 200 mL | MN 740404.200 | € 280.00 | € 210.00 | 1 |
| NucleoSpin RNA Set for NucleoZOL | 50 | MN 740406.50 | € 242.00 | € 181.00 | 1 |
| Isolation of genomic DNA | | | | | |
| NucleoBond® HMW DNA | 20 | MN 740160.20 | € 194.00 | € 145.50 | 1 |
| NucleoSpin® Tissue | 250 | MN 740952.250 | € 780.00 | € 585.00 | 2 |
| NucleoSpin® Rapid Lyse | 250 | MN 740100.250 | € 555.00 | € 416.25 | 1 |
| NucleoSpin® Blood | 250 | MN 740951.250 | € 730.00 | € 547.50 | 2 |
| NucleoSpin® Plant II | 250 | MN 740770.250 | € 835.00 | € 626.25 | 2 |
| NucleoSpin® Soil | 250 | MN 740780.250 | € 1290.00 | € 967.50 | 3 |
| Isolation of plasmid DNA | | | | | |
| NucleoSpin® Plasmid / NucleoSpin® Plasmid (NoLid) | 250 | MN 740588.250 / MN 740499.250 | € 395.00 | € 296.25 | 1 |
| NucleoSpin® Plasmid EasyPure 40% discount | 250 | MN 740727.250 | € 308.00 | € 184.80 | / |
| NucleoBond® Xtra Midi | 50 | MN 740410.50 | € 472.00 | € 354.00 | 1 |
| | 100 | MN 740410.100 | € 875.00 | € 656.25 | 2 |
| NucleoBond® Xtra Midi Plus | 50 | MN 740412.50 | € 565.00 | € 423.75 | 1 |
| NucleoBond® Xtra Midi EF | 50 | MN 740420.50 | € 725.00 | € 543.75 | 1 |
| NucleoBond® Xtra Maxi | 50 | MN 740414.50 | € 1100.00 | € 825.00 | 2 |
| | 100 | MN 740414.100 | € 2020.00 | € 1515.00 | 3 |
| NucleoBond® Xtra Maxi Plus | 50 | MN 740416.50 | € 1225.00 | € 918.75 | 2 |
| NucleoBond® Xtra Maxi EF | 50 | MN 740424.50 | € 1700.00 | € 1275.00 | 3 |
| NucleoBond® PC 10000 | 5 | MN 740593 | € 412.00 | € 309.00 | 1 |
| NucleoBond® PC 10000 EF | 5 | MN 740548 | € 585.00 | € 438.75 | 1 |
| RNA, DNA and PCR Clean-up | | | | | |
| NucleoSpin® Gel and PCR Clean-up / XS 35% discount | 250 | MN 740609.250 / MN 740611.250 | € 499.00 | € 324.35 | / |
| NucleoMag® NGS Clean-up and Size Select | 50 mL | MN 744970.50 | € 640.00 | € 480.00 | 2 |
| | 500 mL | MN 744970.500 | € 4505.00 | € 3378.75 | 3 |

FastGene® 2x IC Green qPCR Universal Mix

Highly sensitive, dye-based qPCR mix with a non-inhibitory intercalating dye



- Fast, accurate, and reliable DNA quantification
- Compatible with all major qPCR platforms
- Excellent performances in gene expression genotyping, and low-copy target detection.

20% discount

Other versions available, contact us for more information

FastGene® PROBE Universal ROX™

Robust and highly specific hydrolysis probe-based qPCR mix featuring a universal buffer



- For sensitive, high-dynamic-range quantification with low background fluorescence.
- Fast cycling protocols for major real-time instruments
- Optimized for multiplex assays
- For gene expression, copy number analysis, SNP genotyping, and pathogen detection.

FastGene® Optima HotStart Ready Mix

Reliable amplification of difficult templates, from GC-rich to Long Amplicons



20% discount

- Superb efficiency and robustness of the FastGene® Optima combined with HotStart technology
- Proofreading DNA polymerase
- Ready Mix: just add your template and primer
- Blend of Taq DNA polymerase and an engineered archaeal (B-family) DNA polymerase.
- For very complex templates (up to 10 kb)

FastGene® Taq DNA polymerase

Reliable standard Taq polymerase for routine PCR applications




20% discount

- Recombinant Taq DNA polymerase with high purity.
- 5 U/μL, robust performance for routine amplifications.
- Generates A-tailed PCR products, perfect for TA cloning.
- Supplied with two types of buffers and magnesium chloride
- Shelf life is at least 12 months
- Amplifies up to ~3.5 kb (genomic DNA) / 5 kb (simple templates).

(q)PCR plastics

Selection of 96-well plates, 8-well strips & centrifuge tubes from Nippon Genetics



From € 100.48
50 pièces



From € 48.00
120 pièces



Now: € 78.77
500 pièces



Now: € 59.52
500 pièces

20% discount
Request your samples!

Free samples! Bambanker™ Freezing Media

ONE STEP - NO SERUM - MAXIMUM CELL RECOVERY



Optimized serum-free freezing media for long-term storage of all kinds of cells. Benefit from high-survival rates, no need of programmed or sequential freezing and no risk of contamination.

Fast and convenient procedure:

- Draw up 1 mL of Bambanker™ from the tube
- Resuspend the cells
- Pipette the mixture back to the cryotube*
- Freeze at -80 °C

*For Bambanker™ Direct (BBD-s) directly add 1 mL of cell medium to the tube.

Variants

- Bambanker™
- Bambanker™ hRM
- Bambanker™ DMSO Free
- Bambanker™ Direct

Promotion pricelist

| Kit | Qty. | Reference | Price | Now* |
|--|------|---------------|--------------|------------|
| qPCR enzymes | | | 20% discount | |
| FastGene® 2x IC Green qPCR Universal | 500 | NG LS4005 | € 223.30 | € 178.64 |
| | 5000 | NG LS4050 | € 1 604.00 | € 1 283.20 |
| FastGene® PROBE Universal ROX™ | 500 | NG LS4505 | € 223.30 | € 178.64 |
| | 5000 | NG LS4550 | € 1 604.00 | € 1 283.20 |
| PCR enzymes | | | 20% discount | |
| FastGene® Taq DNA Polymerase | 500 | NG LS21 | € 51.20 | € 40.96 |
| | 2000 | NG LS22 | € 179.90 | € 143.92 |
| FastGene® Taq 2x Ready Mix | 250 | NG LS27 | € 111.70 | € 89.36 |
| FastGene® Optima HotStart Ready Mix | 500 | NG LS29 | € 142.70 | € 114.16 |
| 96-well plates | | | 20% discount | |
| 0.1 mL, semi-skirted, white | 50 | NG FG-210250 | € 134.80 | € 107.84 |
| 0.1 mL, non-skirted | 50 | NG FG-170350 | € 125.60 | € 100.48 |
| 0.2 mL, full-skirted | 50 | NG FG-180250 | € 130.30 | € 104.24 |
| 0.2 mL, semi-skirted | 50 | NG FG-190250 | € 130.30 | € 104.24 |
| 0.2 mL, non-skirted | 25 | NG FG-170225 | € 63.60 | € 50.88 |
| Adhesive (q)PCR Foil | 100 | NG FG-93AC2 | € 134.80 | € 107.84 |
| 8-well strips | | | 20% discount | |
| 0.1 mL white + optical flat cap strips | 125 | NG FG-019FC | € 99.20 | € 79.36 |
| 0.2 mL with single flat caps | 120 | NG FG-088WFDE | € 60.00 | € 48.00 |
| 0.2 mL with single domed caps | 120 | NG FG-088WD | € 83.70 | € 66.96 |
| 0.2 mL with separate flat cap strips | 120 | NG FG-016FC | € 74.40 | € 59.52 |
| 0.2 mL with separate domed cap strips | 120 | NG FG-016DC | € 74.40 | € 59.52 |
| Centrifuge Tubes | | | 20% discount | |
| 50 mL with coloured caps, sterile | 500 | NG FG-CT50ML | € 98.46 | € 78.77 |
| 15 mL with coloured caps, sterile | 500 | NG FG-CT15ML | € 74.40 | € 59.52 |

Discover here our Nippon Genetics instruments promotion!



Catalogue

Catalogue
16th edition Nippon Genetics

CHROMAFIL® Xtra syringe filters - Big Boxes

Ideal for GC, HPLC and UHPLC sample filtration



- Different membrane types to meet multiple filtration needs
 - Low content of extractable compounds
 - Fast flow geometry for easy filtration
 - Low hold-up volume for maximum filtrate recovery
 - HPLC certified
 - Diameter: 25 mm
 - Compatible for the use on all common automated filtration systems e.g. SOTAX® dissolution systems
- & 1 FREE celebration!

22% discount

| CHROMAFIL® Xtra syringe filters (400 pcs) | Pore Size | Reference | Price | Now* |
|--|-----------|---------------|----------|----------|
| Polytetrafluoroethylene (PTFE) | 0.45 µm | MN 729205.400 | € 300.00 | € 234.00 |
| | 0.20 µm | MN 729207.400 | | |
| Mixed cellulose esters (MV) | 0.45 µm | MN 729204.400 | € 300.00 | € 234.00 |
| | 0.20 µm | MN 729206.400 | | |
| Polyamide (PA) | 0.45 µm | MN 729213.400 | € 300.00 | € 234.00 |
| | 0.20 µm | MN 729212.400 | | |
| Polyvinylidene difluoride (PVDF) | 0.45 µm | MN 729219.400 | € 300.00 | € 234.00 |
| | 0.20 µm | MN 729218.400 | | |
| Polyester (PET) | 0.45 µm | MN 729220.400 | € 300.00 | € 234.00 |
| | 0.20 µm | MN 729221.400 | | |
| Cellulose acetate (CA) | 0.45 µm | MN 729227.400 | € 300.00 | € 234.00 |
| | 0.20 µm | MN 729226.400 | | |
| Polyethersulfone (PES) | 0.45 µm | MN 729241.400 | | |
| | 0.20 µm | MN 729240.400 | € 300.00 | € 234.00 |
| | 5.0 µm | MN 729242.400 | | |
| Glass fiber (GF) | 1 µm | MN 729228.400 | € 300.00 | € 234.00 |
| Polyester (PET) | 1.2 µm | MN 729229.400 | € 300.00 | € 234.00 |
| Hydrophilized polytetrafluoroethylene (H-PTFE) | 0.45 µm | MN 729246.400 | € 510.00 | € 397.80 |
| | 0.20 µm | MN 729245.400 | | |
| Regenerated cellulose (RC) | 0.45 µm | MN 729231.400 | € 425.50 | € 331.89 |
| | 0.20 µm | MN 729230.400 | | |

Normal Chromafil® big boxes also in promotion!

Product informations

Product brochure
CHROMAFIL® Xtra

Product brochure
CHROMABOND® modern polymeric SPE



CHROMABOND® modern polymeric SPE

Robust, high-performance alternative to conventional silica phases



Built on state-of-the-art spherical polymers with optimized pore structures and extremely high surface areas, they combine excellent loadability, low background levels, and full pH stability (1–14). The result is reproducible recoveries, cleaner extracts, and reliable protection of downstream LC and GC instruments.

Compared to silica-based sorbents, CHROMABOND® polymer phases deliver higher capacity (up to 30 wt % vs. 3–5 % for silica), broader chemical stability, and optimized flow properties – helping labs save both time and cost while ensuring maximum reproducibility.

With this portfolio, users can reliably enrich neutral, acidic, and basic compounds across diverse sample matrices such as water, serum, plasma, food, or complex environmental extracts. Whether for routine analysis or demanding trace detection, CHROMABOND® polymeric SPE phases enable precise, reproducible, and cost-efficient workflows.

Click here to open the pricelist! ←

25% discount

| CHROMABOND® modern polymeric SPE | Phase | Possible replacement | Recommended application |
|----------------------------------|---|--|--|
| CHROMABOND® HLB | Hydrophilic-lipophilic balance NVP /DVB copolymer | <ul style="list-style-type: none">• Oasis® HLB• StrataTM-X• SupelTM-Select HLB• Supra-Poly® HLB• Isolute® ENV+ | <ul style="list-style-type: none">• Medium polar organic molecules from polar matrices• Drugs and pharmaceuticals from urine, blood, serum and plasma• Tetracyclines and alkaloids from serum• Pesticides from water |
| CHROMABOND® HR-X | Hydrophobic PS /DVB copolymer | <ul style="list-style-type: none">• Nexus• ENVI-Chrom P• Bakerbond H2O-phobic DVB• StrataTM-X | <ul style="list-style-type: none">• Pharmaceuticals / active ingredients from tablets, creams and water• Drugs and pharmaceuticals from urine, blood, serum and plasma• Trace analysis of pesticides, herbicides, phenols, PAH and PCBs from water |
| CHROMABOND® HR-XC | Strong mixed-mode cation exchanger on PS /DVB copolymer basis | <ul style="list-style-type: none">• Oasis® MCX• StrataTM-X-C• StyreScreen® DBX• HyperSep™ Retain CX | <ul style="list-style-type: none">• Basic active ingredients from heavily matrix-contaminated samples, e. g., urine, plasma, serum• Fungicides from food• Basic analytes, e. g., amines• Bases with pKa 2–10 |
| CHROMABOND® HR-XCW | Weak mixed-mode cation exchanger on PS /DVB copolymer basis p | <ul style="list-style-type: none">• Oasis® WCX• StrataTM-X-CW | <ul style="list-style-type: none">• Basic compounds like quaternary amines• Active ingredients from heavily matrix-contaminated samples, e. g., urine, plasma, serum• Strong bases with pKa > 10 |
| CHROMABOND® HR-XA | Strong mixed-mode anion exchanger on PS /DVB copolymer basis | <ul style="list-style-type: none">• Oasis® MAX• StrataTM-X-A• HyperSep™ Retain AX• StyreScreen® QAX | <ul style="list-style-type: none">• Acidic active ingredients from heavily matrix-contaminated samples, e. g., urine, plasma, serum• Phenolic acids• Acidic herbicides• Weak/medium-strength acids with pKa 2–8 |
| CHROMABOND® HR-XAW | Weak mixed-mode anion exchanger on PS /DVB copolymer basis p | <ul style="list-style-type: none">• Oasis® WAX• StrataTM-X-AW | <ul style="list-style-type: none">• Perfluorinated surfactants• Acidic compounds like sulfonates• Active ingredients from heavily matrix-contaminated samples, e. g., urine, plasma, serum• Strong acids with pKa < 1 |

More promotions on the next page!

Vials and caps for GC and HPLC

Your dependable choice for chromatographic sample integrity



MACHEREY-NAGEL offers a comprehensive range of high-quality vials, caps, and accessories designed for precise and reliable chromatographic analysis. Manufactured from 1st hydrolytic class glass and tested under strict quality control, these consumables ensure maximum sample integrity and compatibility with all major autosamplers. **Now on promotion:** 1.5 mL screw, crimp, and snap-ring vials with matching closures

30% discount

| Vials & caps (100 pièces) | Reference | Price | Now* |
|---|-------------|---------|---------|
| 1.5 mL screw neck vial N 9 + N 9 PP screw cap, blue, center hole | | | |
| Clear, 11.6 x 32 mm | MN 702282 | € 11.62 | € 8.13 |
| Clear, 11.6 x 32 mm, label + filling lines | MN 702283 | € 13.11 | € 9.18 |
| Amber, 11.6 x 32 mm, label + filling lines | MN 702284 | € 13.68 | € 9.58 |
| Red Rubber/FEP, 1.0 mm | MN 702732 | € 13.68 | € 9.58 |
| Silicone white/PTFE red, 1.0 mm | MN 702287.1 | € 17.59 | € 12.31 |
| Silicone white/PTFE blue, slit, 1.0 mm | MN 702288.1 | € 23.69 | € 16.58 |
| 1.5 mL crimp neck vial N 11 + N 11 alu. crimp cap, silver, center hole | | | |
| Clear, 11.6 x 32 mm | MN 70201HP | € 10.00 | € 7.00 |
| Clear, 11.6 x 32 mm, label + filling lines | MN 702885 | € 12.03 | € 8.42 |
| Amber, 11.6 x 32 mm, label + filling lines | MN 702892 | € 12.78 | € 8.95 |
| NR/butyl/TEF, 1.0 mm | MN 70256 | € 11.81 | € 8.27 |
| Silicone white/PTFE red, 1.3 mm | MN 70288 | € 20.25 | € 14.18 |
| PTFE red/Silicone white/PTFE red, 1.0 mm | MN 702995 | € 24.96 | € 17.47 |
| 1.5 mL snap ring vial N 11 + N 11 PE snap cap, transparent, center hole | | | |
| Clear, 11.6 x 32 mm | MN 702714 | € 11.99 | € 8.39 |
| Clear, 11.6 x 32 mm, label + filling lines | MN 702713 | € 12.78 | € 8.95 |
| Amber, 11.6 x 32 mm, label + filling lines | MN 702712 | € 13.33 | € 9.33 |
| Red Rubber/FEP, 1.0 mm | MN 702731 | € 14.63 | € 10.24 |
| Silicone white/PTFE red, 1.0 mm | MN 702710 | € 18.52 | € 12.96 |
| Silicone white/PTFE blue, cross-slit, 1.0 mm | MN 702064 | € 24.95 | € 17.47 |
| Insert for wide opening vials | | | |
| 0.25 mL, 6 x 31 mm, 12 mm tip | MN 702716 | € 17.56 | € 12.29 |
| 0.1 mL, 5.7 x 29 mm, with plastic spring | MN 702818 | € 48.07 | € 33.65 |
| 0.3 mL, 6 x 31 mm, flat bottom | MN 702825 | € 13.53 | € 9.47 |

Contact us in case of larger quantities (from 100 packs) for a special offer!

Product informations

Catalogue
Vials & caps



Derivatization reagents for GC

High-purity derivatization reagents for confident GC analysis



MACHEREY-NAGEL provides a complete portfolio of high-purity derivatization reagents designed to improve analyte volatility, stability, and detectability in gas chromatography. These reagents ensure clean reactions, stable derivatives, and reproducible peak shapes.

The range covers all major reaction types, including silylation, acylation, alkylation, and methylation, with popular reagents such as MSTFA, BSTFA, TMSH, TFAA, and HFBA. For added convenience, method development kits combine several reagents, making it simple to optimize your derivatization strategy.

Whether working with polar, thermally labile, or complex samples, the derivatization reagents deliver high reactivity, excellent purity, and consistent performance.

20% discount

| Derivatization reagents for GC | Reference | Price | Now* |
|--|---------------|----------|----------|
| Kits | | | |
| Acylation kit 2x1 ml MBTFA, 2x1 ml TFAA, 2x1 ml MBHFBA | MN 701950 | € 163.10 | € 130.48 |
| Alkylation/ methylation kit 3x1 ml TMSH, 3x1 ml DMF-DMA | MN 701951 | € 105.10 | € 84.08 |
| Derivatisation method development kit 2x1 ml TMSH 2x1 ml MSTFA 2x1 ml MBTFA | MN 701952 | € 125.10 | € 100.08 |
| Silylation kit 2x1 ml MSTFA, 2x1 ml BSTFA, 2x1 ml TSIM, 2x1 ml MSHFBA | MN 701953 | € 105.10 | € 84.08 |
| Acylation reagents | | | |
| TFAA (5 x 10 mL) | MN 701130.510 | € 145.00 | € 116.00 |
| HFBA (5 x 10 mL) | MN 701110.510 | € 575.00 | € 460.00 |
| Alkylation / methylation reagents (5 x 10 mL) | | | |
| DMF-DMA (1 x 10 mL) | MN 701430.110 | € 64.80 | € 51.84 |
| TMSH 0.2 M in methanol (5 x 10 mL) | MN 701520.510 | € 696.00 | € 556.80 |
| Silylation reagents (5 x 10 mL) | | | |
| MSHFBA | MN 701260.510 | € 601.00 | € 480.80 |
| MSTFA | MN 701270.510 | € 442.40 | € 353.92 |
| BSA | MN 701210.510 | € 148.10 | € 118.48 |
| BSTFA | MN 701220.510 | € 254.20 | € 203.36 |
| TSIM | MN 701310.510 | € 232.20 | € 185.76 |
| HMDS | MN 701240.510 | € 56.50 | € 45.20 |
| Silyl-271 | MN 701450.510 | € 254.20 | € 203.36 |



& 1 FREE celebration!

& 1 FREE celebration!

& 1 FREE celebration!

& 1 FREE celebration!

& 1 FREE celebration!

& 1 FREE celebration!

& 1 FREE celebration!

Bundle promotion!



NANOCOLOR® Advance
&
NANOCOLOR® Vario C2

Ref: MN ADV BUNDLE 1

€ 4 860.00

€ 3 159.00

35% discount



NANOCOLOR® Advance
&
NANOCOLOR® Vario 4

Ref: MN ADV BUNDLE 2

€ 5 737.00

€ 3 729.05

35% discount

Spectrophotometer NANOCOLOR® Advance

Smart into the future

The spectrophotometer NANOCOLOR® Advance combines the most important features of our portable compact photometer PF-12 Plus and our high-precision spectrophotometer NANOCOLOR® VIS II.

It provides precise and reliable measurement results in the daily laboratory routine and can also be used **mobile** due to its **rechargeable battery**. With its **wavelength spectrum of 340 - 800 nm** it allows the measurement of all photometrically evaluable test kits from MACHEREY-NAGEL. The NANOCOLOR® Advance can therefore be used universally in the entire spectrum of water and wastewater analysis.

- **Barcode technology:** automatic detection of parameter and simultaneously turbidity (NTU)
- **Robust:** certified outdoor usability with internal rechargeable battery
- **Universal:** large spectrum of evaluable test kits (NANOCOLOR/VISOCOLOR ECO/PP)
- **Intuitive:** Icon-based menu navigation on the touch screen
- **Cuvette holder:** for 16/24mm round tubes, 10/20/40 and 50 mm rectangle cuvettes
- **Data memory:** 1000 measuerement results, 1000 IQC results,100 scans
- More than 200 pre-programmed tests and special methods
- 99 fully programmable methods: absorbance, transmission, factor, kinetics, scan, nephelometric turbidity measurement

Thermoblock NANOCOLOR® VARIO C2 & VARIO 4

Fast and reliable sample digestions

The NANOCOLOR VARIO C2/4 enables a fast and safe performance of all kinds of sample digestions required in water and waste water analysis. The standard parameters for routine digestions such as **COD, TOC, total nitrogen, total phosphorus and metals** are **pre-programmed** in the heating blocks and help the user to avoid mistakes. For **up to 12/24 (2 x 12) samples** in parallel, with the NANOCOLOR VARIO 4 two heating units can be controlled separately.

- **Easy:** touch screen with intuitive user guidance
- **Fast:** extremely short heating-up times
- **Safe:** lockable protective lids for maximum safety
- **Secure:** internal quality control via NANOCOLOR® T-Set

Product informations

Product brochure
NANOCOLOR® Advance

Product brochure
NANOCOLOR® Heating blocks

Photometer and heating block service

Still meet the necessary requirements?

Photometer inspection with NANOCONTROL NanoCheck 2.0

To check if your photometer still meets the necessary requirements for obtaining reliable results in accordance to ISO 9001 we offer an inspection service for your NANOCOLOR® filter- or spectrophotometer. In this service we check if the accuracy and linearity of the photometer for all different wavelengths in the filter photometer and the range of your spectrophotometer are met to the analytical quality standards. With the inspection executed by our trained personnel you will receive an **official certificate so your next audit will be a breeze**. We recommend a yearly inspection.

Heating block calibration with NANOCOLOR® USB T-Set

To check if your sample digestion is still reliable we offer a calibration service for your NANOCOLOR® heating blocks for a comprehensive analytical quality assurance. In this service we use an electronic temperature sensor which measures the actual temperatures and compares them to the nominal temperatures that have been programmed in the heating block. The heating block will internally adjust itself after this. We can provide you with a comprehensive test protocol for internal documentation. Our trained personnel will provide you **with an official certificate** for you next audit.

| Photometer and heating block inspection | Reference | Price* |
|--|--------------------|----------|
| Service by our trained personnel | | |
| NANOCOLOR® Photometer inspection | FS SERV PHOTOMETER | € 150.00 |
| NANOCOLOR® Vario C2 single block calibration | FS SERV HEATC2 | € 350.00 |
| NANOCOLOR® Vario 4 dual block calibration | FS SERV HEAT4 | € 450.00 |
| No official certificat needed? You can also order our inspection and calibration tools | | |
| NANOCONTROL® Nanocheck 2.0 | MN 925703 | € 206.70 |
| NANOCOLOR® USB T-Set for heating block control | MN 919921 | € 546.00 |

NANOCOLOR® tube tests

Smart technology with barcode

- **Easy testing:** step-by-step pictogram instructions
- **Safe:** no direct exposure to dangerous chemicals
- **Reliable:** most tube tests comply with international standards
- **Precise:** predosed reagents for highly reproducible results

Already own a **HACH DR3900 or DR6000** photometer?
Use now our MACHEREY-NAGEL **NANOCOLOR® tube tests on your device** with the conversion kit! Contact us for more information.

- **Efficient:** reduces operating costs without additional investment
- **Intuitive:** user-friendly with automated method import and easy kit processing
- **Reliable and verified measurements**

Product informations

Product brochure
NANOCOLOR® analysis systems

info@filterservice.be - orders@filterservice.be - 087/59 51 70 - www.filterservice.be

Centrifuge tubes, PP, in bags

10% discount

With high thermal, mechanical (up to 16000 x g) and chemical stability



| Volume | Sterile | Qty. | Reference | Price | Now* |
|--------|---------|------|----------------|---------|---------|
| 15 mL | No | 500 | KM LAB 7696712 | € 49.67 | € 44.70 |
| | Yes | 500 | KM LAB 7696714 | € 52.20 | € 46.98 |
| 50 mL | No | 500 | KM LAB 7696717 | € 70.70 | € 63.63 |
| | Yes | 500 | KM LAB 7696719 | € 73.80 | € 66.42 |
| | Yes* | 500 | KM LAB 7696724 | € 86.30 | € 77.67 |

*Self standing version

- Sterile in bags (25 pcs/bag)
 - Also available in racks (15 ml: 50 pcs/rack, 50 ml: 25 pcs/rack)
 - Free from DNase and RNase, endotoxin level <0.5 EU/ml, gamma-sterilized (SAL 10-6)

Serological pipettes, PS

10% discount



- With filter plug
- Free of DNase, RNase and pyrogens
- Non-cytotoxic
- Gamma sterilized (SAL 10-6)

| Volume | Colour | Qty. | Reference | Price | Now* |
|--------|--------|------|----------------|---------|---------|
| 1 mL | Yellow | 500 | KM LAB 7695550 | € 61.40 | € 55.26 |
| 2 mL | Green | 500 | KM LAB 7695551 | € 68.10 | € 61.29 |
| 5 mL | Blue | 200 | KM LAB 7695552 | € 34.07 | € 30.66 |
| 10 mL | Orange | 200 | KM LAB 7695553 | € 41.21 | € 37.09 |
| 25 mL | Red | 150 | KM LAB 7695554 | € 55.10 | € 49.59 |
| 50 mL | Purple | 100 | KM LAB 7695555 | € 62.40 | € 56.16 |

Other variant available.

Pasteur pipettes, LDPE

10% discount



| Volume | Sterile | Qty. | Reference | Price | Now* |
|--------|---------|------|----------------|---------|---------|
| 1 mL | No | 500 | KM LAB 7691200 | € 9.17 | € 8.25 |
| | Yes* | 500 | KM LAB 7691201 | € 28.38 | € 25.54 |
| | Yes** | 500 | KM LAB 7691206 | € 23.10 | € 20.79 |
| 3 mL | No | 500 | KM LAB 7691202 | € 15.60 | € 14.04 |
| | Yes* | 500 | KM LAB 7691203 | € 28.38 | € 25.54 |
| | Yes** | 500 | KM LAB 7691207 | € 23.10 | € 20.79 |


*Packed individually

**Packed per 10

Pasteur pipettes also available in 10 mL (not in promotion).

NEW! LABSOLUTE® SEAL

Stretchable and moisture-proof sealing film



10% discount

Now*
€ 19.04

Protects against moisture loss while allowing gas permeability.

- Ideal for use in the laboratory with beakers, bottles, tubes, petri dishes and much more.
- Resistant to polar substances, inorganic acids and alkaline solutions for up to 48 hours.
- Temperature range from -80°C to 90°C
- Not suitable for use with acetone, diethyl ether or tetrachloride.

Reference: KM LAB 7699700

Thickness: 125 µm Width: 10 cm Length: 38 m

Request a sample with your representative!

Wide-Mouth Bottles, HDPE

With 100 % tightly closing screw lids made of PP

10% discount

The LABSOLUTE® bottles are available in wide-mouth & narrow-mouth version.

The bottles in promotion are made of HDPE but are also available in LDPE or PP.



| Volume | Color | Qty. | Reference | Price | Now* |
|---------|---------|------|----------------|---------|---------|
| 250 mL | Natural | 12 | KM LAB 7696144 | € 11.62 | € 10.46 |
| | Amber | 12 | KM LAB 7696150 | € 16.45 | € 14.81 |
| 500 mL | Natural | 12 | KM LAB 7696145 | € 17.10 | € 15.39 |
| | Amber | 12 | KM LAB 7696151 | € 22.24 | € 20.02 |
| 1000 mL | Natural | 6 | KM LAB 7696146 | € 14.93 | € 13.44 |
| | Amber | 6 | KM LAB 7696152 | € 21.12 | € 19.01 |

Also available in 30, 60, 125 & 2000* mL

*Only in natural color

CHEMSOLUTE® Sorb

Fast and effective binding of chemicals and oils



Now*
€ 26.98

Suitable for all liquids except mercury, this absorbent offers a very high **binding capacity of up to 75 times its own weight**. It also features a barrier-forming function and an **indicator function** with a clear color change: yellow for acids and red for bases.

Reference: KM CH 2410-1L


10% discount

Also available in 4L wide-mouth container, 5 kg storage bucket & 20 kg barrel.



Discover more!

Catalogues



LABSOLUTE® offers a comprehensive range of high-quality laboratory consumables designed to meet daily laboratory needs with maximum reliability and excellent value for money.

CHEMSOLUTE® provides a wide selection of laboratory chemicals and reagents, produced according to strict quality standards and suitable for a broad spectrum of applications.

Discover the catalogs below or request your printed version with your representative.

Catalogue
Labsolute

Catalogue
Chemsolute



Profiler™ electro 447 electronic pipette controller

Ref: FA 447.100

High-performance electronic pipette controller designed for comfort, speed, and control.



- Powerful pump - fills 25 mL in 3 seconds
- 6 hours of autonomous work
- Simple, fast operation
- Comfortable finger triggers
- Large display always visible
- Li-ion battery rechargeable during use
- Shock and chemical resistance
- Interchangeable protection membrane filter
- Compact table and wall stands

Acura® manual twin- & triopack pipettes & multichannel pipettes

The Acura® manual pipettes are designed with advanced materials and ergonomics, featuring reliable volume adjustment, single-handed settings, and a precision digital display. Key features include a Justip™ adjustable tip ejector, Swift-set calibration, and resistance to shock, UV light, and autoclaving, all supported by a 3-year warranty.

30% discount



In twin- & triopacks

| Type | Volume | Qty. | Reference | Price | Now* |
|-----------------|---|------|---------------|---------------------|----------|
| Acura® 825 | 0.1 - 2 µL / 0.5 - 10 µL / 5 - 50 µL | 1 | FA 825.TRIO.C | € 752.50 | € 526.75 |
| | 0.1 - 2 µL / 2 - 20 µL / 20 - 200 µL | 1 | FA 825.TRIO.J | € 736.50 | € 515.55 |
| | 1 - 10Y µL / 5 - 50 µL / 20 - 200 µL | 1 | FA 825.TRIO.M | € 719.50 | € 503.65 |
| | 0.5 - 10 µL / 10 - 100 µL / 100 - 1000 µL | 1 | FA 825.TRIO.O | € 736.50 | € 515.55 |
| | 1 - 10 µL / 10 - 100 µL / 100 - 1000 µL | 1 | FA 825.TRIO.P | € 719.50 | € 503.65 |
| | 0.1 - 2 µL / 2 - 20 µL / 20 - 200 µL | 1 | FA 825.TRIO.J | € 736.50 | € 515.55 |
| | 2 - 20 µl / 20 - 200 µl / 100 - 1000 µl | 1 | FA 825.TRIO.S | € 719.50 | € 503.65 |
| Acura® 825 &835 | 5 - 50 µl / 20 - 200 µl / 100 - 1000 µl | 1 | FA 825.TRIO.T | € 719.50 | € 503.65 |
| | 10 - 100 µL / 100 - 1000 µL / 0.5 - 5 mL | 1 | FA 825.TRIO.V | € 744.00 | € 520.80 |
| | 100 - 1000 µL / 0.5 - 5 mL / 1 - 10 mL | 1 | FA 835.TRIO.Y | € 767.00 | € 536.90 |
| Acura® 826 | 0.1 - 2 µL / 2 - 20 µL | 1 | FA 826.TWX.E | € 551.50 | € 386.05 |
| | 0.5 - 10 µL / 10 - 100 µL | 1 | FA 826.TWX.G | € 551.30 | € 386.05 |
| | 2 - 20 µL / 20 - 200 µL | 1 | FA 826.TWX.H | € 533.00 | € 373.10 |
| | 5 - 50 µL / 20 - 200 µL | 1 | FA 826.TWX.K | € 533.00 | € 373.10 |
| | 10 - 100 µL / 100 - 1000 µL | 1 | FA 826.TWX.N | € 533.00 | € 373.10 |
| | 20 - 200 µL / 100 - 1000 µL | 1 | FA 826.TWX.Q | € 533.00 | € 373.10 |

30% discount



| Volume | Channels | Qty. | Reference | Price | Now* |
|-------------|----------|------|---------------|---------------------|----------|
| 0.5 - 10 µL | 8 | 1 | FA 855.08.010 | € 732.50 | € 512.75 |
| | 12 | 1 | FA 855.12.010 | € 844.50 | € 591.15 |
| 2 - 20 µL | 8 | 1 | FA 855.08.020 | € 732.50 | € 512.75 |
| 5 - 50 µL | 8 | 1 | FA 855.08.050 | € 686.50 | € 480.55 |
| | 12 | 1 | FA 855.12.050 | € 788.00 | € 551.60 |
| 10 - 100 µL | 8 | 1 | FA 855.08.100 | € 686.50 | € 480.55 |
| 20 - 200 µL | 8 | 1 | FA 855.08.200 | € 686.50 | € 480.55 |
| | 12 | 1 | FA 855.12.200 | € 788.00 | € 551.60 |
| 40 - 350 µL | 8 | 1 | FA 855.08.350 | € 686.50 | € 480.55 |
| | 12 | 1 | FA 855.12.350 | € 788.00 | € 551.60 |

Pipetman® and Pipetman® L pipettes combine reliable performance with user-friendly design. Ideal for a wide range of laboratory applications, they deliver consistent results with trusted precision. 3 years warranty



Pipetman® & Pipetman® L

| Pipette | Volume | Qty. | Reference | Price | Now* |
|-------------------|---------------|------|-------------|---------------------|----------|
| PIPETMAN® P20 | 2 - 20 µL | 1 | GI F144056M | | |
| PIPETMAN® P200 | 20 - 200 µL | 1 | GI F144058M | € 299.00 | € 179.40 |
| PIPETMAN® P1000 | 100 - 1000 µL | 1 | GI F144059M | | |
| PIPETMAN® L P20L | 2 - 20 µL | 1 | GI FA10003M | | |
| PIPETMAN® L P200L | 20 - 200 µL | 1 | GI FA10005M | € 327.00 | € 228.90 |
| PIPETMAN® L P1000 | 100 - 1000 µL | 1 | GI FA10006M | | |

40% discount

30% discount

Request pricing with your representative for other volumes.

Pipetman®: the industry standard, robust, precise, and ideal for intensive use.

Pipetman® L: lightweight and ergonomically optimized, with reduced pipetting force for added comfort during extended use.



Liquid handling

*Valid until 17.12.2025

Discover the large range of high quality liquid handling products from Starlab. Open the promotional brochure for more information.

Including:

- **NEW! RepeatOne® S Dispenser & TipOne® Repeat Dispenser Tips**
- **ErgoOne® (E) pipettes single & multichannel pipettes**
- **Wide orifice tips**
- **Aspirator**



Up to 25% discount



Product informations



Catalogue

Socorex Acura® pipettes

Product brochure

Gilson PIPETMAN®

Product brochure

Starlab ErgoOne® pipettes

Product brochure

Socorex Profiller™ electro 447

Product brochure

Gilson PIPETMAN® L

Trade Up for precision


Upgrade your laboratory with a new Eppendorf pipette

Are your pipettes no longer delivering the precision and accuracy that you need? After prolonged use, even the best tools can lose their reliability. Elevate your research with a brand new Eppendorf pipette, renowned for its exceptional performance and durability.

Including:

- Manual single channel pipettes
 - Eppendorf Reference® 2 BASIC, 1-channel, variable
 - Eppendorf Research® plus BASIC, 1-channel, variable
- Manual dispensers
 - Multipette® M4 BASIC
 - Multipette® E3/E3x BASIC incl. charging adapter

Click on the brochure for the reference check the price on our shop or request your offer with your representative.



Research® plus 3-pack pipettes

Ergonomic, lightweight mechanical pipettes delivering the highest precision and accuracy

Promotion on triopacks including epT.I.P.S.® boxes.

14% discount

€ 769.00

€ 661.34

Pack 1 (0.5-10 µL / 10-100 µL / 100-1000 µL)
Ref: EP 3123000900

Pack 2 (2-20 µL / 20-200 µL / 100-1000 µL)
Ref: EP 3123000918

Pack 3 (100-1000 µL / 0,5-5 mL/ 1-10 mL)
Ref: EP 3123000926

epMotion® 96 Flex

- Automated 96-channel pipetting for efficient handling of 96- and 384-well plates
- Flexible volume range (0.5–1000 µL) with interchangeable dispensing heads
- Compact design for easy movement and fitting in biosafety cabinets
- Ergonomic touchscreen control and intuitive software for user-friendly operation
- High precision, ISO 23783-2 certified
- Suitable for applications like plate reformatting, PCR/qPCR setup, and cell-based assays
- Reduces processing time by up to 40% compared to manual pipetting

Eppendorf Safe-Lock® Tubes

With excellent centrifugation stability and optimized sealing properties

Safe-Lock microtubes offer superior lid closure and sample protection with a hinged lid, designed to prevent accidental opening. Whether it's precious samples or volatile buffers, the Safe-Lock microtube remains firmly closed while others pop open, compromising your sample integrity.

14% discount

| Safe-Lock® Tubes, colorless | Reference | Price | Now* |
|---------------------------------------|---------------|---------|---------|
| 0.5 mL, Eppendorf quality, 500 tubes | EP 0030121023 | € 50.90 | € 43.77 |
| 1.5 mL, Eppendorf quality, 1000 tubes | EP 0030120086 | € 51.50 | € 44.29 |
| 2.0 mL, Eppendorf quality, 1000 tubes | EP 0030120094 | € 70.30 | € 60.46 |
| 0.5 mL, PCR clean, 500 tubes | EP 0030123301 | € 56.40 | € 48.50 |
| 1.5 mL, PCR clean, 1000 tubes | EP 0030123328 | € 56.40 | € 48.50 |
| 2.0 mL, PCR clean, 1000 tubes | EP 0030123344 | € 76.70 | € 65.96 |

Sterile screw cap conical tubes

Manufactured under rigorous standards to ensure chemical compatibility, tight sealing, dimensional accuracy, and robustness in daily use

14% discount


| Sterile screw cap conical tubes | Reference | Price | Now* |
|---------------------------------|---------------|----------|----------|
| 5.0 mL | EP 0030122321 | € 75.10 | € 64.59 |
| 15 mL | EP 0030122551 | € 175.00 | € 150.50 |
| 25 mL | EP 0030122437 | € 81.30 | € 69.92 |
| 50 mL | EP 0030122178 | € 210.00 | € 180.60 |

- Excellent leak resistance and secure caps to prevent contamination
- Clear graduations for ease of volume estimation
- High clarity and purity, sterile, free from RNase, DNase, and PCR inhibitors

Product informations

Catalogue

Eppendorf liquid handling range



info@filterservice.be - orders@filterservice.be - 087/59 51 70 - www.filterservice.be



Transferpette® S, Pipette sets
*20% discount / Valid until 30.11.2025



The Transferpette® S air displacement pipette is designed for efficient and ergonomic use with varying volumes. It features low operating forces for comfortable pipetting, accommodating both right- and left-handed users of all hand sizes. The pipette allows for true one-hand operation, enabling easy volume setting, pipetting, and tip ejecting. It includes volume-change protection that works with gloves, and Easy Calibration technology for tool-free calibration.

20% discount

| Volume | Qty. | Reference | Price | Now* |
|--|------|-----------|-----------|-----------|
| Triopack including 3 x TipBox pipette tips, 3 x shelf/rack mount | | | | |
| Mini: 0,1 - 2,5 µL, 0,5 - 10 µL, 10 -100 µL | 1 | 705890 | | |
| Midi: 2 - 20 µL, 20 - 200 µL, 100 - 1000 µL | 1 | 705891 | | |
| Macro: 100 - 1000 µL, 0,5 - 5 mL, 1 - 10 mL | 1 | 705892 | € 770.60 | € 616.48 |
| Standard: 0.5 - 10 µL, 10 - 100 µL, 100 - 1000 µL | 1 | 705893 | | |
| Fivepack including 3 / 4 x TipBox pipette tips, Benchtop rack (carousel for 6 devices) | | | | |
| 0.1 - 2.5 µL, 0.5 - 10 µL, 2 - 20 µL, 20 - 200 µL, 100 - 1000 µL | 1 | 705896 | | |
| 0.5 - 10 µL, 10 - 100 µL, 20 - 200 µL, 100 - 1000 µL, 500 - 5000 µL | 1 | 705897 | € 1283.50 | € 1026.80 |

ahn® AHN myTip® Effortless EL3 Tips for Rainin® LTS® style pipettes
*Valid until 31.12.2025



Experience seamless pipetting with **AHN EL³ Tips**, expertly designed for **Rainin® LTS® style pipettes** & **AHN EL³ style pipettes** to ensure optimal performance. Featuring an innovative cylindrical tip and shaft mechanism providing a perfect fit while integrating EL³-technology to significantly reduce pipetting force, enhancing user comfort. The positive stop feature guarantees quick and effortless attachment and removal, ensuring a perfect seal between the pipette and the tip. Certified free of RNase, DNase, PCR Inhibitors, Endotoxins and Pyrogens
US FDA approved medical grade virgin polypropylene plastic without any trace of metals, highly transparent and clear.
The tips are available in differen packaging types. Request a sample with your representative!

2025 Pricelist Refill System

| Volume | Sterile | #Tips | Reference | Price* |
|---------|---------|-------|---------------|----------|
| 20 µL | No | 9600 | AN 1-711-C1-R | € 319.43 |
| | Yes | 9600 | AN 1-712-C1-R | € 352.61 |
| 200 µL | No | 9600 | AN 1-721-C1-R | € 319.43 |
| | Yes | 9600 | AN 1-722-C1-R | € 352.61 |
| 1000 µL | No | 5760 | AN 1-802-C4-R | € 184.79 |
| | Yes | 5760 | AN 1-803-C4-R | € 222.19 |

Mentioned prices are list prices for 1 unit.
Contact us with the quantities you need for an offer.

Product informations

Product brochure
AHN myTip® Effortless EL3 Tips



In-house calibration service

Calender 2025

Next Maintenance Date: 15 - 19 December 2025
Last Registration Deadline: December 5th
Start collecting pipettes with our drivers: December 8th



Register here!

For larger quantities of pipettes, an on-site clinic can be arranged on alternative dates.
For further questions contact your representative or contact us at services@filterservice.be

2025 Service Pricelist

| Service | Price Single Channel | Price 8-channel | Price 12-channel |
|---|----------------------|-----------------|------------------|
| Maintenance, as left calibration 4@1 | € 36.00 | € 72.00 | € 86.00 |
| Maintenance, as left calibration 4@2 | € 42.00 | € 93.00 | € 113.00 |
| Maintenance, as left calibration 4@3 | € 50.00 | € 104.00 | € 121.00 |
| Maintenance, as left calibration 10@3 | € 66.00 | € 134.00 | € 167.00 |
| Maintenance, as left calibration 10@3, with UKAS certificate (=BELAC) | € 83.00 | € 149.00 | € 182.00 |

Service levels can be customised to your preference, do not hesitate to contact your representative for more info.

- For all brands and types of pipettes: single-channel and multi-channel, manual and electronic
- Pipettes **calibrated according to the stricter manufacturer's specifications** (ISO 655 also possible but less precise)
- Standard **calibration on ALL channels for multi-channel pipettes**
- One price for both manual and electronic pipettes
- Pipettes are manually disassembled, inspected, cleaned, and leak-tested
- Worn-out parts replaced if necessary
- Exterior of the pipette cleaned if needed
- Pipette checked according to the selected service level and recalibrated if required
- **Calibration sticker provided, including details of the service and replaced parts**

TipOne® Closed Loop Recycling Service & sustainable tip system



Crafted from **pure, virgin polypropylene**, this product features an optimized base geometry that ensures **secure and precise handling**. The design includes an **enhanced rack for stacking, autoclaving, reusing, and pipetting with multi-channel capabilities**. Additionally, it is **manufactured in a facility powered entirely by sustainable energy sources, specifically wind**.

Using the **sterile refill uses already up to 63% less plastic** for its manufacture compared to sterile racked product. Above this, Filter Service can provide you with a **carton box for collecting all remaining recycable polypropylene plastics (wafers, refill packaging) from the Starlab TipOne® refill system**. Collection can be done by our driver with delivery of new tips. Contact your representative regarding the conditions and pricing.

More information

Product brochure
Starlab TipOne® Tips

Video
TipOne® Closed Loop Recycling Service



Adventurer™ Precision balances

Intuitive balances designed for routine weighing



20% discount

The OHAUS Adventurer™ series combines intuitive operation with advanced features, making it the ideal choice for routine and demanding weighing tasks. With a responsive color touchscreen, fast stabilization, AutoCal™ internal calibration on selected models, and multiple application modes, Adventurer™ balances deliver maximum convenience and precision. Equipped with GLP/GMP compliant data output, dual USB ports, RS232 connectivity, and a wide range of application modes, Adventurer™ balances offer advanced functionality and trusted reliability for modern laboratory workflows.

| Adventurer™ balances | Maximum Capacity | Readability | Reference | Price | Now* |
|----------------------|------------------|-------------|-------------|------------|------------|
| AX523 | 520 g | 1 mg | OH 30122614 | € 2 690.00 | € 2 152.00 |
| AX523/E* | | | OH 30122615 | € 2 280.00 | € 1 824.00 |
| AX2201 | 2 200 g | 0.1 g | OH 30206083 | € 1 620.00 | € 1 296.00 |
| AX2201/E* | | | OH 30206084 | € 1 220.00 | € 976.00 |
| AX2202 | | 0.01 g | OH 30127968 | € 2 105.00 | € 1 684.00 |
| AX2202/E* | | | OH 30127969 | € 1 705.00 | € 1 364.00 |
| AX4201 | 4 200 g | 0.1 g | OH 30127970 | € 1 890.00 | € 1 512.00 |
| AX4201/E* | | | OH 30127971 | € 1 475.00 | € 1 180.00 |
| AX4202 | | 0.01 g | OH 30122616 | € 2 360.00 | € 1 888.00 |
| AX4202/E* | | | OH 30122617 | € 1 980.00 | € 1 584.00 |
| AX5202 | 5 200 g | 0.01 g | OH 30122618 | € 2 690.00 | € 2 152.00 |
| AX6202 | 6 200 g | 0.1 g | OH 30805892 | € 2 690.00 | € 2 152.00 |
| AX6202/E* | | | OH 30805893 | € 2 234.00 | € 1 787.20 |
| AX8201 | 8 200 g | 0.1 g | OH 30122619 | € 2 020.00 | € 1 616.00 |
| AX8201/E* | | | OH 30122620 | € 1 640.00 | € 1 312.00 |
| AX12001 | 12 000 g | 0.1 g | OH 30805894 | € 2 130.00 | € 1 704.00 |
| AX12001/E* | | | OH 30805895 | € 1 720.00 | € 1 066.40 |

*/E: without InCal™ - Semi Automatic internal calibration



Product information

Product brochure

Adventurer™ balances

Product video

Adventurer™ balances

Moisture Analyzer MB92

High performance moisture analysis with advanced features

The OHAUS MB92 combines fast, uniform carbon fiber heating with advanced data management and connectivity, ensuring precise and efficient moisture determination in demanding laboratory and production environments. With intuitive operation and flexible method storage, it delivers both accuracy and convenience.



20% discount

€ 3 645.00
€ 2 916.00

- Readability: 0.01 % / 0.001 g
- Capacity: up to 90 g
- Temperature range: 40 °C – 200 °C, adjustable in 1 °C steps
- Drying programs: standard, fast, ramp, step; up to 20 methods stored
- Display: intuitive 4.3" color touchscreen with live drying curves and statistics
- Design benefits: compact footprint, full glass panel, tool-free heating chamber cleaning
- Reference: OH 30971924

Product information

Product brochure

MB92

Pioneer™ balances

Combining economy and high performance for essential weighing



20% discount

The OHAUS Pioneer™ series delivers essential performance at outstanding value, designed for accurate, repeatable weighing in laboratories, schools, and industry. With robust construction, a bright backlit display, and straightforward operation, they provide dependable results for everyday use. Equipped with GLP/GMP data output, USB and RS232 connectivity, and key application modes, Pioneer™ balances combine practical functionality with trusted quality.

| Pioneer™ balances | Maximum Capacity | Readability | Reference | Price | Now* |
|----------------------|---------------------|------------------|-------------|-----------------------|------------|
| Semi-Micro balances | | | | | |
| PX85 | 82 g | 0.01 mg | OH 30485340 | € 3 790.00 | € 3 032.00 |
| PX125D | 52 g / 120 g | 0.01 mg ; 0.1 mg | OH 30478196 | € 3 675.00 | € 2 940.00 |
| PX225D | 82 g / 220 g | 0.01 mg ; 0.1 mg | OH 30478197 | € 3 940.00 | € 3 152.00 |
| Analytical balances | | | | | |
| PX124 | 120 g | 0.1 mg | OH 30429803 | € 1 870.00 | € 1 496.00 |
| PX124/E | | | OH 30429810 | € 1 620.00 | € 1 296.00 |
| PX224 | 220 g | 0.1 mg | OH 30429804 | € 2 005.00 | € 1 604.00 |
| PX224/E | | | OH 30429811 | € 1 775.00 | € 1 420.00 |
| Precision balances | | | | | |
| PX323 | 320 g | 0.001 g | OH 30429805 | € 1 420.00 | € 1 136.00 |
| PX323/E | | | OH 30429812 | € 1 140.00 | € 912.00 |
| PX623 | 620 g | 0.001 g | OH 30619383 | € 1 555.00 | € 1 244.00 |
| PX623/E | | | OH 30619382 | € 1 270.00 | € 1 016.00 |

*/E: without InCal™ - Semi Automatic internal calibration



Product information

Product brochure

Pioneer™ balances


Product video

Pioneer™ balances

Moisture Analyzer MB120

Faster, smarter, more efficient moisture analysis

The OHAUS MB120 is the flagship moisture analyzer, designed for laboratories that require speed, precision, and advanced method management. With halogen heating technology for rapid, uniform drying and SmartGuide™ for automatic method creation, makes complex analyses straightforward and reliable.



20% discount

€ 5 260.00
€ 4 208.00

- Readability: 0.01 % / 0.001 g; Capacity: 120 g
- Heating range: 40–230 °C in 1 °C increments
- SmartGuide™: automatic method creation for simplified setup
- Method storage: up to 100 methods; 1,000 results
- Drying profiles: Standard, Fast, Ramp, Step
- User interface: large color touchscreen with intuitive navigation
- Compliance: GLP/GMP data output, RS232 and dual USB ports
- Easy maintenance: stainless steel surfaces and tool-free cleaning
- Reference: OH 30241169

Product information

Product brochure

MB120

Frontier™ 5000 Centrifuges

Comprehensive line of micro and multi centrifuges designed to support a wide range of laboratory applications



20% discount

The Frontier™ 5000 centrifuge series offers maximum speeds up to 18,000 rpm and relative centrifugal forces above 24,000 × g, the series offers reliable performance for both routine and advanced separation tasks. Models are available in ventilated and refrigerated versions, ensuring suitability for temperature-sensitive as well as standard workflows. Each centrifuge combines robust construction with intuitive operation, advanced safety features, and program memory for reproducible results. Promotion on centrifuges without rotor.

Technical data

| Frontier™ 5000 | Speed range (rpm) | Max RCF (x g) | Capacity | Temperature range (°C) |
|------------------------------|-------------------|---------------|-------------------|------------------------|
| Centrifuge Micro FC5513 | 200 - 13500 | 17 317 | 24 x 1.5 / 2.0 mL | / |
| Centrifuge Micro FC5513R | 200 - 13500 | 17 317 | 24 x 1.5 / 2.0 mL | -10 -- 40 °C |
| Centrifuge Multi-Pro FC5714 | 200 - 15200 | 21 953 | 24 x 1.5 / 2.0 mL | / |
| Centrifuge Micro FC5515 | 200 - 15200 | 21 953 | 24 x 1.5 / 2.0 mL | -10 -- 40 °C |
| Centrifuge Micro FC5515R | 200 - 14000 | 18 624 | 4 x 100 mL | / |
| Centrifuge Multi-Pro FC5718 | 200 - 18000 | 23 542 | 4 x 100 mL | / |
| Centrifuge Multi-Pro FC5718R | 200 - 18000 | 23 542 | 4 x 100 mL | -20 -- 40 °C |
| Centrifuge Multi-Pro FC5916 | 200 - 16000 | 24 325 | 4 x 750 mL | / |
| Centrifuge Multi-Pro FC5916R | 200 - 16000 | 24 325 | 4 x 750 mL | -20 -- 40 °C |

Order information

20% discount

| Frontier™ 5000 Centrifuges | Reference | Price | Now* |
|------------------------------|-------------|------------|------------|
| Centrifuge Micro FC5513 | OH 30393187 | € 1 590.00 | € 1 272.00 |
| Centrifuge Micro FC5513R | OH 83041041 | € 4 075.00 | € 3 260.00 |
| Centrifuge Multi-Pro FC5714 | OH 30314810 | € 3 000.00 | € 2 400.00 |
| Centrifuge Micro FC5515 | OH 30130866 | € 2 120.00 | € 1 696.00 |
| Centrifuge Micro FC5515R | OH 30130868 | € 5 135.00 | € 4 108.00 |
| Centrifuge Multi-Pro FC5718 | OH 30314812 | € 3 750.00 | € 3 000.00 |
| Centrifuge Multi-Pro FC5718R | OH 30314814 | € 6 475.00 | € 5 180.00 |
| Centrifuge Multi-Pro FC5916 | OH 30553036 | € 6 395.00 | € 5 116.00 |
| Centrifuge Multi-Pro FC5916R | OH 30553101 | € 9 465.00 | € 7 572.00 |



Product informations

Product brochure
Multi-Pro Centrifuges

Product brochure
FRONTIER™ 5513 & 5513R

Product brochure
FRONTIER™ 5515 & 5515R

Product video
Multi-Pro Centrifuges

Product video
Micro Centrifuges

Product brochure
FRONTIER™ 5000 Rotor Guide

Multi-Tube Vortex Mixers

Powerful Hands-Free Vortex Mixer for Efficient High-Throughput Mixing



20% discount

The OHAUS Multi-Tube Vortex Mixers are designed with the ability to mix up to 50 tubes simultaneously, providing efficient and consistent vortexing across a wide range of sample types. Models are available with analog or digital controls, offering speed ranges up to 2,500 rpm and orbits of 3.6 mm for effective mixing. Interchangeable foam racks accommodate tube diameters from 10 to 29 mm, while robust construction, stainless steel or painted steel housings, and suction-cup feet ensure durability and stability during operation.

Technical data

| Multi-Tube Vortex Mixers | Housing | Control | Speed range | Timer | Max. Load |
|--------------------------|---------------------------|---------|-------------------|-----------------|-----------|
| VXMTAL | Stainless Steel One-Piece | Analog | 1,200 – 2,400 rpm | 0 s - 60 s | 4.5 kg |
| VXMTDG | | Digital | 500 – 2,500 rpm | 1 s - 9,999 min | 4.5 kg |
| VXMTALB | Painted Steel Two-Piece | Analog | 1,200 – 2,400 rpm | 0 s - 60 s | 4.5 kg |
| VXMTDGB | | Digital | 500 – 2,500 rpm | 1 s - 9,999 min | 4.5 kg |

Order information

20% discount



| Multi-Tube Vortex Mixers | Reference | Price | Now* |
|--------------------------|-------------|------------|------------|
| VXMTAL | OH 30392166 | € 3 595.00 | € 2 876.00 |
| VXMTDG | OH 30392173 | € 4 680.00 | € 3 744.00 |
| VXMTALB | OH 30573832 | € 3 025.00 | € 2 420.00 |
| VXMTDGB | OH 30573837 | € 3 940.00 | € 3 152.00 |

Product informations

Product brochure
Multi-Tube Vortex Mixers

Product brochure
Vortex Mixers Accessories Guide

FastGene® qFYR (Plus) Real-Time PCR System

A fast, highly sensitive real-time PCR system suitable for diverse applications



20%
discount

*Now
€ 17980.00 (4+1)*
€ 20460.00 (6)*

Two models:

- 4+1 channels (FAM/SYBR, VIC/HEX, ROX, Cy5 + a second FAM/SYBR)
- 6 channels (including Cy5.5/Alexa 680 and ATTO 425).
- References: NG FG-QPTC01 / NG FG-QPTC02

Key specifications include:

- 96-well block with thermal gradient
- Temperature precision of ± 0.2 °C and ramp rate up to 6 °C/s
- 8-second scan per plate with high uniformity and sensitivity
- PMT detector and Fresnel lens for minimal cross-talk
- Software: FastGene qFYR Analysis Studio

Supports applications like gene expression, end-point analysis, genotyping, pathogen detection, GMO screening, mutation, and miRNA analysis.

FastGene® Ultra Cyclor Gradient

Gradient thermal cycler for 96-well plates with small footprint and high performance



20%
discount

*Now
€ 3658.40

- 96-well block with ± 24 °C gradient for fast PCR optimization
- High ramp rate up to 5 °C/s with excellent temperature uniformity
- User-friendly 7" touchscreen with intuitive software and smart features
- Compatible with tubes, strips, and all standard 96-well PCR plates
- Heated lid prevents evaporation – no oil or sealing needed
- Compact footprint (18 x 28.5 x 19 cm), lightweight (5.5 kg), and whisper-quiet

Mupid One DNA/RNA Electrophoresis System

With electrophoresis tank directly connected to the included smart power supply



25%
discount

*Now
€ 570.00

- Seven conventional voltages (18, 25, 35, 50, 70, 100 and 135 V) available
- Gel casting set included
 - 4 combs, which can be used from both sides (13 wells and 26 wells)
 - Two gel trays small (S) with one comb (13 or 26 samples)
 - One gel tray large (L) for the usage of up to 4 combs (up to 26 x 4 samples)
- Heat resistant material: polymeric material (PPHOX), gel solution up to 100°C
- Timer function for an automatic stop of your electrophoresis
- Safety interlock System
- Multichannel pipette compatible
- Reference: NG MU2

FastGene® PAGE protein system

Complete set for PAGE protein analysis



25%
discount

*Now
€ 930.00

- Most flexible use for 1–4 (pre-cast or hand-cast) gels
- Compatible with different pre-cast gels (Bio-Rad™, ThermoFisher, FastGene®)
- Hand-cast gel set included (1 mm gels)
- Easiest gel hand-casting – No leaking!
- Glass plate holder and tube holder included
- Additional 0.75 mm / 1.5 mm hand-cast sets available
- Reference: NG PG01

FastGene® FAS X


Stand-alone geldoc with safe BLUE/Green LED light (470-520 nm)



10%
discount

*Now
€ 7951.50

- Suitable for any fluorescent dye
- Transilluminator area of 26 cm x 21 cm
- Additional white light to visualize colourimetric PAGE protein gels
- Brilliant image quality (20 MPixel colour camera with 1 inch CMOS sensor)
- Very user-friendly software via the 13.3" full HD touch screen
- Detecting nucleic acids at concentrations as low as 2 ng
- Password-protected data security
- Reference: NG GP-FAS-X



FastGene® FAS Digi Pro

Geldocumentation with BLUE/Green LED light and computer software



20%
discount

*Now
€ 4623.20

- Suitable for any fluorescent dye
- Transilluminator area of 26 cm x 21 cm
- Flexible: for the detection of DNA/RNA and proteins
- Canon 250D camera, 24 MPixel with APS-C sized CMOS Sensor
- Ultrasensitive: even faint bands are detected
- Very user-friendly software
- Network-compatible
- Reference: NG GP-07LED

FastGene® CapMaster Pro

Automated screw cap decapper for safe and fast one-handed operations



20%
discount

*Now
€ 860.32

Broad compatibility

- Microcentrifuge tubes
- Cryo tubes
- 15 mL & 50 mL centrifuge tubes
- Five different operation modes
 - Hold Cap: decapping with cap held - capping the held cap
 - Release Cap: decapping with cap release - capping the cap on the top of the tube
 - Decap Cap: decapping and releasing cap immediately
 - Cap Only: capping the cap on the top of the tube
 - Release Cap + Decap Only: decapping and releasing cap after 1.5 sec
- Reference: NG FG-CDC05

Product informations

Catalogue
16th edition Nippon Genetics

Product brochure
FastGene® qFYR

Product brochure
Mupid One

Product brochure
FastGene® UltraCycler

Product brochure
Gel documentation

Product brochure
FastGene® PAGE

Webinar
FastGene® qFYR

Webinar
FastGene® FAS Digi Pro

Product video
CapMaster Pro



Portable pH meters
Valid until 31.12.2025 / 15% discount

Seven2Go™ Basic (S2 - S3 - S4) portable pH meters

Robust single-parameter meters designed for routine measurements in the lab or field

- Easy to use and highly durable (IP67), ideal for standard lab and field applications
- Focused on essential functions, without complex data management
- Parameters: pH/mV (S2), conductivity (S3), dissolved oxygen (S4)



SevenGo Duo™ (S23) portable meters

Dual-channel meters for simultaneous measurement of two parameters

- Easy to use and highly durable (IP67), ideal for standard lab and field applications
- Intelligent Sensor Management (ISM®) for automatic sensor recognition and status tracking
- Basic SG23: pH and conductivity, with basic GLP support for routine applications


15% discount

| Meter | Reference | Price | Now* |
|---|-------------|------------|------------|
| Seven2Go™ S2 Basic - pH/mV | | | |
| Meter only | MT 30207949 | € 605.00 | € 514.25 |
| Standard kit with InLab Expert Go-ISM | MT 30207950 | € 755.00 | € 641.75 |
| Field kit with InLab Expert Go-ISM and uGo carrying case | MT 30207951 | € 820.00 | € 697.00 |
| Food kit with InLab Solids Go-ISM and uGo carrying case | MT 30207952 | € 870.00 | € 739.50 |
| Light kit with InLab Versatile Pro | MT 30207953 | € 665.00 | € 565.25 |
| Seven2Go S3 Basic™ - Conductivity | | | |
| Meter only | MT 30207954 | € 645.00 | € 548.25 |
| Standard kit with InLab 738-ISM | MT 30207955 | € 950.00 | € 807.50 |
| Field kit with InLab 738-ISM IP67 and uGo carrying case | MT 30207956 | € 1 000.00 | € 850.00 |
| Bioethanol kit with InLab 725 and uGo carrying case | MT 30207957 | € 1 080.00 | € 918.00 |
| SevenGo Duo™ SG23 - Dual Channel pH / Conductivity | | | |
| Meter only | MT 51302600 | € 1 135.00 | € 964.75 |
| Standard kit with InLab 738-ISM,InLab Expert Go-ISM | MT 51302601 | € 1 785.00 | € 1 517.25 |
| Field kit with InLab 738-ISM,InLab Expert Go-ISM and uGo carrying case | MT 51302602 | € 1 970.00 | € 1 674.50 |
| Field kit with InLab Expert Go-5m-ISM,InLab 738-ISM and uGo carrying case | MT 51302603 | € 2 050.00 | € 1 742.50 |
| Seven2Go S4 Basic™ - Dissolved Oxygen | | | |
| Meter only | MT 30207958 | € 685.00 | € 582.25 |
| Standard kit with InLab 605-ISM IP67 | MT 30207959 | € 1 155.00 | € 981.75 |
| Field kit with InLab 605-ISM IP67 and uGo carrying case | MT 30207960 | € 1 220.00 | € 1 037.00 |

New! NineFocus™ Multiparameter Meters

High-performance multiparameter meters with maximum flexibility

- Measure up to 4 parameters simultaneously: pH, conductivity, ions, and dissolved oxygen
- Modular system with Digital Measurement Modules (DMM) and optional analog modules
- At its best with the smart digital InLab® DES® sensors
- Detachable 7" touchscreen terminal for flexible placement and ease of use
- OneClick™ interface for intuitive operation and guided workflows
- Smart sensor diagnostics with condition monitoring and user guidance
- Full compliance support with GLP and user management
- Data storage up to 3,000 results, with USB-A, USB-C, and Ethernet connectivity
- Robust design with IP52 protection for durability in laboratory environments



Product brochure
NineFocus™

Product brochure
InLab® DES® sensors

SevenDirect™ (SD20 - SD30 - SD23 - SD50) bench-top pH meters

Reliable benchtop meters designed for precise routine and advanced measurements

- Large 7" intuitive touchscreen with clear navigation and guided calibration
- EasyPlace™ electrode arm for precise and convenient sensor handling
- Data integrity with time, sample, sensor, and user ID stored for each result
- GLP/GMP compliance with user management and audit security
- Protected design: closed connector compartment and replaceable cover (IP54)
- Models available for pH, mV, conductivity, ions, and temperature



15% discount

| Meter | Reference | Price | Now* |
|---|-------------|------------|------------|
| SevenDirect™ SD20 - pH | | | |
| Meter only | MT 30671550 | € 1 165.00 | € 990.25 |
| Standard kit with InLab Expert-Pro ISM | MT 30671554 | € 1 540.00 | € 1 309.00 |
| High-alkalinity kit with InLab Routine-Pro ISM | MT 30671556 | € 1 630.00 | € 1 385.50 |
| Organic kit with InLab Science-Pro ISM | MT 30671557 | € 1 765.00 | € 1 500.25 |
| Pure H ₂ O kit with InLab Pure-Pro ISM | MT 30671558 | € 1 785.00 | € 1 517.25 |
| Solids kit with InLab Solids-Pro ISM | MT 30671559 | € 1 710.00 | € 1 453.50 |
| Viscous kit with InLab Viscous-Pro ISM | MT 30671560 | € 1 870.00 | € 1 589.50 |
| Low volume kit with InLab Micro-Pro ISM | MT 30671561 | € 1 820.00 | € 1 547.00 |
| Stirrer kit with InLab Expert-Pro ISM & Autostir magnetic stirrer | MT 30671555 | € 1 810.00 | € 1 538.50 |
| SevenDirect™ SD20 - Conductivity | | | |
| Meter only | MT 30671551 | € 1 630.00 | € 1 385.50 |
| Standard kit with InLab 731-ISM | MT 30671562 | € 2 090.00 | € 1 776.50 |
| Pure H ₂ O kit with InLab 741-ISM | MT 30671563 | € 2 315.00 | € 1 967.75 |
| SevenDirect™ SD23 - pH / Conductivity | | | |
| Meter only | MT 30671553 | € 2 430.00 | € 2 065.50 |
| Standard kit with InLab Expert-Pro ISM & InLab 731 ISM | MT 30671567 | € 3 045.00 | € 2 588.25 |
| Pure H ₂ O kit with InLab Pure-Pro ISM & InLab 741 ISM | MT 30671568 | € 3 350.00 | € 2 847.50 |
| SevenDirect™ SD50 - pH / ion | | | |
| Meter only | MT 30671552 | € 1 465.00 | € 1 245.25 |
| Standard kit with InLab Expert-Pro ISM | MT 30671544 | € 1 785.00 | € 1 517.25 |
| High-alkalinity kit with InLab Routine-Pro ISM | MT 30671546 | € 1 910.00 | € 1 623.50 |
| Organic kit with InLab Science-Pro ISM | MT 30671547 | € 2 055.00 | € 1 746.75 |
| Pure H ₂ O kit with InLab Pure-Pro ISM | MT 30671548 | € 2 065.00 | € 1 755.25 |
| Low volume kit with InLab Micro-Pro ISM | MT 30671549 | € 2 100.00 | € 1 785.00 |
| Fluoride ion kit with with Perfection-combined Fluoride electrode | MT 30671545 | € 2 540.00 | € 2 159.00 |

Product brochure
Seven2Go™

Product brochure
SevenGo Duo™

Product brochure
SevenDirect™



Hei-PLATE Sensor Basic Package Core+


17% discount

- Including Pt1000 temperature sensor
- Dynamic rotary knobs
- Rotating speed range: 100 - 1400 rpm
- Maximum stirring capacity (H₂O): 20 liter
- Temperature range: 20 - 300 °C
- Plate diameter: 135 mm
- Plate material: Kera-Disk® (Silumin with ceramic coating)
- Pt1000 temperature sensor included

Hei-Mix S magnetic stirrer without heating


25% discount

- For gentle stirring in biology and microbiology applications
- Without heating function
- Rotating speed range: 0 - 2000 rpm
- Maximum stirring capacity (H₂O): 5 liter
- Plate diameter: 104 mm
- Plate material: PVDF

Reax Top Vortexer


20% discount

- 5 mm shaking orbit
- Automatic (triggered by pressure on test tube tray) or continuous operation
- Rotating speed range: 200 - 3200 rpm

| Heidolph instrument | Reference | Price | Now* |
|--------------------------------------|------------------|-----------|----------|
| Hei-PLATE Sensor Basic Package Core+ | HEI 506-22150-00 | € 1026.00 | € 851.58 |
| Hei-Mix S magnetic stirrer | HEI 503-02000-00 | € 289.00 | € 216.75 |
| Reax Top Vortexer | HEI 541-10000-00 | € 383.00 | € 306.40 |

New products from Heidolph



Video

Hei-SHAKE Salto Core



Hei-SHAKE Orbital Core (2000)



- Reliable, high-capacity orbital mixing for demanding lab applications
- Compact, robust design for continuous, long-term operation
- Flexible platform configurations to match different vessel types and workflows
- Intuitive controls and easy setup for maximum user convenience
- Large load capacity up to 15 kg
- 20 mm orbit
- Speed: 1 - 530 rpm

Hei-SHAKE Salto Core

- Speed: 1 – 32 rpm
- Made for various type of vessels up to 300 mm height and 136 mm diameter
- Capacity for up to 12 bottles
- Display and timer for an easy control of the process parameters
- RS232 for remote control and data recording via software



New! VALEGRO 350 recirculation cooler

Modern, user-friendly chillers for a wide range of cooling tasks with natural refrigerant

10% discount

 € 3 450.00
 € 3 105.00

The VALEGRO recirculating coolers combine ease of use with modern operation and a compact design. With a timer function, tool-free removable venting grid, and illuminated level indicator makes the daily work simple and convenient. The inclined OLED touch display offers intuitive navigation, clear full-text messages, and safe handling. Environmentally friendly with natural refrigerant in the cooling circuit

- Temperature range: –20 until +40 °C with precise temperature control
- Cooling performance: 0.35 kW at 20 °C
- Integrated pump: up to 0.6 bar pressure, infinitely adjustable for different applications
- Connectivity: RS232 and USB-C interfaces included; optional Ethernet
- Reference: JL 9610035

CORIO CD-200F Refrigerated / heating circulator

Cooling and heating power in a compact and user-friendly design with natural refrigerant

10% discount

 € 3 951.00
 € 3 555.90

The CORIO CD-200F refrigerated/heating circulator integrates a bright LED display, intuitive controls, and seamless switching between internal and external circulation and ensures safe and reliable operation. Equipped with a bath lid, drain tap, removable ventilation grid.

- Temperature range: –20 ... +150 °C with precise temperature control
- Cooling performance: 0.22 kW at 20 °C
- Heating capacity: 2 kW for fast temperature ramps
- Pump performance: 15 L/min, up to 0.35 bar
- Bath volume: 3 – 4 L, compact footprint
- Connectivity: USB interface included
- Reference: JL 9012701.N1

CORIO CD-BT19 Heating circulator

With compact and ergonomic open bath and transparent bath tanks

10% discount

 € 1643.00
 € 1478.70

- Broad working range from +20 ... +100 °C with excellent stability (± 0.03 °C)
- Flexible bath volume of 14–19 L with powerful 1 kW heating capacity
- Strong circulation performance
- Easy operation via bright LED display and intuitive controls
- USB connectivity for quick data logging and integration
- Optional cooling coil for applications near or below ambient temperature
- Reference: JL 9012319

PURA 22 Water bath

Straightforward & safe operation in daily laboratory work

10% discount

 € 1163.00
 € 1046.70

- High temperature stability: ± 0.15 °C (with bath cover accessory)
- Wide temperature range: +18 °C to 99.9 °C
- Filling volume: 3.4 - 25.5 L
- Easy handling:
 - Integrated drain screw for quick, clean draining
 - Ergonomic side recessed grips for easy transport
 - Non-slip rubber feet for stability & safety
- User-friendly design:
 - Splash-proof construction
 - (Membrane) keypad with LED temperature display
 - Maximum usable inner surface, even for small sample containers
- Reference: JL 9550522

 Product brochure
 Valegro 350/500

 Product brochure
 PURA

 Product brochure
 CORIO | DYNEO | MAGIO


Precision balances PNJ

The new standard in the laboratory with robust tuning fork weighing system



With automatic internal adjustment, to guarantee high degree of accuracy which makes the balance independent of its location of use. Ideal for applications which require verification. Compact size, practical for small spaces and large, shock proof weighing plate made of stainless steel.

Product informations

Product video
PNS/PNJ balances

i

| Precision balance PNJ | Reference | Price | Now* |
|---------------------------------------|--------------|----------|----------|
| Weighing range 620 g, Readout 0,001 g | PNJ 600-3M | € 950.00 | € 760.00 |
| Weighing range 3200 g, Readout 0,01 g | PNJ 3000-2M | € 890.00 | € 712.00 |
| Weighing range 12000 g, Readout 0,1 g | PNJ 12000-1M | € 870.00 | € 696.00 |

Moisture analyzer DBS 60-3

High-quality single-cell weighing system for outstanding stability, reliability and response speed (~3 s)



- With efficient 400 W halogen-quartz heating to enable consistent and gentle drying, even for heat-sensitive samples.
- Different drying modes: standard drying, rapid drying, gentle drying, drying in levels.
- Stores up to 10 drying programs and 100 measurement results

| Moisture analyzer DBS 60-3 | Reference | Price | Now* |
|--------------------------------------|-----------|-----------|-----------|
| Weighing range 60 g, Readout 0,001 g | DBS 60-3 | € 1650.00 | € 1320.00 |

Video microscope OIV

The entry level video microscope with bright image reproduction and intuitive operation




- High-quality imaging & ease of use eliminating eye strain with direct screen viewing and full HD multimedia capability
- Precise optics with user-friendly control smooth zoom mechanics with click-stops ensure reproducible and accurate magnification
- Bright, adjustable LED lighting adapts to a wide variety of sample types
- Efficient software with full-featured capture and measurement tools, multiple ports ensure effortless data workflow.

| Video microscope OIV | Reference | Price | Now* |
|----------------------------------|-----------|-----------|-----------|
| Fixed mechanical stand (OIV 345) | OIV 345 | € 2520.00 | € 2016.00 |
| Clamp-mounted design (OIV 901) | OIV 901 | € 2960.00 | € 2368.00 |

Enjoy a promotion on essential labo equipment from Starlab.
Open the promotional brochure for more information!
Including:

- Minicentrifuge
- Vortex Mixer
- Plate Centrifuge
- GuardOne® Workstation
- Freezer racking
- Orbital Shaker
- 3D / Rocking Shakers
- Rotator Mixer
- Microplate Mixer
- Magnetic Stirrer (with heating)



HAMILTON® Free Hamilton pH buffer with each electrode
Valid until 31.12.2025 / Free buffer

For every Hamilton Laboratory Sensor you purchase this quarter, you'll receive one free 500 mL bottle of premium pH buffer. Ensure precision from the first measurement, and combine Hamilton's trusted sensor quality with perfectly matched calibration buffers.



Product informations

Catalogue
Laboratory Electrodes

i

Centrifuge 5427 R

Refrigerated microcentrifuge with natural refrigerant



Hydrofluorocarbons, previously used as refrigerants, contribute to global warming. To safeguard the planet, it's essential to transition to environmentally friendly hydrocarbons as cooling agents, suitable for temperatures between -11 °C and 40 °C. The product is validated for sustainability by My Green Lab through ACT labeling.

The refrigerated microcentrifuge Centrifuge 5427 R has an aerosol-tight 48-place rotor to handles even the toughest challenges in a safe and reliable manner to provide you the efficiency boost you need.

With speeds of up to **25,001 x g (≈16,220 rpm)**, this microcentrifuge is fast enough for all your molecular biology applications.



14% discount

Centrifuge 5427 R with rotor FA-45-30-11

With capacity of 30 tubes of 1.5/2.0 mL
Ref: EP 5429000310



€ 6 583.76
€ 5 662.03

Centrifuge 5427 R with rotor FA-45-48-11

With capacity of 48 tubes of 1.5/2.0 mL
Ref: EP 5429000310



€ 6 690.88
€ 5 754.16

MiniSpin® (Plus) Centrifuge

Designed for fast, efficient micro-preps centrifugation, delivering high RCFs
Capacity up to 12 x 1.5/2.0 mL tubes (plus optional rotor for 2 x 8-tube PCR strips). With soft-touch lid, separate short-spin key and automatic lid opening at run's end.

MiniSpin® Centrifuge

With speeds up to 13,400 rpm and a timer of 15 s–30 min
Ref: EP 5452000010



€ 1 150.00
€ 989.00

14% discount

MiniSpin® Plus Centrifuge

With speeds up to 14,500 rpm and a timer up to 99 min or continuous
Ref: EP 5453000015



€ 1 494.00
€ 1 284.84

14% discount

More information

Product brochure
Centrifuge Family Overview



MixMate®

The 3-in-1 mixer for plates, tubes, and vortex mixing

The 2^DMix–Control technology mixes liquids in a controlled, **circular orbital movement** with a **diameter of 3 mm** and **up to 3,000 rpm**. Generates excellent mixing performance, even for challenging samples. The MixMate provides enough mixing power to handle also challenging mixing tasks. Most samples are efficiently mixed within less than a minute independent of vessel geometry or sample properties.



€ 2 120.00
€ 1 823.20

14% discount

Whether in plates (96 or 384-wells) or reaction tubes, your samples will be optimally processed. With the integrated ergonomic vortex function, the MixMate is your perfect lab assistant. The innovative additional 2 second run timer allows vortexing your next sample without restarting.

Basic device without holder
Ref: EP 5353000510

| Tube holder | Capacity | Reference | Price | Now* |
|-------------|---|---------------|-----------|---------|
| 0.5 mL | For 24 x 0.5 mL reaction vessels | EP 5353040121 | -€ 113.00 | € 97.18 |
| 1.5/2.0ml | For 24 x 1.5 mL or 2.0 mL reaction vessels | EP 5353040130 | | |
| 5/15 mL | For 8 x 5/15 mL conical tubes | EP 5353040148 | | |
| 25/50 mL | For 4 x 25/50 mL conical tubes | EP 5353040156 | | |
| PCR 96 | For 96 x 0.2 mL PCR tubes, PCR strips or 1 x 96-well PCR plate, semi-skirted or unskirted | EP 5353040113 | | |



More information

Product brochure
Temperature Control and
Mixing Instruments



T18 & T25 ULTRA-TURRAX® high-performance dispersing instrument



10% discount

| ULTRA-TURRAX® | Reference | Price | Now* |
|---|------------|-----------|-----------|
| T18 high-performance dispersing instrument sets | | | |
| Including: T 18 ULTRA-TURRAX® variant , S 18 N - 19 G Dispersing tool, R 1826 Plate stand & R 182 Boss head clamp | | | |
| Digital Solution | 0009024700 | € 2499.00 | € 2249.10 |
| Brushless Digital Solution | 0010015148 | € 2990.00 | € 2691.00 |
| Mini Digital Solution | 0010015137 | € 1999.00 | € 1799.10 |
| T25 high-performance dispersing instrument | | | |
| Including: T 25 ULTRA-TURRAX® variant, S 25 EC - C - 25 G Dispersing tool, R 1826 Plate stand & R 182 Boss head clamp | | | |
| Easy Clean Control Solution | 0010015172 | € 4990.00 | € 4491.00 |
| Easy Clean Digital Solution | 0010015161 | € 4390.00 | € 3951.00 |
| Digital Solution | 0010004858 | € 4190.00 | € 3771.00 |
| Mini control Solution | 0010015125 | € 3990.00 | € 3591.00 |

Dry Block Heaters

The IKA Dry Block Heaters (Models 1–4) offer modular digital heating solutions with 1 to 4 interchangeable blocks, delivering precise temperature control up to 120 °C. Equipped with stepless adjustment, countdown timer, error alerts, and safety shutdown, they guarantee fast, uniform heating for a wide variety of applications, from enzyme reactions and DNA denaturation to melting point determination and immunoassays. The main difference across models lies in heating power, block count, and throughput capacity.



10% discount

| Dry Block Heaters | Reference | Price | Now* |
|--------------------|------------|-----------|-----------|
| Dry Block Heater 1 | 0004025100 | € 1234.00 | € 1110.60 |
| Dry Block Heater 2 | 0004025200 | € 1507.00 | € 1356.30 |
| Dry Block Heater 3 | 0004025300 | € 1767.00 | € 1590.30 |
| Dry Block Heater 4 | 0004025400 | € 2037.00 | € 1833.30 |

Mini 1 Desiccator Premium



- Capacity: approx. 6.2 L per compartment (available with 1–3 compartments).
- Compact, stackable design – perfect for limited bench space.
- Transparent polycarbonate with full visibility.
- Includes hygrometer, shelves, desiccant, and One-Touch door seal.
- Reliable performance from –35 °C to +70 °C.

Star & Auto-Star Desiccator



- Capacity: approx. 51 L.
- Medium-capacity units with clear PMMA panels and robust aluminum frame.
- Up to 26 shelving positions for flexible storage.
- Integrated hygrometer, desiccant tray, and stackable design.
- Humidity Control:
 - Star: uses standard desiccant for manual humidity control.
 - Auto-Star: features an automatic drying system that maintains humidity between 20–30% with self-regenerating desiccant, perfect for frequent access.

Maxi 1 & 2 Desiccator



- Capacity:
 - Maxi 1: approx. 280 L (single compartment).
 - Maxi 2: approx. 312 L (2 × 156 L compartments).
- Robust aluminum frame with transparent PMMA panels.
- Telescopic stainless-steel shelves, high load capacity (up to 30 kg per shelf).
- Mounted on wheels for easy relocation.

Glove Box (Vitrum) with Transfer Chamber



- Capacity: approx. 290 L workspace + 24 L transfer chamber.
- Enclosures for safe handling of sensitive materials in a controlled atmosphere.
- Equipped with glove ports, large front opening, transfer chamber with sliding tray, gas connectors and cable lead-ins.
- Difference:
 - Standard (PMMA): clear acrylic construction, lightweight, reliable fro 20-70 °C.
 - Vitrum: borosilicate glass panels for superior chemical resistance and heat tolerance up to +120 °C – ideal for aggressive or thermally sensitive substances.

10% discount

| SICCO Desiccators | Reference | Price | Now* |
|--|-----------|-----------|-----------|
| Mini 1 Desiccator Premium | V 1950-01 | € 156.95 | € 141.26 |
| Star-Desiccator | V 1871-07 | € 937.08 | € 843.37 |
| Auto-Star-Desiccator | V 1877-07 | € 1779.75 | € 1601.78 |
| Maxi 1-Desiccator | V 1852-01 | € 3444.54 | € 3100.09 |
| Maxi 2-Desiccator | V 1853-01 | € 4333.58 | € 3900.22 |
| Glove Box with Transfer Chamber | V 1982-08 | € 5392.54 | € 4853.29 |
| Glove Box Vitrum with Transfer Chamber | V 1986-08 | € 9108.89 | € 8198.00 |

Liquiline Mobile CML18 SET

Pocket-Sized Multiparameter Analyzer with Memosens



The multiparameter handheld enables you to check any measuring point in your plant with Memosens sensors with inductive coupling. Via a uniquely secure Bluetooth connection you can transfer all sensor data and measured values to your tablets or smartphones which makes documentation, sensor adjustment and data transfer safe and effortless.

For the measurement of:

- pH/ORP & temperature
- Conductivity / conductivity trace & temperature
- Oxygen / oxygen trace & temperature

15% discount

| Liquiline Mobile CML18 SET | Reference | Price | Now* |
|----------------------------|------------------------------|-----------|-----------|
| pH basic | CML18-AAACA1PAPEPNPUPVSA | € 1451.93 | € 1234.14 |
| pH/Cond/DO | CML18-AAACA1PAPEPNPUPVSASOSR | € 3129.20 | € 2659.82 |
| pH/Cond | CML18-AAACA1PAPEPNPUPVSASR | € 2234.31 | € 1899.16 |
| pH rugged | CML18-AAACA1PAPEPNPUPVSK | € 1530.38 | € 1300.82 |
| pH Pro | CML18-AAACA1PAPKNPRPUPVSA | € 1788.42 | € 1520.16 |
| pH/DO Pro | CML18-AAACA1PAPKNPRPUPVSASO | € 2610.78 | € 2219.16 |



LabHEAT® KM-G

Standard heating mantles up to 450°C



- Flexible glass yarn heating element
- Made by hand work
- Thermally insulated and earthed
- Sizes from 500 ml with Ø 60 mm bottom hole
- four standard mounting clips

15% discount


| Volume (mL) | Flask Ø (mm) | Power (W) | Reference | Price | Now* |
|-------------|--------------|-----------|-----------|-----------|-----------|
| 25 | 41 | 65 | 95000025 | € 304.00 | € 258.40 |
| 50 | 51 | 75 | 95000050 | € 309.00 | € 262.65 |
| 100 | 64 | 120 | 95000100 | € 311.00 | € 264.35 |
| 250 | 85 | 180 | 95000250 | € 315.00 | € 267.35 |
| 500 | 105 | 250 | 95000500 | € 324.00 | € 275.40 |
| 1000 | 131 | 450 | 95001000 | € 363.00 | € 308.55 |
| 2000 | 116 | 600 | 95002000 | € 429.00 | € 364.65 |
| 3000 | 185 | 800 | 95003000 | € 495.00 | € 420.75 |
| 4000 | 207 | 900 | 95004000 | € 536.00 | € 455.60 |
| 5000 | 223 | 1200 | 95005000 | € 665.00 | € 565.25 |
| 6000 | 236 | 1400 | 95006000 | € 774.00 | € 657.90 |
| 10000 | 279 | 2000 | 95010000 | € 977.00 | € 830.45 |
| 20000 | 345 | 2200 | 95020000 | € 1438.00 | € 1222.30 |



Hand pumps

*Valid until 30.11.2025 / 10% discount

OTAL® hand pump PP



The OTAL® hand pump with PP delivery tubes is a reliable, flexible and cost-effective pump for filling liquids. Different delivery tubes with different diameters and flow rates are available to meet specific requirements. The PP delivery tubes offer good resistance to weak acids, alkalis and cleaning agents. The outlet can be turned upwards to prevent dripping and one-hand operation is possible.

10% discount

| OTAL hand pump | Reference | Price | Now* |
|--|-----------|---------|---------|
| Tube Ø 12 mm Pump capacity 14 L/min | 5005-1200 | € 85.15 | € 76.64 |
| Tube Ø 15 mm Pump capacity 20 L/min | 5005-1500 | € 89.35 | € 80.42 |
| Tube Ø 18 mm Pump capacity 26 L/min | 5005-1800 | € 90.80 | € 81.72 |



Rivaqua: Demineralised water installations




Demineralised water installations, Tailored to your specific requirements

- Customised setups for the production of demineralised water from tap water
- Removing minerals from the water supply, achieved through a combination of anionic and cationic resins.
- Conductivity meters with visual indication or digital read-out possible
- Reverse osmosis installations and softeners possible

| Installation | Reference | Price |
|---|-------------------------|-----------|
| 1 cartridge of mixed ion exchange resin (20 liters) + visual conductivity meter 5 µS/cm alarm set | RV DEMI COND 20 | € 908.00 |
| 1 cartridge of mixed ion exchange resin (20 liters) + digital conductivity meter 0.1-20 µS/cm alarm set | RV DEMI COND DIGIT 20 | € 1305.00 |
| 2 cartridge of mixed ion exchange resin (20 liters) + visual conductivity meter 5 µS/cm alarm set | RV DEMI COND 2x20 | € 1391.00 |
| 2 cartridge of mixed ion exchange resin (20 liters) + digital conductivity meter 0.1-20 µS/cm alarm set | RV DEMI COND DIGIT 2x20 | € 1740.00 |
| New 20-liter cartridge | RV DEMI 20 | € 526.00 |
| Additional visual conductivity meter 5 µS/cm alarm set | RV DEMI COND | € 217.50 |
| Additional digital conductivity meter 0.1-20 µS/cm alarm set | RV DEMI COND DIGIT | € 580.00 |
| Installation costs | RV DEMI INSTALLATION | € 200.00 |
| Flow- regulated water gun | RV DEMI GUN | € 62.50 |
| Regeneration of a 20-liter cartridge | RV DEMI 20 REG-2 | € 259.39 |

If you require a customized setup, feel free to reach out to us. Valid until 31.12.2025
If necessary adjustments need to be made to your existing water system, additional charges may apply.



Regeneration service
Over time, the resins reach saturation and the cartridge requires regeneration. A Filter Service driver collects the used cartridge while delivering a regenerated cartridge.

Installation costs
The first consultation visit is for free, but for installation by our technician additional costs apply, based on your location in Belgium / Luxembourg. Our technician starts from Lixhe, with distances mentioned one way.

- 0-25 km - Free
- 25 - 50 km - € 100.00
- 50 - 100 km - € 200.00
- 100-150 km - € 300.00
- >150 km - € 400.00

CSLM: Maintenance of equipment



Together with our partner CSLM we can provide a full range of services to meet all needs for specific types of equipment. To ensure the safety of your staff, it is essential that all curcial laboratory equipment undergoes regular inspection and maintenance. (stipulated in the Belgian Official Gazette, Articles 320 to 326)

Centrifuges
Universal ovens
CO₂ incubators
Cryostats
Ultracentrifuges
Cryothermostats



CSLM offers a range of services covering all needs for specific types of equipment, including **installation (IQ/OQ/PQ), inspection, maintenance, troubleshooting, metrology, and usage & maintenance advice.** CSLM's **expertise** has been recognized by institutions **for over 30 years** , providing support **for all brands.**

With many years of experience working with centrifuges and laboratory equipment, the technicians bring in-depth expertise to every intervention. Their knowledge ensures precise diagnostics, efficient maintenance, and high-quality service to keep your equipment in optimal condition.

Even for brands that are no longer on the market, CSLM can help you.
With a stock of new, used and replacement parts for models from the oldest to the most recent.

- Service levels**
- **Regulatory periodic inspection:** verification of safety points, manufacturer recommendations, and terminal parameters
 - **T1 - preventive maintenance:** includes the regulatory inspection plus lubrication, dust removal, and minor adjustments
 - **T1P - maintenance with parts:** T1 plus replacement of wear parts if necessary
 - **Optional: metrology services**
 - Standard verification: one measurement per parameter
 - Program verification: one measurement per program
 - ISO 17025 accredited verification: nine measurements per speed with a certificate of compliance

- Maintenance service description**
- During each maintenance visit, CSLM performs:
- Equipment identification and functionality check
 - Complete cleaning and lubrication of mechanical parts
 - Inspection of all control points and safety features
 - Compliance validation with labor regulations
 - Mechanical adjustments and calibration
 - Replacement of worn parts
 - Report discussion with the responsible supervisor
 - Delivery of a detailed inspection report, also available online

[Open here a control report example](#)

Your contact

Wallonie



Province Liège

Fabrice Caufman

fabrice.caufman@filterservice.be

0496 55 51 78



Provinces (Grand-Duché de) Luxembourg, Namur

Tessa Mulleneers

tessa.mulleneers@filterservice.be

0490 42 57 55



Provinces Brabant wallon, Hainaut, Bruxelles (FR)

Jana Succari

jana.succari@filterservice.be

0490 42 96 25

Vlaanderen



Provincies Oost- en West-Vlaanderen

Erik Depuydt

erik.depuydt@filterservice.be

0496 55 51 73



Provincie Antwerpen

Edwine De Gussem

edwine.degussem@filterservice.be

0496 55 51 74



Provincies Limburg, Vlaams-Brabant & Brussel (NL)

Kilian Vandebriel

kilian.vandebriel@filterservice.be

0476 97 22 86



Handelsstrasse 16
4700 Eupen Belgium



+32 87 59 51 70



info@filterservice.be
orders@filterservice.be



www.filterservice.be

Delivery conditions

Fast and personalized deliveries

Due to our strategic position in Eupen, close to the German border and adjacent to the E40 motorway, Filter Service guarantees quick and effective distribution from surrounding countries across Belgium.



By managing our own logistics, we combine speed, flexibility, and sustainability, so you can always rely on precise and reliable deliveries, where you need them. Our drivers know your preferences and deliver at the right place and time. Flexible, personal, and tailored to your needs.

95% of deliveries are handled by our own drivers.

Costs

For all orders over €250 are delivered free to your address.

For orders under €250, we charge a €25 delivery fee.

Want to remain up-to date regarding our promotions and other news?

Our monthly newsletter subscription keeps you informed about the latest promotions, newly added suppliers, and the comprehensive services we are pleased to offer.

Subscribe here to our
monthly newsletter

