# PRODUCT CATALOGUE





FUEL AND MOTOR

FOREST AND GARDEN

WAREHOUSE AND PLANT LABORATORY AND FOOD



# hünersdorff - the company



# Welcome to hünersdorff

Products from hünersdorff are present everywhere. From view boxes, assortment boxes and measuring cans to funnel systems and valves.

We also set the standard as the leading European producer of fuel cans.

We produce over 1,000 parts in series with our blow moulding and injection moulding processes, amounting to more than 8 million items per year.

185 years of history make hünersdorff one of the best established industrial companies in Germany. A tradition combined today with innovative products, manufacturing processes and new developments.

We carry out all production and distribution of our products to you and our other hünersdorff customers from Ludwigsburg. Our skilled distribution team and representatives across Europe and Russia ensure proximity to around 2,000 customers.

We believe reliable service is just as important as a high-quality product range, which is why we are fully committed to being there for you. This is because our mission statement is defined by one thing: the satisfaction of you, our customer.

The integrated hünersdorff management system for quality, the environment and energy in line with DIN ISO ensures transparent and efficient processes for our employees and business partners. Our external logistics guarantee punctual and complete delivery: the hünersdorff warehouse with over 5,000 palette spaces and distribution, from small parcels and pallets to full HGV loads, are operated by our specialist partners. You can find many new products in our current catalogue.

We hope you find plenty of interesting information there and look forward to long-term collaboration with you.

Andreas Schiemann

Dr Robin Mattheis

Further information about hünersdorff can be found here



# **Contents**





# FOREST AND GARDEN



# LABORATORY AND FOOD

Jerrycans	59
Carboys	63
Spouts and valves	64
Graduated cans	66
Funnels	67
Scoops	68
Buckets	68
Containers	69
Bottles	70
Fittings	72

# FUEL AND MOTOR

Fuel can	8
Oil change systems	13
Fuelling and transfer	
systems	13
Metal fuel can	14
Funnels	16
Graduated oil cans	17
Petrol station can	
and buckets	18



Combined	
jerrycans	20
Filling systems	21
Saddlebags	22
Replacement parts	22

# WAREHOUSE AND PLANT

Storage bins	24
Shelf bins	27
Assortment boxes	28
Metal small-parts	
case	36
Insert boxes	37
Part box	37
MultiStore	
storage system	38
Storage bin shelves	42
Perforated plate wall	
system	46
Eurocontainers	50
Aluminium boxes	51
Appliance crates	52
Tool boxes	53
Bucket and oil can	57



# **GENERAL**

The company	2
Abbreviations	4
Technical details and symbols	5
Technical parts	74
Keyword index	76
Article number index with GTIN / EAN	78
General Terms and Conditions of Business	80



# **Abbreviations**

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
	(Accord européen relatif au transport international des marchandises Dangereuses par Route)
Art.	Article
Art. no.	Article number
W	Width
BAM	Federal Institute for Materials Research and Testing (Bundesanstalt für Materialforschung und -prüfung)
cm	Centimetres
g	Grams
GGVSEB	Ordinance on the Transport of Dangerous Goods by Road, Rail and Inland Waterways (Gefahrgutverordnung Straße, Eisenbahn und Binnenschifffahrt)
GHS/CLP	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) (Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien) from the UN, implemented by the EU as the CLP regulation (EC) No. 1272/2008
	Globally Harmonized System of Classification, Labelling and Packaging of Substances and Mixtures
Size	Size
Н	Height
kg	Kilograms
L	Litres
L/min	Litres per minute
m	Metres
max.	Maximum
mm	Millimetres
ml	Millilitres
No.	Number
Ø	Diameter
R	Pipe threads
RKK	Reserve fuel can
RKK certification	Design certification for fuel canisters in accordance with the Regulation for Combustible Liquids (Verordnung über brennbare Flüssigkeiten) previously in effect in Germany.
Pcs.	Pcs.
D	Depth
TÜV	Technical Supervisory Association (Technischer Überwachungsverein)
UN	United Nations
UN certification	Packaging receives UN certification and a corresponding number when the manufacturer guarantees that the stated specifications of the design, or all testing requirements, have been fulfilled. Test criteria such as impermeability, (vapour) pressure, impact/shock resistance and chemical compatibility are key components of the certification process. The certificate of approval is issued by the BAM, the TÜV or a similar institution.
UN certification number	The UN certification number specifies the design of packaging for the transportation of dangerous goods.  E.g. UN 3H1/Y/150/12/D/BAM/12020-huen  3=canister / H=plastic / 1=non-detachable lid / Y=packing group II / 150=test pressure in kpa / 12=year of manufacture / D=letter symbol of country of registration / 12020=registration number of the BAM - huen=manufacturer symbol
Packing Group	Z = Packing Group II (less dangerous fill goods, e.g. diesel) / Y Packing Group II (medium danger, e.g. petrol) / X = Packing Group I (medium to high danger, e.g. mixed fuels)
PU	Packaging Unit
e.g.	For example

# **Technical details and symbols**





Made in Germany



Made in Europe



With UN certification according to ADR/GGVSEB



Child-resistant screw cap certified according to ISO 8317



Suitable for E10 (motor fuel with 5 - 10% bioethanol)



Explosion suppression system: Fabric filling absorbs heat and thus prevents explosions



Protection against ultraviolet rays thanks to a UV stabiliser



Resistant to temperature: Temperature range within which the product can be used without problem



High-density recyclable polyethylene Shock and impact proof.



Low-density recyclable polyethylene Unbreakable and flexible.



Recyclable polypropylene. Tough, break-resistant and especially oil and acid-resistant.



Recyclable polystyrene. Impact proof and tough, high break resistance.



Recyclable styrene acrylonitrile. Extra dimensionally stable.



This symbol indicates that a product has been found to pose no health risks when in contact with food as a result of its physical and chemical composition



 $w = inside \emptyset$  of the filling opening



 $w = inside \emptyset$  of the filling opening and a = outside thread Ø



d = diameter and h = height



Dimensions of the jerrycans (depth, width and height)



Dimensions (depth, width and height)



Ø of the funnel opening (w) and of the filler (e)



 $s = \emptyset$  of the sieve inlay



B = scoop length



AF = spanner size



# ADR-Verpackung (Verpackungen, Großverpackungen

Großpackmittel (IBC))

- für den Transport
- gefährlicher Güter

  Prüfung nach Gefahrgutrecht

  Bedienung geprüft





# FUEL AND MOTOR

# **Fuel and Motor**



Fuel can		Oil change systems	13
- PROFI	8	- Jerrycan	13
- PREMIUM	8	- Basin	13
- STANDARD	9	- Set	13
- COMPACT	9	Fuelling and	
- CLASSIC	10	transfer systems	13
- FuelFriend	11	- Quick direct	
- Bike Filler	11	fuelling system	13
- Spare parts		- Suction pump	13
• Spouts	12	Funnels	
• Screw caps	12	- Made of plastic	16
- Metal cans	14	- Made of tin plate	17
• Spouts	15	Graduated oil cans	
<ul> <li>Suction system</li> </ul>	15	- Made of plastic	17
• Jerrycan		- Made of tin plate	18
holders	15	Petrol station can	18
- Labels	10	Service bucket	
		and rack	18



### **FUEL AND MOTOR**

#### **Fuel can**

- Fulfills highest safety requirements
- with spout integrated in the can body and captive child safety screw cap.
- 10-20 L can be stacked to save space and fits into can holder art. no. 435500 or 435600
- PROFI EXPLO-SAFE with explosion suppression system: Filled with polyamide fabric (see figure 2 – jerrycans open for conception) which absorbs heat and prevents explosions
- on request: Branding, labelling and individual colours possible
- separate accessories and replacement parts available e.g. safety nozzles, spouts, hazardous goods labels (306100)

### **PROFI**

#### with UN certification for petrol, diesel and other hazardous goods





















	Volume (L)				
	5	10	20	10	20
	PROFI			PROFI EXPLO-SAFE	
	800200	801000	802000	801100	802100
	-	801060	802060	-	-
Fig. no.	1		2		
Dimensions D x W x H (mm)	147 x 265 x 247	165 x 350 x 310	165 x 350 x 495	165 x 350 x 310	165 x 350 x 495
Weight (g)	540	750	1,250	1,400	2,500
w /a mm	29 / 38				
PU (pcs.)	12	5	3	5	3
Pallet (pcs.)	192	90	48	90	48
UN certification	3H1/Y/120/ BAM14119	3H1/Y/150/ BAM12924		3H1/Y/150/ BAM14348	3H1/Y/150/ BAM14349

#### **Fuel can**

- Fulfills highest safety requirements
- Extremely low permeation through heavy quality (neutral odour)
- incl. spout and captive child safety screw
- with spout integrated in the can body for diesel vehicles with misfuelling inhibitor (art. no. 819100)
- on request: Branding, labelling and individual colours possible
- separate accessories and replacement parts available e.g. safety nozzles, spouts, hazardous goods labels (306100)

#### **PREMIUM**

#### with UN certification for petrol, diesel and other hazardous goods



















	Volume (L)
	5
	800400
	800600
	800700
	800500
	800300
Dimensions D x W x H (mm)	147 x 265 x 247
Weight (g)	565
w /a mm	29 / 38
PU (pcs.)	12
Pallet (pcs.)	192
UN certification	3H1/Y/120/ BAM14119



# **AND MOTOR**

#### **STANDARD**

#### with UN certification for petrol, diesel and other hazardous goods



















			Volume (L)		
	2	3	5	10	20
	810200	810900	811400	812800	813500
	-	-	811500	-	-
	-	-	811560	812873	813530
	-	-	811570	-	-
	-	-	811580	812893	813550
	-	-	811590	-	-
	-	-	-	812869	813569
Dimensions D x W x H (mm)	80x147x270	100x215x205	147x265x247	164x333x324	178x365x435
Weight (g)	205	377	400	700	1,100
w /a mm	18 / 24	29 / 38			
PU (pcs.)	8	12		5	3
Pallet (pcs.)	432	192		90	48
UN certification	-	3H1/X1.0Y1.0Z1.0 /250/BAM14123	3H1/Y1.0/150/ BAM14026	3H1/Y/200/ BAM13049	3H1/Y/150/ BAM14061

### **COMPACT**

#### with UN certification for petrol, diesel and other hazardous goods

















#### Article no. Volume Colour Dimensions D x W x Weight w /a ΡU Pallet H (mm) (g) (pcs.) (pcs.) certification 862800 10 160 x 290 x 331.5 485 29 / 38 5 120 3H1/Y1.0/120/... BAM14506

#### **Fuel can**

- Fulfills highest safety requirements
- incl. spout and captive child safety screw cap
- Art. no. 810200 with integrated spout
- on request: Branding, labelling and individual colours possible
- separate accessories and replacement parts available e.g. safety nozzles, spouts, hazardous goods labels (306100)

#### **Fuel can**

- meets highest safety requirements despite weight reduction
- incl. spout and captive ECO screw cap
- can be stacked to save space and fits in commercially available can holder art. no. 435600
- on request: Branding, labelling and individual colours possible
- separate accessories and replacement parts available e.g. safety nozzles, spouts, hazardous goods labels (306100)

# FUEL AND MOTOR

# hånersdorff

#### **Fuel can**

- manufactured according to earlier RKK certification standards
- low permeation thanks to extremely heavy-duty quality (neutral odour)
- incl. spout (art. no. 811900 and 812300) and captive screw cap
- antistatic material/surface resistance  $10^4$ - $10^5 \Omega$  (art. no. 812300 + 812400)
- on request: Branding, labelling and individual colours possible
- separate accessories and replacement parts available e.g. safety nozzles, spouts, hazardous goods labels (306100)

#### **CLASSIC**



Volume (L)				
	5	10	18	
	811900	812300	812400	
Dimensions D x W x H (mm)	147x265x247	164x333x324	178x365x435	
Weight (g)	630	1,060	2,040	
w /a mm	29 / 38		48 / 65	
PU (pcs.)	12	5	3	
Pallet (pcs.)	192	90	48	
Certification (previously FKK)	01/BAM/3.10/3/84	01/BAM/3.10/2/85	01/BAM/3.10/3/85	
Certification (UN)	3H1/X1.0/250/BAM4531			

#### **Accessories**

- with safety instructions, hazard symbols (10 x 10 cm) and UN numbers
- 1 pack contains 25 sheets of labels
- with Euro standard perforation for optimal presentation

# **Adhesive jerrycan labels**

for labelling jerrycans filled with petrol/diesel (in accordance with GHS standard as well as ADR)



Article no.	Designation
306100	Adhesive labels



# **AND MOTOR**

#### **FuelFriend**

#### The emergency reserve for motorcycles, scooters, quads and other small engines















		Volume	(L)	
	0.5		1.5	2
	FuelFriend	FuelFrier	nd PLUS	FuelFriend BIG
	815210	815310	815510	-
	815220	815320	815520	815720
	-	-	-	815710
Dimensions D x W x H (mm)	53 x 95 x 125	65 x 125 x 165	65 x 125 x 235	88 x 140 x 252
Weight (g)	100	235	280	370
w /a mm	18 / 24		29 / 38	
PU (pcs.)	14	15	12	8
Pallet (pcs.)	1,400	810	648	432
UN certification	-	-	-	3H1/Y/150/ BAM/12803

#### **BIKE FILLER**

#### Fuel transfer system for motorbikes














#### Fuel can

- small, extremely robust, meets the highest safety requirements
- with captive CLASSIC screw cap (art. no. 815210 with small screw cap and art. no. 815220 with integrated outlet spout)
- 1 and 1.5 L with eyelets fitted to the sides for securing with a tension strap or similar.
- the smallest can suitable for fuel nozzles on the market except 0.5 L
- 2 L with UN certification
- on request: Branding, labelling and individual colours possible
- separate accessories and replacement parts available e.g. safety nozzles, spouts, screw caps

#### Nozzle

- integrated ventilation for liquid transfer without gurgling
- automatic filling stop: No overflow or spillage of the filling material before, during or after fuelling
- reduces the leakage of petrol vapour and protects the environment from contamination
- for all current hünersdorff fuel cans up to 5 L and FuelFriend 1-2 L
- precise positioning of the filling opening with union
- captive screw cap
- with carrying loop for fixing on the can
- Replacement part: Screw cap with retaining strap ET-276100, black, PU (pcs.) 5

# FUEL AND MOTOR



#### **Replacement parts**

- suitable for fuel cans, combined jerrycans and FuelFriend
- jerrycan is easy to empty
- PREMIUM spouts for petrol and diesel, with union nut and seal
- Spouts suitable for all standard tank openings (petrol and diesel) and for all vehicles with petrol misfuelling protection
- Art. no. 819100 and 819110 suitable for diesel vehicles with misfuelling protection
- Art. no. 819500 rigid, ventilated tube with black union nut for fuelling e.g. construction machinery, tractors, motorbikes, standby sets

# **Spouts**

#### for standard tank openings and misfuelling protection systems



Fig. no.	Article no.	Designation	Colour	for a (mm)	Nozzle exter- nal Ø (mm)	Length (mm)	PU (pcs.)
1	819100	STANDARD Diesel		38	00	005	5
2	819110	PREMIUM Diesel			22	265	5
3	819500	RIGID large opening		65	31	220	0
4	819600	STANDARD large opening		05		290	3
5	819700					265	
6	819701	STANDARD Petrol		00	19		_
7	819702			38			5
8	819710	PREMIUM Petrol					

#### Replacement parts

- Child-safe screw caps for PREMIUM, PROFI and STANDARD fuel cans and PROFI combined jerrycans
- ECO screw cap for COMPACT fuel cans
- CLASSIC screw caps for CLASSIC fuel cans, FuelFriend and ECO combined jerrycans
- Nozzle-spout designed for art. no 815220, 810200

# **Screw caps**

#### in various versions









Fig. no.	Article no.	Designation	Colour	for a (mm)	PU (pcs.)
1	ET-230400	Small screw cap		0.4	
2	ET-230702	Sleeve screw cap		24	
3 ET-231320 ET-231330					
		Child safety screw cap			
4	ET-231620	ECO screw cap		38	5
_	ET-231503	0, 400,0			
5	ET-231505	CLASSIC screw cap			
6	ET-232800	Screw cap		65	
7	ET-281302	Spout		24	



# FUEL AND MOTOR

### Oil change systems



Fig. no.	Article no.	Designation	Volume (L)	Colour	Dimensions D x W x H (mm)	PU (pcs.)	Set consists of art. no.
1	434200	Oil change jerrycan	8		130 x 300 x 500	4	
2	921510	Oil drainage basin			350 x 350 x 135	10	
3	921401	Oil change set	9		350 x 350 x 135	8	921510, 950601, 932600

#### Oil change

- Oil change jerrycan with a nominal volume of 8 L (filling volume 13.8 L) for eco-friendly disposal of used oil. With generous take-up volume and safe collection area protected against water splashes
- Oil basin + car parts bath with work surface (10 x 10 cm) for cleaning small parts Safe disposal with pointed nozzle for transferring between containers
- 3-part oil change set containing oil drainage basin, funnel Ø 140 mm and graduated can 1 L
- Replacement parts: Threaded joint, large (art. no. 434210), small (art. no. 434220) each red and PU (pcs.) 10

# **QUICK direct fuelling system and suction pump**




Fig. no.	Article no.	Designation	Colour	for a (mm)	Length (mm)	Run-out speed L/min	PU (pcs.)
1	546000	Suction pump			1,450	4	5
2	810000	QUICK direct fuelling system		38			10

# Fuelling and transfer systems

#### QUICK direct fuelling system:

- ideal for direct supply of fuel to engines and generators, saves additional refilling
- 2-step, free hose fittings suitable for hoses with 6 and 8 mm inside diameters
- suitable for all hünersdorff fuel jerrycans 1 L - 20 L made of plastic

#### Suction pump:

- for refilling and drawing off different media
- food-safe, resistant to acid, chemicals and petrol
- consists of suction pump (LD-PE), shut-off valve (HD-PE) and hose (PVC)

### **FUEL AND MOTOR**

#### Metal fuel can

- powder coated and manufactured using 0.9 mm steel
- with patented locking pin to prevent unintentional opening of the jerrycan
- Minimal draining time as a result of wide vent duct
- heat sealed handles provide extra strength
- special holes in the handle allow spout to be attached with clip and screws
- High-quality inside paint protects against rust and decomposition of the contents in longer storage in filled condition
- EXPLO-SAFE with explosion suppression system: Filled with fabric made of aluminium foil (see figure jerrycan open for conception) which absorbs heat and prevents explosions
- PREMIUM with X-certification and screw cap (thread M45x3) made of galvanised steel with corrugated surface. Integrated magnet holds the cap during use.

#### **Metal fuel cans**

#### olive green, with UN certification for petrol, diesel and other hazardous goods















					Volume (L)				
	5	10	20	5	10	20	5	10	20
	PREMIUM		CLASSIC			EXPLO-SAFE			
	434404	434604	434704	434400	434601	434701	444450	444650	444750
Dimensions D x W x H (mm)	120 x 230 x 310	165 x 345 x 275	165 x 345 x 468	120 x 230 x 310	165 x 350 x 283	165 x 343 x 469	120 x 230 x 310	165 x 350 x 283	165 x 343 x 469
Weight (g)	1,600	2,800	4,200	1,850	3,000	4,280	1,980	3,260	4,790
Fabric weight (g)							130	260	510
w (mm)						45 :	× 35		
PU (pcs.)					5				
Pallet (pcs.)	175	120	60	175	120	60	175	120	60
UN certification	3A1/X/250/ BAM14001-VP	3A1/>BAM1	(/250/ 4002-VP	3A1/Y/100/ BAM6306- VP			3A1/Y/100/ BAM6306- VP	3A1/Y BAM6	





# **Accessories for fuel can made of metal**

# Spouts, jerrycan holders, suction system and spare seals for spouts and jerrycans



Fig. no.	for	Article no.	Designation	Colour	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)	
1		434800	Spout (rigid)		21	195		
2		434801			21	195		
3		435300	Spout (flexible)		00	380	5	
4		435400			20	310		
5	CLASSIC	434802	Diesel spout (flexible)		25	380		
6	and EXPLO-	435800	Suction system		6 or 8	460		
7	SAFE	411100	Replacement seal, oval for spouts and suction system				10	
8		411200	Spare seal, oval, for jerrycans				10	
9		435700	Locking pin				10	
10	DDEMILIM	434803	Spout (flexible) with screw cap		20	320		
11	PREMIUM 434804		Diesel spout (flexible) with screw cap		25	320	5	







Article no.	cle no. Designation		Dimensions D x W x H (mm)	Weight (g)	PU (pcs.)	
435500	Jerrycan holder for 20 L		174 x 364 x 485	2,917	_	
435600	Jerrycan holder for 10 L		174 x 364 x 292	2,190	5	

#### **Accessories / Replacement**

- Art. no. 434802 and 434804 for diesel vehicles with misfuelling protection
- the holding clip of the metal can holder can be secured with a split pin or with a padlock to protect the can against falling out or theft
- Suction system for metal jerrycans 20 L for direct supply of fuel to generators and engines
- if needed, shorten the suction pipe to the required length for use with 5 L or 10 L metal cans
- Hazardous goods labels (306100) available separately

# FUEL AND MOTOR

# hûnersdorff

#### **Funnels**

- very resistant to acids, alkalis and other chemicals
- with eye hook or handle
- Venting ribs at the funnel end (art. no. 950201-951201 and 954600)
- Art. no. 951101, 951201, 953500, 955200 and 956200 with overflow rim (splash guard) and extra-fine sieve insert made of stainless steel (interchangeable)
- Art. no. 9515004-part set
- Art. no. 9516003-part set
- Art. no. 953500 with LDPE flexible tube, length 460 mm
- Replacement parts: Sieve inserts (Art. no. 958100 and 958200)

# **Plastic funnels**

#### red, made of fracture-proof polyethylene



Article no.	Designation	Pictograms	w (mm)	e (mm)	Total height (mm)	Capacity (L)	Sieve insert s (mm)	PU (pcs.)
950201			60	8	80	0.036		
950301			80	11	105	0.08		
950401			100	12	126	0.17		12
950501	Funnels with		120		145	0.29	without	12
950601	eyelet		140	15	167	0.5		
950701			164	17	198	0.79		
951101			168	17	199	1		
951201		Y	208	20	218	2		10
953500	Universal funnel with eyelet and hose		210	19	159	2	50	12
954600	Oval funnel with eyelet	7	116x172	18.5	185	0.66		
955200	Universal funnel with handle	P	205	23		2.5	80	5
956200	Angle funnel oval with handle		175 x 150	24	322	1.5	50	4



Article no.	Designation	PU (pcs.)	Set consists of art. no.	
951500	Europal and	10	950201, 950301, 950401, 950501	
951600	Funnel set	10	950601, 950701, 951201	



# FUEL AND MOTOR

# **Funnel made of tin plate**

#### silver, with sieve insert and detachable spout





Article no.	Designation	w (mm)	e (mm)	Sieve inserts (mm)	Length (mm)	Capacity (L)	Material	PU (pcs.)
490020	Universal funnel	160	22	65		1.3	Tin plate/	
490021	Spout (flex- ible)	40	18		300		HD-PE	6

#### **Funnels**

- resistant to fuels, oils, alkalis, diluted acids
- with overflow rim
   (anti-splash) and fine-sieve
   insert made of brass (easy
   to clean, replaceable) with
   0.5 mm mesh-width
- Funnel with rigid spout made of plastic and flexible, detachable metal/ plastic spout each with air groove
- with ergonomic handle

# **Graduated oil cans made of plastic**

made of acid- and chemical-resistant polypropylene/polyethylene



Article no.	Volume (L)	Colour	Dimensions d x h / D x W x H (mm)	Material	PU (pcs.)	
932500	0.5		97 x 157		15	
932600	1		101 x 237	PP	15	
932700	2		130 x 295		10	
933800	3		135 x 307	LID DE		
933900	933900 5		135 x 300 x 380	HD-PE	4	

#### **Graduated oil cans**

- With embossed scale
- Stable, safe handling
- Overflow protection by ergonomically shaped spout
- separate accessories: Art.
   no. 934000 flexible tube as extension (except for art.
   no. 933900), black, LDPE, length 307 mm, PU (pcs.)
   10

### **FUEL AND MOTOR**

#### **Graduated oil cans**

- Stable, safe handling
- Overflow protection by ergonomically shaped spout



# **Graduated oil cans made of tin plate**

with preserved surface and spout made of polyethylene, calibrated









Article no.	Volume (L)	Dimensions D x W x H (mm)	Material	PU (pcs.)
490030	0.5	70 x 170 x 230		
490031	1	90 x 190 x 270	Tin plate/LD-PE	5
490032	2	115 x 210 x 320		

#### Can and bucket

- very resistant to acids, alkalis and other chemicals
- Petrol station can with two handles for safe handling and narrow spout for precise filling of windscreen wiper water tanks, for example.
- Service bucket with sponge tray ET-283400 PU (pcs.) 5
- separate accessories: Rack for service bucket made from galvanised steel wire #449900

# **Petrol station can and service buckets**

as basic equipment for service areas in petrol stations and garages, also ideal for home workshops









Article no.	Designation	Volume (L)	Colour	Dimensions D x W x H (mm)	Weight (g)	PU (pcs.)	Pallet (pcs.)
820300	Petrol station can	8.5		167 x 639 x 316	840	4	56
941000	Service bucket	10		317 x 317 x 249	675		180
449900	Rack			400 x 400 x 425	790	6	120

# FOREST AND GARDEN

# Forest and garden



Combined jerrycans	20
- PROFI	20
- ECO	21
Safety nozzles	21
- for fuels	21
- for chain oil	21
Saddlebags	22
- for PROFI large	22
- for PROFI small	22
Replacement parts	22
- CLASSIC screw cap	22
- Spout with screw cap	22



# FOREST AND GARDEN

# hûnersdorff

#### **Combined jerrycans**

- ideal for operating motor chain saws
- Measuring scale in both cans
- including spout with screw cap (art. no. 819901)
- captive child safety screw caps
- Saddlebags for PROFI large and small available
- Safety nozzles for fuels and chain oil available
- PROFI large and small with eye hooks for carrying strap and stable thanks to wide support surface
- PROFI large with gripping surface on the base for secure handling
- the natural colour enables the filling quantity to be seen more clearly from the outside
- on request: Branding, labelling and individual colours possible
- Hazardous goods labels (306100) available separately

#### **PROFI**

for fuel and fuel mixtures with separate oil tank for lubricants (e.g. chain oil) in two versions 6+3 L and 3+1.5 L



















Article no.	Designation	Volume (L)	Colour	Dimensions D x W x H (mm)	Weight (g)	w /a mm	PU (pcs.)	Pallet (pcs.)	UN certifica- tion
803900	PROFI small	3+1.5		145 x 308 x 254	550		6	144	3H1W/X/250/
804000	Phori Siliali	3+1.5		143 X 306 X 234	550		0	144	BAM14124
804900	PPOFIL				1.040		4		
805000	PROFI large			1,043	29 / 38	4		0114747	
804962	PROFI large with	6+3		170 x 362 x 298				72	3H1W/ Y1.0/250/
805062	saddlebag and two nozzles				1,460		2		BAM14483



### **FOREST AND GARDEN**

#### **ECO**

#### for fuel and fuel mixtures with separate oil tank for **lubricants** (e.g. chain oil)



Article no.	Volume (L)	Colour	Dimensions D x W x H (mm)	Weight (g)	w /a mm	PU (pcs.)	Pallet (pcs.)	UN certification
824900	55.0		145 040 040	700	00 / 00	,	00	0141110444504 DAMA 4000
825000	5,5+3		145 x 316 x 312	786	29 / 38	4	96	3H1W/Y1/150/BAM14283

#### **Combined jerrycans**

- ideal for operating motor chain saws
- Measuring scale in both
- including spout with screw cap (art. no. 819901)
- captive CLASSIC screw caps
- Safety nozzles for fuels and chain oil available
- the natural colour enables the filling quantity to be seen more clearly from the outside
- on request: Branding, labelling and individual colours possible
- Hazardous goods labels (306100) available separately

# **Safety nozzles**

for fuels and chain oil For PROFI and ECO combined jerrycans.





Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)
819800	for fuels					10
819811	for fuels			24	160	50
819801	for chain oil		38	21	160	10
819851	for chain oil					50

#### Filling systems

- integrated ventilation for liquid transfer without gurgling
- automatic filling stop: No overflow or spillage of the filling material before, during or after fuelling
- reduces the leakage of petrol vapour and protects the environment from contamination
- for all current h
  ünersdorff combined jerrycans, fuel cans up to 5 L and FuelFriend 1-2 L
- precise positioning of the filling opening with union nuts
- captive screw cap
- with carrying loop for fixing on the can
- SS packaging PU 10 pcs. or 50 pcs. available in bulk
- Replacement part: Screw cap with retaining strap ET-276100, black, PU (pcs.) 5

### **FOREST AND GARDEN**

#### **Accessories**

- Space e.g. for two safety nozzles, spark plug wrenches, chain files and carburettor screwdrivers
- with hook and loop fasteners for reliable protection from falling
- made of Nylon
- dirt resistant washable tearproof
- Item sold without fittings

# **Saddlebag for PROFI**

#### black, ideal accessory for holding tools and safety nozzles



Article no.	Designation	for PROFI	Weight (g)	PU (pcs.)
795900	Saddlebag, small	3+1.5 L	275	4.0
796000	Saddlebag, large	6+3 L	290	10

#### **Accessories and** replacement parts

- also suitable for fuel cans and FuelFriend
- rigid spout with screw cap:
  - precise positioning of the filling opening with union nuts
  - captive screw cap
  - with carrying loop for fixing on the can
- Screw cap ET-231506 for ECO combined jerrycan
- separate accessories and replacement parts available e.g. spouts, child safety screw cap ET-231320 for PROFI combined jerrycan

# **Screw cap and spout**













Article no.	Designation	Colour	for a (mm)	Nozzle external Ø (mm)	Length (mm)	PU (pcs.)
819901	Spout with screw cap		00	21	130	5
ET-231506	CLASSIC screw cap		38			

# Warehouse and plant



Storage bins	24	Storage bin shelves	42
- polypropylene (PP)	24	- Standing racks	42
- polystyrene (PS)	26	- Mobile racks	45
Shelf bins	27	Perforated plate wall system	n 46
Assortment boxes	28	Eurocontainers	50
- polypropylene (PP)	28	Aluminium boxes	51
- polystyrene (PS)	31	Appliance crates	52
- for insert boxes	34	Tool boxes	53
Small-parts metal cases	36	- ALPHA	53
Insert boxes	37	- BoxOnBox	54
Part box	37	- Tool caddies	56
MultiStore storage system	38	- Metal tool boxes	56
- Storage systems	38	Industrial bucket	57
- Frames and stands	39	Oil can	57
- Wall sets	40		
- Cupboards	41		





#### Storage bins PP

- fracture-proof and dimensionally stable
- resistant to greases, resins, alkalis, oils and acids
- safely stackable
- food-safe
- 7 sizes in 5 colours (blue, yellow, green, red, transparent)
- separate accessories: Dividers and lids
- numerous possibilities for expansion with various hanging systems: Wall rails, slotted wall, standing and mobile racks
- all 7 sizes made of black conductive material upon request: Surface resistivity  $10^{3} - 10^{6} \Omega$

# Polypropylene (PP) storage bins

for many areas of use with various accessories





				Size			
	1	2	2/L	3	3/L	4	5
	671100	672100	682100	673100	683100	674100	675100
	671200	672200	682200	673200	683200	674200	675200
	671300	672300	682300	673300	683300	674300	675300
	671400	672400	682400	673400	683400	674400	675400
///	671700	672700	-	673700	-	674700	675700
Dimensions D x W x H (mm)	115 x 102 x 74	164 x 102 x 74	216 x 102 x 74	242 x 146 x 127	318 x 146 x 127	332 x 207 x 155	489 x 312 x 184
Inside dimensions D x W x H (mm)	84 x 87 x 63	134 x 87 x 63	183 x 87 x 63	203 x 130 x 114	286 x 130 x 114	290 x 170 x 144	422 x 267 x 171
Space- / overflow volume (L)	0.46 / 0.32	0.73 / 0.47	1.00 / 0.67	3.00 / 1.76	4.24 / 2.30	7.10 / 3.56	19.27 / 9.00
Load / stacking load (kg)	1.4 / 168	2.3 / 136	4.2 / 163	10 / 179	15 / 164	20 / 167	30 / 242
max. divider slots cross- wise/lengthwise	2/0	3/0	4/0	3/0	4/0	0/1	0/1
PU (pcs.)	30	24	18	26	18	12	7
Pallet (pcs.)	1800	1440	1080	520	324	216	70

#### **Accessories**

- PP lid with locking function prevents contamination and loss of contents
- Practical subdivision with dividers made of PS

# **Dividers and lids**











Article no.	Designation	for size	Colour	Measurements W x H (mm)	PU (pcs.)	
671005	Crosswise	1+2+2/L		95 x 60		
673005	dividers	3+3/L		140 x 105		
674005	Lengthwise	4		320 x 135		
675005	dividers	5		450 x 160	6	
671900		1		115 x 100		
672900	Lid	2	//	165 x 100		
682900		2/L	, ,	215 x 100		





### Wall rails and metal slotted wall






Fig. no.	Article no.	Designation	for size	Colour	Dimensions D x W x H (mm)	Length (mm)	PU (pcs.)
	374000	Plastic rail	1+2+2/L+3			500	5
1	374100	Madal well	1.0.0/1.0.0/1			970	3
	374200	Metal rail	1+2+2/L+3+3/L			420	10
2	375000	Metal slotted wall	1-4		15 x 630 x 380		5

#### **Accessories**

- Easy, fast mounting
- Plastic rail for normal, metal rail suitable for extra high loads
- Metal rail and slotted wall made of galvanised sheet steel
- Metal slotted wall:
  - with 12 mounting points for easy and stable wall mounting
  - suitable for storage bins PP size. 1 to 4
  - Equipped with up to 24 storage bins PP (size 1, 2 + 2/L)

# Storage bin sets and slotted wall set



Article no.	Designation	contains	Colour	Dimensions D x W x H (mm)	PU (set)
656400	Set with 1 metal rail	4 x size 1		115 x 425 x 75	
656420	Set with 1 metal rail	5 x size 1		115 x 510 x 75	10
656500	Set with 1 metal rail	4 x size 2		165 x 425 x 75	
656520	Set with 1 metal rail	5 x size 2		165 x 510 x 75	14
656600	Set with 1 metal rail	3 x size 3		240 x 435 x 125	6
656820	Set with 2 metal rails	5 x size 1 + 5 x size 2		165 x 510 x 150	10
657030	Metal rack set	6 x size 2 + 6 x size 2		90 x 630 x 380	5

#### **PP** sets

- Easy, fast mounting
- Slotted wall set consisting of 1 x art. no. 375000, 6 x art. no. 672100 (size 2, red) and 6 x art. no. 672300 (size 2, blue)

# hûnersdorff

#### PS storage bins

- extra dimensionally stable and impact-proof
- suitable for transport systems
- safely stackable lenghtwise and crosswise
- integrated label holder
- food-safe (RAL certificate)
- 5 sizes in 5 colours (red, yellow, blue, green, grey)
- separate accessories: Labels with protective film
- numerous possibilities for expansion with various hanging systems: Metal wall rails for high loads, standing and mobile racks

# Polystyrene (PS) storage bins

#### for high loads and long life span



			Size		
	1	2	3	4	5
	651100	652100	653100	654100	655100
	651200	652200	653200	654200	655200
	651300	652300	653300	654300	655300
	651400	652400	653400	654400	655400
	651500	652500	653500	654500	655500
Dimensions D x W x H (mm)	95 x 103 x 55	165 x 102 x 75	232 x 148 x 126	336 x 205 x 154	485 x 310 x 183
Inside dimensions D x W x H (mm)	75 x 89 x 43	146 x 88 x 63	210 x 130 x 114	291 x 168 x 138	432 x 267 x 169
Space- / overflow volume (L)	0.29 / 0.15	0.81 / 0.42	3.82 / 1.49	6.75 / 3.94	19.50 / 10.52
Load / stacking load (kg)	17 / 212	21 / 315	28 / 436	30 / 742	- / 415
PU (pcs.)	30	24	26	12	8
Pallet (pcs.)	2,700	1,440	520	216	80

#### **Accessories**

- Rails made of galvanised sheet steel
- Labels for identification of items, pocket-size, with additional protective film (1 PU = 25 labels)

# Metal wall rails and labels



Article no.	Designation	for storage bins	Colour	Dimensions D x W x H (mm)	PU (pcs.)
425100		9 x size 1		25 x 950 x 54	
425200	Madal	9 x size 2		25 x 950 x 80	
425300	Metal wall rails	6 x size 3		25 x 950 x 132	3
425400		4 x size 4		30 x 950 x 157	
657200		Size 1		53 x 12	
657300	Labels	Size 2		55 x 16	1
657400		Size 3, 4, 5		79 x 29	



# Polypropylene (PP) shelf boxes

#### ideal for standard shelf formats





Art. no.	Art. no.	Design	Dimensions (mm)		Inside dimen- sions (mm)		Volume (L)	Stack- ing	Divider slots	PU (pcs.)		
			D	W	Н	D	W	Н		load (kg)		
780011	780012		300			270			3.44	138	4	0.4
780031	780032	wide	400	183	81	370	170	75	4.72	140	6	24
780051	780052		500			470			6.00	194	8	12
780001	780002		300			270			1.62	142	4	40
780021	780022	narrow	400	91	81	370	80	75	2.22	135	6	48
780041	780042		500			470			2.82	166	8	24

#### **Shelf bins**

- for optimal store room use
- fracture-proof and dimensionally stable
- resistant to greases, resins, alkalis, oils and acids
- Industrial quality for high load force
- safely stackable
- easier removal of small parts thanks to bottom studs
- integrated label holder
- 6 sizes in two colours (red and blue)
- separate accessories:
   Dividers, labels and pull-out stop

# Dividers, labels and pull-out stop







Article no.	Designation	Colour	Design	Material	PU (pcs.)
780100	Dividers		narrow	CAN	10
780200	Dividers	//	wide	SAN	10
780300	Labels		narrow	_	
780400	Labels		wide	Paper	1
780500	Pull-out stop		narrow/wide	ABS	10

#### **Accessories**

- Dividers with integrated label holders
- Paper labels:
  - 120 labels (art. no. 780300)
  - 60 labels (art. no. 780400)
  - each with 10 printable DIN A4 sheets (190 g/m²)
- Pull-out stop for narrow and wide shelf bins


# hünersdorff

#### PP assortment boxes

- bottom and lid of fracture-proof, dimensionally stable polypropylene
- with stable hinges and closures
- resistant to greases, resins, alkalis, oils and acids
- ideal for packaging purposes, for more than 1,000 pieces also with Euro hanger (38 x 40 x 1.5 mm) (see fig. no. 1b)
- on request: Branding, print, labelling, individual colours and compartment subdivision possible
- Replacement part: ET-207100 Dividers made of transparent PS (PU 10 pcs.)

#### **PP-MINI**

### transparent, 140 x 180 x 40 mm, with fixed or variable tray subdivision



(mm):	Dimensions D x W x H  mm):  40 x 180 x 40  Tray dimensions D x W mm (tray height 34 mm)								
Fig. no.	Article no.	Colour	Dimensions D x W x H (mm)	Tray subdivision	Num- ber of com- part- ments		2	3	PU (pcs.)
1a	606000		140 100 40	0	0		variable divide olding possibil		44
2	606100	//	140 x 180 x 40	1 2 1	5	130 x 43	55 x 85	75 x 42	14

#### PP assortment boxes

- further subdivision possible with 18 dividers with variable potential uses
- stable, undetachable grip
- transparent lid
- upon request: individual colours possible

### **PP-MAXI**

anthracite, 320 x 460 x 80 mm, with fixed tray subdivision



Dimensions D x W x H (m 320 x 460 x 8			Tray dimensions D x W mm (tray height 75 mm)						
Article no.	Colour	Tray subdivision	Number of compartments	1	2	PU (pcs.)			
417340		1 1 2	5	74 x 438	71 x 165/85	7			



# **PP-COMPACT**

#### transparent or coloured, 170 x 250 x 46 mm, with fixed tray subdivisions


















#### PP assortment boxes

- bottom and lid of fracture-proof, dimensionally stable polypropylene
- with stable hinges and closures
- resistant to greases, resins, alkalis, oils and acids
- on request: Print, labelling and individual colours possible
- Replacement parts: Hinges and lids

# hûnersdorff

#### **PP** assortment boxes

#### bottom and lid of fracture-proof, dimensionally stable polypropylene


- with stable hinges and closures
- resistant to greases, resins, alkalis, oils and acids
- with or without handle
- on request: Print, labelling and individual colours possible
- Replacement parts: Hinges and lids

# **PP-CLASSIC**

#### transparent or coloured, 225 x 335 x 55 mm, with fixed tray subdivisions

















Dimensions D 225 x 335 x 55		)				dimensions (tray height)		1	
Art. no. transparent	Art. no. Colour	Art. no. Colour with handle	Tray subdivision	Num- ber of com- part- ments	1	2	3	4	PU
611300	611700	604700	1 3 4	8	105x105	105x325	105x52	52x52	
611400	611800	604800	3	12	-	-	105x52	-	6
611500	611900	604900	4	24	-	-	-	52x52	



### **PS-MINI**

#### transparent or red, 120 x 210 x 36 mm, with fixed tray subdivision














### transparent, 105 x 170 x 32 mm, with fixed tray subdivision

Dimensions D x W : 105 x 170 x 32	Dimensions D x W x H (mm): Tray dimensions D x W mm 105 x 170 x 32								
Art. no.	Colour	Tray subdivision	Number of compart- ments	Tray height (mm)		PU			
617300	///	1	10	27	50 x 32	18			

#### **PS** assortment boxes

- Transparent lid and bottom for optimum display of the contents
- Suitable for packaging purposes
- extra dimensionally stable, made of polystyrene
- on request: Print, labelling and individual colours possible
- Replacement parts only for art. no. 616600:
   Cap and lid



#### **PS** assortment boxes

- Transparent lid and bottom for optimum display of the contents
- extra dimensionally stable, made of polystyrene
- with stable hinges and closures
- on request: Print, labelling and individual colours possible
- Replacement parts: Hinges and lids

# **PS-COMPACT**

### transparent or coloured, 170 x 250 x 46 mm, with fixed tray subdivisions



Dimensio 170 x 250		W x H (mn	1)			Tr	ay dimensi	ons D x W n	nm (tray he	ight 40 mr	n)
Art. no. trans- parent	PU	Art. no. Colour	PU	Tray subdivision	Num- ber of com- part- ments	1	2	3	4	5	6
613400		-		0	0	-	-	-	-	-	-
613500		-		2	7	65 x242	98 x 38	-	-	-	-
613600	14	618100	10	4 2 3	8	65 x 242	98 x 38	48 x 38	98 x 80	-	-
613700	14	618200	10	5	12	-	-	-	-	82 x 38	-
613800		-		3	13	65 x 242	-	48 x 38	-	-	-
613900		618300		3	18	-	-	48 x 38	-	-	65 x 38





#### **PS-CLASSIC**

#### transparent or coloured, 225 x 335 x 55 mm, with fixed tray subdivisions
















#### **PS** assortment boxes

- Transparent lid and bottom for optimum display of the contents
- extra dimensionally stable, made of polystyrene
- with stable hinges and closures
- on request: Print, labelling and individual colours possible
- Replacement parts: Hinges and lids



#### PP assortment boxes

- coloured bottom and transparent, tighly closing lid made of fracture-proof, dimensionally stable polypropylene
- with handle, with stable hinges and closures
- Art. no. 600100 for individual equipment with insert boxes.
- on request: Print, labelling and individual colours possible
- Replacement parts: Hinges and lids

### **PP-PREMIUM**

blue, 225 x 335 x 55 mm, with loose insert boxes made of PS















Dimensions 225 x 335 x 5	D x W x H (mm): 55	Insert box D x W mm (height 45 mm)								
Art. no. blue / with Handle	Tray subdivision	Number of insert boxes	622100 54x54	622200 54x108	622300 108x108	622400 108x62	PU (pcs.)			
600100		0								
600600		9	4	2	1	2				
600700		12		12			6			
600800		14	8	4	2					
600900		24	24							



# **PS-CLASSIC-FLEX**

transparent, 225 x 335 mm, in different heights without compartment subdivisions for individual equipment with insert boxes















Dimensions D x W (m 225 x 335	nm):			
Article no.	Tray subdivision	Dimensions H (mm)	compatible with insert box height (mm)	PU (pcs.)
613200	0	32	23	10
612100		55	45	5
613300		73	63	4

# **Lids, closures and hinges**







Assortment boxes	Hinge	Closure	Lid		
			PP transparent	PS transparent	
COMPACT			ET-254700	ET-254600	
CLASSIC / CLASSIC-FLEX (art. 612100) / PREMIUM	ET-389000	ET-389100	ET-254300	ET-254100	
CLASSIC-FLEX (art. 613200, 613300)		FT 00000	-	ET-253700	
PS-MINI (art. 616600)	without	ET-282800	-	ET-254000	
PU	10				

#### **PS** assortment boxes

- Transparent lid and bottom for optimum display of the contents
- extra dimensionally stable, made of polystyrene
- with stable hinges and closures
- on request: Print, labelling and individual colours possible
- Replacement parts: Hinges and lids

### Replacement parts

#### **Metal assortment boxes**

- made of powder-coated sheet steel
- Stable lever-action locks, lockable and lead sealable
- Tightly closing lid avoids mixing of the contents
- Lid lock against unintentional opening of the case
- Art. no. 620599 for individual equipment with insert boxes.
- Art. no. 621000 double small-parts case
- Special equipment on request

# Metal small-parts case

### dark blue, with loose insert boxes made of PS





Measurer 330 x 440	nents D x W x H (mm) x 66	x H (mm) Insert boxes D x W mm (height 63 mm)					
Article no.	Tray subdivision	Number of insert boxes	624100 54x54	624200 54x108	624300 108x108	624400 108x162	PU (pcs.)
620599	0	0					
620700		24		24			1
620800		23	12	6	3	2	

Measurements D x W x H (mm) 330 x 440 x 100			Insert boxes D x W mm (height 45 mm)				
Art. no. blue	Tray subdivision	Number of insert boxes	622100 54x54	622200 54x108	622300 108x108	622400 108x162	PU
621000		59	36	18	3	2	1





# Polystyrene (PS) insert boxes

for individual fitting of assortment boxes, small parts cases, drawers and cupboards











Dimensions D x W (mm)	Colour	Height 23 mm	PU (pcs.)	Height 45 mm	PU (pcs.)	Height 63 mm	PU (pcs.)	Accessories Lid Art. no.	PU (pcs.) Lid
54 x 54		620100	200	622100	160	624100	96	252500	10
75 x 54				622800	75				
108 x 54		620200	100	622200	80	624200	48	252600	10
162 x 54				622700	30				
108 x 108		620300	50	622300	40	624300	24	252700	
162 x 108		620400	35	622400	25	624400	15	252800	40
216 x 108				622500	20			252900	10
324 x 108				622600	15			253000	

# Part box

### with transparent hinged lid











Article no.	Volume (L)	Colour	Dimensions D x W x H (mm)	PU (pcs.)
687500	2,5		232 x 146 x 158	4

### **Insert boxes**

- various basic sizes in heights of 23 / 45 / 63 mm
- extra dimensionally stable, made of high-impact proof polystyrene
- separate accessories: Lids, transparent

### Part box

- dust-free and visible storage of the contents with a nominal volume of 2.5 L (filling volume 3.7 L)
- Boxes are stackable and can be joined at the sides thanks to enclosed couplings
- well suited for presentation of goods in sales rooms
- fracture-proof and dimensionally stable
- resistant to greases, resins, alkalis, oils and acids
- Bottom made of polypropylene, red
- Lid housing made of fracture-proof SAN

### **MultiStore storage system**

- Storage system in three colours made of high-impact proof polystyrene, easily stackable and designed for stable wall mounting
- removable tilt drawers made of transparent polystyrene with integrated label holders (labels included)
- dust-free and visible storage of the contents
- for high loads and long life span
- versatile can be used in places such as laboratories, workshops, sales rooms, doctor's surgeries, chemists, hospitals and industrial settings
- separate accessories: Lengthwise dividers for individual subdivision of the drawers
- Replacement parts: Tilt bins
- Items sold without bins

# **Storage systems**

Modular concept - can be combined versatilely in 6 sizes for neat storage









MultiStore storage system no.	9	6	5	4	3	2
Pictograms			FI TOM	<b>国国内</b>		
light grey	460110	460111	460112	460113	460114	460115
white	460120	460121	460122	460123	460124	460125
enzian blue	460130	460131	460132	460133	460134	460135
Storage system dimensions W (mm)			60	01		
Storage system dimensions D x H (mm)	64.5 x 76.5	94 x 112.5	136 x 163	171.5 x 206	198 x 238	310.5 x 353
Storage system (L) volume	0.90	2.22	5.20	8.56	12.66	28.20
PU (storage system)			1			
Spare drawers	460220	460221	460222	460223	460224	460225
Drawer dimensions D x W x H (mm):	44.5 x 49 x 46	67 x 80 x 69	97 x 99.5 x 107.5	128 x 125.5 x 133.5	149 x 176 x 161	221 x 265 x 241
Drawer (L) volume	0.10	0.37	1.04	2.14	4.22	14.10
PU (drawers)	9	6	5	4	3	2
Dividers	-	-	-	460126	460127	-
PU (dividers)				10	0	



### **Frames and stands**

# allows individual, easy and quick fitting out with all sizes of the MultiStore storage system



Fig. no.	Article no.	Designation	Colour	Dimensions D x W x H (mm)	Suggestions for combination, see	PU (pcs.)
	461101			25 x 601 x 600	I.)	
1	461102	Frame		25 x 601 x 1160	II.)	
	461103			25 x 601 x 1800	III.)	1
2	462001	Standing frame, one-sided		340.5 x 601 x 1250	II.)	
3	462003	Mobile frame, two-sided		651 x 601 x 1280	II.) x 2	

	I.) Fra	me he	ight (	500 m	ım		ı	II.) Fra	me h	eight	1160	mm		1	II.) Fra	me h	eight	1800	mm	
No.	9	6	5	4	3	2	No.	9	6	5	4	3	2	No.	9	6	5	4	3	2
Sugges	tions 1	for co	mbina	ation			Sugge	stion	s for o	combi	natio	า		Sugge	stions	for c	ombi	natior	1	
Α	1	1	1	1			Α	A 1 1 1 1 1 1 A 2 6 1 1 1						1	1					
В	1	3	1				В	2	2	2	2			В	1	5	7			
С	2	4					С		1	5	1			С			11			
D	3	3					D			3	2	1		D		1			7	
Е		5					Е		6	3				Е				4	4	
maximu system		s for	stand	ard st	torage	•		maximum bins for standard storage system size			maxim			r stan	dard :	storaç	је			
max.	7	5	3	2	2	1	max.	15	10	7	5	4	3	max.	23	16	11	8	7	5

### MultiStore storage system

- made of sturdy aluminium profiles
- Frame available in three heights, ideal for quick and easy wall mounting
- Standing frames, single-side use
- Mobile frames can be used on both sides with high load castors, two locks
- patented fastening elements (Click Bins)
- well suited for presentation of goods in sales rooms
- MultiStore storage system not included in the scope of delivery
- Items sold without bins

# hünersdorff

## **MultiStore storage system**

- With rear wall made of plastic coated chipboard
- three sizes for easy wall mounting
- well suited for presentation of goods in sales rooms
- for high loads and long life span
- Items sold without bins

# **Wall sets**

# light grey, fully assembled in 4 variations















			with N	Compo IultiStore s	osition torage syst	em no.		
Fig. no.	MultiStore	Dimensions D x W x H (mm)	9	6	5	4	Number of drawers	PU
1	461118	00 040 440	-	3	-	-	18	
2	461130	92 x 610 x 410	2	2	-	-	30	
3	461133	171 x 610 x 671	2	1	1	1	33	1
4	461143	171 x 610 x 995	2	2	2	1	44	



# **Cupboards**

# in different variants, fully assembled and extremely sturdy









## MultiStore storage system

- made of enamelled sheet steel
- 12 wall cabinets for easy wall mounting
- 24 upright cabinets in three sizes with various storage system combinations
- additional protection from metal frame
- well suited for presentation of goods in sales rooms
- Items sold without bins



			Composition with MultiStore storage system no.											
Art. no.	Art. no.	Dimensions D x W x H (mm)	9	6	5	4	Number of drawers	PU						
465916	466016		-	-	-	4	16							
465925	466025		-	1	3	1	25							
465926	466026	050 005 000	-	-	5	-								
465933	466033	250 x 665 x 900	-	3	3	-	33	1						
465942	466042		-	7	-	-	42							
465969	466069		5	4	-	-	69							

					nposition s e storage s				
Art. no.	Art. no.	Dimensions D x W x H (mm)	9	6	5	4	3	Number of drawers	PU
466121	466221		ı	-	-	-	7	21	
466131	466231		-	1	-	4	3	31	
466132	466232		-	-	-	8	-	32	
466138	466238		10	8	-	-	-	138	
466148	466248		-	4	3	-	3	48	
466150	466250	250 x 665 x 1,800	-	-	10	-	-	50	]
466174	466274		-	9	4	-	-	74	1
466180	466280		3	5	4	-	1	80	
466190	466290		-	15	-	-	-	90	
466257	466256		-	4	4	3	-	56	
466169	466269	250 x 665 x 2,000	-	4	9	-	-	69	
466154	466155	250 x 1,270 x 2,000	-	16	10	2	-	154	

### **Wall cabinets**

# **Upright cabinets**

used on both sides


**Storage bin shelves** 

- sturdy, powder-coated sheet steel construction
- 9 suspension rails each with max. load of 40 kg
- with two perforated plates for storage of tools (see perforated panel accessories)
- Photo shows example of use. Item sold with or without storage bins



# Standing desk rack

### light grey, with or without open-fronted storage bins made of polystyrene











### Standing desk rack with bins

Art. no.	Dimensions W x H (mm)	Dimensions Perforated plates W x H (mm)	Width Suspension rail (mm)	Number of Suspen- sion rails	Size 1 PS green	Size 2 PS yellow	Size 3 PS blue	Size 4 PS red	PU
781000	720 x 1,250	650 x 418	704	0	12	18	8	3	4
781001	1,030 x 1,250	962 x 418	1,016	9	18	27	12	4	ı

### Standing desk rack without bins / max. fitting per suspension rail

Art. no.	Dimensions W x H (mm)	Dimensions Perforated plates W x H (mm)	Width of suspension rail (mm)	Number of Suspension rails	Size 1 PS / PP	Size 2 PS / PP	Size 3 PS / PP	Size 4 PS / PP	PU
781100	720 x 1,250	650 x 418	704		6	6	4	3	
781101	1,030 x 1,250	962 x 418	1,016	9	9	9	6	4	1



# Standing racks, one-sided

## light grey, with or without open-fronted storage bins made of polystyrene













					fitted	l with		
Article no.	Measure- ments W x H (mm)	Width of suspen- sion rail (mm)	Number of suspen- sion rails	Size 1 PS	Size 2 PS	Size 3 PS	Size 4 PS	PU (pcs.)
781010	720 x 750		6		10	4	-	
781030	720 x 1,000	704	7	12	12	4	3	
781050	720 x 1,250	704	9			8	3	
781070	720 x 1,585		11	10	18	0	6	
781020	1,030 x 750		6	18		6	-	1
781040	1,030 x 1,000	1.010	7	18	18	6	4	
781060	1,030 x 1,250	1,016	9	18	0.7		4	
781080	1,030 x 1,585		11	27	27	12	8	

### Standing racks, no bins on one side / max. fitting per suspension rail

			fitted with									
Art. no.	Dimensions W x H (mm)	Width of Suspension rail (mm)	Number of Suspension rails	Size 1 PS / PP	Size 2 PS / PP	Size 3 PS / PP	Size 4 PS / PP	PU				
781110	720 x 750		6									
781130	720 x 1,000	70.4	7	6	6	4	3					
781150	720 x 1,250	704	9									
781170	720 x 1,585		11					_				
781120	1,030 x 750		6					1				
781140	1,030 x 1,000		7									
781160	1,030 x 1,250	1,016	9	9	9	6	4					
781180	1,030 x 1,585		11									

### **Storage bin shelves**

- used on one side
- stable, non-tilting, screwed steel plate construction with suspension rails
- Powder coated
- max. load 40 kg per suspension rail

# hånersdorff

### **Storage bin shelves**

- used on both sides
- stable, non-tilting, screwed steel plate construction with suspension rails
- Powder coated
- max. load 40 kg per suspension rail

# Standing racks, two-sided

light grey, with or without open-fronted storage bins made of polystyrene











Standing racks, with bins on two sides

					fitted	l with		
Art. no.	Measurements W x H (mm)	Width of suspension rail (mm)	Number of sus- pension rails	Size 1 PS	Size 2 PS	Size 3 PS	Size 4 PS	PU
782000	720 x 750		12		24	8	-	
782020	720 x 1,000	704	14	24	24	0	6	
782040	720 x 1,250	704	18			16	б	
782060	720 x 1,585		22		00	16	12	
782010	1,030 x 750		12		36	40	-	1
782030	1,030 x 1,000	1.010	14	36		12	0	
782050	1,030 x 1,250	1,016	18		5.4	0.4	8	
782070	1,030 x 1,585		22	54	54	24	16	

## Standing racks, two-sided without bins / max. fitting per suspension rail

					fitted	l with		
Art. no.	Dimensions W x H (mm)	Width of Suspension rail (mm)	Number of Suspension rails	Size 1 PS / PP	Size 2 PS / PP	Size 3 PS / PP	Size 4 PS / PP	PU
782100	720 x 750		12					
782120	720 x 1,000	70.4	14		•	4	3	
782140	720 x 1,250	704	18	6	6			
782160	720 x 1,585		22					
782110	1,030 x 750		12					1
782130	1,030 x 1,000	1.010	14			6	4	
782150	1,030 x 1,250	1,016	18	9	9			
782170	1,030 x 1,585		22					



# Mobile racks, two-sided

### light grey, with or without open-fronted storage bins made of polystyrene













### Mobile racks, with bins on two sides

						fitted	l with		
Article no.	Measure- ments W x H (mm)	Measure- ments of perforated plates W x H (mm)	Width of suspension rail (mm)	Number of sus- pension rails	Size 1 PS	Size 2 PS	Size 3 PS	Size 4 PS	PU (pcs.)
783000	720 x 905	-		12		0.4	8	-	
783020	720 x 1,155	-	704	14	24	24	ð		
783040	720 x 1,405	-	704	18			40	6	
783060	720 x 1,740	-		22			16	12	
783010	1,030 x 905	-		12		36		-	
783030	1,030 x 1,155	-		14	36		12		1
783050	1,030 x 1,405	-	1,016	18				8	
783070	1,030 x 1,740	-		22	54	54	24	16	
783080	720 x 1,405	650 x 418	704		12	18	8	3	
783090	1,030 x 1,405	962 x 418	1,016	9	18	27	12	4	

### Mobile racks, two-sided, without bins / max. fitting per suspension rail

Art. no.	Measurements W x H (mm)	Measure- ments of perforated plates W x H (mm)	Width of suspension rail (mm)	Number of suspen- sion rails	Size 1 PS / PP	Size 2 PS / PP	Size 3 PS / PP	Size 4 PS / PP	PU
783100	720 x 905	-		12					
783120	720 x 1,155	-	704	14			4	3	
783140	720 x 1,405	-	704	18	6	6	4		
783160	720 x 1,740	-		22					
783110	1,030 x 905	-		12			6	4	4
783130	1,030 x 1,155	-	1.016	14					1
783150	1,030 x 1,405	-	1,016	18	9	9			
783170	1,030 x 1,740	-		22					
783180	720 x 1,405	650 x 418	704		6	6	4	3	
783190	1,030 x 1,405	962 x 418	1,016	9	9	9	6	4	

### Storage bin shelves

- used on both sides
- stable, non-tilting, screwed steel plate construction with suspension rails
- Powder coated
- max. load 40 kg per suspension rail
- with four shelves and handle for easy handling
- two lockable swivel castors and two fixed castors - max. load 750 kg
- Art. no. 783080, 783090, 783180 and 783190 with three perforated panels for storage of tools (see perforated panel accessories)
- Photo shows example of use. Item sold with or without storage bins


### Perforated plate wall system

- well suited for presentation of goods in sales rooms
- powder-coated, made of stable sheet steel
- rounded edges all round and reinforced with struts for the toughest conditions
- perforated with a spacing of 38 mm, 10 mm square perforations
- Hooks and holders are hung onto the panel and secured by turning by 90° degrees - no fixing screws are needed!
- easy wall mounting thanks to concealed screws
- any wall space can be used optimally by mounting the perforated panels next to each other
- also available in red, blue and beige upon request
- Item sold without fittings



# **Perforated plates**

light grey, allows neat storage of various tools and items







Article no.	Measurements W x H (mm)	PU (pcs.)
784000	450 x 500	
784001	450 x 1,000	4
784002	450 x 1,450	
784003	450 x 2,000	

# **Accessories**





Fig. no.	Article no.	Designation	Length (mm)	Hook Ø (mm)	PU (pcs.)
	784010		38		
	784011		75		
1	<b>784012</b> Si	Single hook	100		
	784013		150	4.5	1
	784014		200		
2	784031	Slanted hook for nuts and sockets	35		



# **Accessories**

# Perforated plate wall system







Fig. no.	Article no.	Designation	Ø (mm)	PU (pcs.)
	784026		6	
	784027		10	
1	784028	Tool clips for screwdrivers	14	1
	784029		19	
	784030		25	
0	784032		40	
2	784033	Round hook	60	
3	784034		40	
	784035		60	
	784036		80	







Fig. no.	Article no.	Designation	Length (mm)	Hook Ø (mm)	Inside hook spacing (mm)	PU (pcs.)
	784015				9.5	
1	784016		38		16.5	
	784017				23.5	
	784018	Double hook	75		9.5	
	784019				16.5	
2	784020			4.5	23.5	1
	784021		100		23.5	
	784022		200		23.5	
	784023				9.5 / 27.5	
3	784024	Pliers holder	45		16.5 / 34.5	
	784025				23.5 / 41.5	



Perforated plate wall system

# **Accessories**



Article no.	Designation	Length (mm)	Width (mm)	PU (pcs.)
784037		150	21	1
784038			28	
784039	Tool holder for self service packs		35	
784040	con convice packs	200	35	
784041		300	35	





Fig. no.	Article no.	Designation	Width (mm)	various Ø 3-14 mm	PU (pcs.)
	784042	By /All		for 32 parts	
1	784043	Bit / Allen key holder	240	for 64 parts	1
2	784044	Wrench holder		for 32 parts	








Fig. no.	Article no.	Designation	Dimensions D x W (mm)	total	PU (pcs.)
1	784045	File/socket holder	165 x 96	for 8 parts	
2	784046	Saw holder (pair)		for 4 saws	1
3	784047	Wrench holder (pair)		for 8 parts	



# **Accessories**

# Perforated plate wall system








Fig. no.	Article no.	Designation	Dimensions D x W x H (mm)	PU (pcs.)
1	784048	Tray	120 x 350 x 10	
2	784049	Plastic box for small items	100 x 95 x 30	1
3	784004	Rail for storage bins made of sturdy sheet steel	18 x 500 x 45	

# **Accessory sets**

# recommended combination for everyday use



Article no.	Designation	consisting of	PU (pcs.)
784005	31-part set	5 x pliers holders 45 mm long 10 x single hooks 38 mm long 5 x single hooks 75 mm long 1 x file and socket holder for 8 items 1 x wrench holder for 32 parts 1 x pair saw holders for 4 saws 2 x round hooks Ø 60 mm 3 x tool clips Ø 14 mm 2 x tool clips Ø 19 mm 1 x tray 350 x 120 mm	1
784006	18-part set	2 x pliers holder 45 mm long 2 x double hooks 38 mm long 2 x double hooks 75 mm long 4 x aingle hooks 38 mm long 3 x aingle hooks 75 mm long 2 x aingle hooks 100 mm long 3 x aingle hooks 150 mm long	

# hünersdorff

### **Eurocontainers**

- ideal for transport and warehouse logistics (e.g. conveyors)
- with two handles
- high stacking load capacity, fracture-proof and dimensionally stable
- closed, stable floors and side walls
- Container measurements are compliant with EUR-pallet (120 x 80 cm)
- resistant to greases, resins, alkalis, oils and acids
- food-safe easy to clean
- upon request: individual colours / production from conductive material (black)
- separate accessories: light grey non-hinged lid (also stackable with lid)

## **Eurocontainers**

light grey, optimised for pallet dimensions - all sizes can be safely stacked and combined with one another












Article no.	Dimens D x W x H		Inside dir D x W x		Volume (L)	Weight (kg)	Load / stacking load (kg)	Accessories Lid art. no.	PU (pcs.)
417400		120		117	11.2	0.69			
417401		170		167	15.9	0.87			
417402	300 x 400	220	268 x 367	217	20.8	1.02		417410	
417403		270		267	25.6	1.28			
417404		320		317	30.0	1.46	20 / 300		
417500		120		117	23.9	1.13			1
417501	300 x 400 400 x 600	170		167	35.6	1.36			
417502	400 600	220	007 507	217	44.2	1.67		417420	
417503	400 x 600	270	367 x 567	267	54.4	1.96			
417504		320		317	64.5	2.21			
417107		420		416	80.0	3.20		417018	



## **Aluminium boxes**


### silver, the ideal box for safe storage and transportation in three variations





Article no.	Designation	Volume (L)	Dimensions D x W x H (mm)	Inside dimen- sions D x W x H (mm)	Weight (kg)	Han- dles	PU (pcs.)	Pallet (pcs.)
452000		29	335 x 432 x 277	300 x 400 x 245	3.00	1		48
452100		47	385 x 582 x 277	350 x 550 x 245	4.20	3		32
452200	PROFI-Box	76	385 x 592 x 409	353 x 560 x 380	5.10		1	20
452300		91	385 x 782 x 379	350 x 750 x 350	5.90	2		15
452400		140	495 x 902 x 379	460 x 870 x 350	7.50			8





Article No.	Designation	Volume (L)	Dimensions D x W x H (mm)	Inside dimen- sions D x W x H (mm)	Weight (kg)	Han- dles	PU (pcs.)	Pallet (pcs.)
451005		50	440 x 440 x 320	400 x 400 x 290	3.00			00
451006	OFFICE-Box	72	440 x 640 x 320	405 x 605 x 290	4.00	4.00		20

29 Liter	47 Liter	70 Liter	90 Liter	140 Liter
0 0	<b>9</b> 9			[ ]

Article no.	Designation	Volume (L)	Dimensions D x W x H (mm)	Inside dimen- sions D x W x H (mm)	Weight (kg)	Han- dles	PU (pcs.)	Pallet (pcs.)
451000		29	330 x 430 x 275	300 x 400 x 245	2.80			48
451100		47	380 x 580 x 275	350 x 550 x 245	3.60			32
451200	ECO-Box	70	380 x 595 x 380	360 x 565 x 350	4.10	2	1	20
451300		90	380 x 780 x 380	350 x 750 x 350	5.00			15
451400		140	490 x 900 x 380	460 x 870 x 350	6.20			8

### **Boxes and crates**

- corrosion, weather and temperature resistant
- despite their light weight, they are extremely stable due to profiled beading
- stable lever-action closures with holes for padlock, lead seal, and fitting of cylinder locks (see accessories)
- plastic-covered folding safety handles for convenient transportation
- the surrounding rubber seal protects the contents against external influences such as dust and splash water
- Rebound straps on the lid of PROFI and ECO-Boxes prevent the hinges from breaking off
- PROFI-Box
  - made of 1.0 mm thick aluminium, extremely sturdy
  - separate accessories:
     Set of wheels
- ECO-Box made of 0.8 mm thick aluminium
- OFFICE-Box
  - made of 0.8 mm thick aluminium
  - detachable lid
  - rails for standard folders and hanging file folders
  - 50 L / 72 L: 4/8 folders (75 mm spine width) or 6/12 folders (50 mm spine width)
- other sizes and varieties are available upon request (custom-made items available starting at 50 units)

# hûnersdorff

### Accessories

#### Set of wheels

- with two large plastic carrying wheels for convenient and safe transportation, even with heavy loads
- only two 8.5 mm wide holes must be drilled for assembly
- Cylinder lock set
  - consisting of two locks and two keys
  - easy assembly

# **Aluminium boxes accessories**







Article no.	Designation	for aluminium boxes	PU (pcs.)
454002	Set of wheels	PROFI	_
456400	Cylinder lock set	PROFI / ECO / OFFICE	1

### **Boxes and crates**

- Stable and weatherproof
- Inner lining of hardboard
- Document compartment in the housing lid
- caddy for small parts
- with wide carrying handles and device for padlock.

# **Metal appliance crates**

dark blue, made of powder coated steel - very solid version





Article no.	Volume (L)	Dimensions D x W x H (mm)	Weight (kg)	Load capacity (kg)	PU (pcs.)
456900	70	360 x 690 x 310	12.90		
456901	115	440 x 830 x 340	17.30	90	1
456902	195	530 x 910 x 430	18.20		



## **Plastic device boxes**

### black, made of sturdy plastic, in three sizes



Article no.	Volume (L)	Dimensions D x W x H (mm)	Weight (kg)	Load capacity (kg)	Material	PU (pcs.)
456904	60	420 x 600 x 470	5.90	80	DD	
456905	113	500 x 800 x 470	8.30	100	PP	1
456907	163	500 x 1,000 x 480	13.10	150	PE	

### **Boxes and crates**

- Stable and weatherproof
- Security lock with cover and practical knob
- plastic-covered folding safety handles for convenient transportation
- Art. no. 456907: Rubber seal provides additional protection against dust and water

### **ALPHA**

# grey/red, with spacious compartment for storage of tools/machines and carrying tray











Article no.	Designation	Volume (L)	Dimensions D x W x H (mm)	Compartments in carrying tray	Weight (kg)	PU (pcs.)
663000	ALPHA MINI	9	225 x 410 x 185	5	1.10	6
663100	ALPHA COMPACT	15	260 x 485 x 230	6	1.70	4
663200	ALPHA MAXI	17	260 x 560 x 230	7	2.00	2
456500	ALPHA PREMIUM	20	280 x 510 x 290	0	2.30	4

### **Tool boxes**

- made of fracture-proof, dimensionally stable polypropylene
- Lid and removable carrying tray, each with a retractable handle
- robust closures
- Hinges with galvanised metal axles
- with eyelet for fitting of a padlock
- ALPHA PREMIUM
  - two removable assortment boxes (each with 6 compartments) in box lid
  - sturdy metal lever clamp closures

# hünersdorff

### **Tool boxes**

- stackable, patented side locking system locks the cases automatically when they are placed on top of one another
- Lid design protects the contents against external influences such as dust and splash water
- with eyelet for fitting of a padlock
- separate accessories:
   Deep-drawn or foam inserts, tool panels, transport cart
- (without tools)
- Item sold without fittings

# **BoxOnBox**

# dark blue/red, innovative tool case system made of near-indestructible ABS







Art. no.	Designation			Inside dimensions D x W x H (mm)		Vol- ume (L)	Weight (kg)	PU (pcs.)
471000	BoxOnBox S						2.15	3
471100	BoxOnBox S with foam inserts in lid	335 x 464	142		80	9	2.20	
471200	BoxOnBox M		212	300 x 400	150	18	2.65	2
471300	BoxOnBox L		362		312	37	3.75	
471322	BoxOnBox L with tool panel set art. no. 472700						4.20	
471500	BoxOnBox B-Set (471100, 471200, 471300, 472200)		716	-	-	-	-	1
471400	BoxOnBox A-Set (471100, 471200, 471300, 472200, 472900)	350 x 470	826	-	-	-	-	



# Tray subdivisions, tool storage and transportation assistance





- Art. no. 472700 tool panel set consisting of two tool panels and two nubby side walls which allow individual positioning or further addition of tool panels
- Item sold without fittings









					Accessories for BoxonBox art. no.				
Fig. no.	Art. no.	Designation	Dimensions D x W x H (mm)	PU (pcs.)	471000	471100	471200	471300	471322
1	472000	Deep-drawn inserts, 5 fixed compartment divisions			✓	✓			
	472100	Deep-drawn inserts, 18 fixed compartment divisions		5	✓	✓			
	472200	Deep-drawn inserts, 9 dividers for variable compartment divisions (3-12 compartments)	300 x 400 x 75		<b>✓</b>	✓			
	473000	Deep-drawn inserts, 10 fixed compartment divisions	-		✓	✓			
_	472300	Foam insert for lid		25	✓	incl.	✓	✓	✓
2	472400	Foam insert for base	300 x 400 x 15		✓	✓	✓	✓	✓
3	472500	Tool panel for lid, two elastic bands each with 9 holders	290 x 380 x 3	45	<b>✓</b>		<b>✓</b>	<b>√</b>	<b>✓</b>
4	472600	Tool panel for base, two elastic bands each with 5 holders (as extension to 472700)		45					<b>✓</b>
	472700	Tool panel set (2 x 472600 + 2 x side panels)	260 x 286 x 3	12				<b>√</b>	incl.
5	472900	Transport cart, carry load 200 kg	350 x 470 x 110	2	✓	✓	✓	<b>✓</b>	✓



### **Tool boxes**

#### made of fracture-proof, dimensionally stable polypropylene

- with two large storage compartments
- ergonomically shaped aluminium handle

# **Tool caddy**

### in ECO design










Article no.	Design	Colour Dimensions D x W x H (mm)		Weight (kg)	PU (pcs.)
438300	ECO		294 x 396 x 215	0.70	12

### **Tool boxes**

- 5 basic compartments with further subdivisions
- Hammer tone finish
- Rounded edges
- stable handle, full tube
- Piano band hinges
- with eyelet for fitting of a padlock

# **Metal tool box**

### blue, 0.6 mm sheet thickness - extra robust



Article no.	Designation	Dimensions D x W x H (mm)	Weight (kg)	PU (pcs.)	
437100	COMPACT	200 x 530 x 200	4.60	1	
437200	MAXI	200 x 600 x 200	5.05		





## **Industrial bucket**

### black, made of fracture-proof polyethylene, in two variations





Article no.	Designation	Volume (L)	Dimensions d x h / D x W x H (mm)	Weight (g)	PU (pcs.)	Accessories lid art. no.	PU (pcs.) lid
941200	Bucket, round with spout	10.5	286 x 283	580	9		
942200	Bucket, round with spout	17.0	330 x 315	890	8		
943300	Bucket, square without spout	14.0	292 x 292 x 292	710	6	945200	6

### **Buckets**

- very resistant to acids, alkalis and other chemicals
- with embossed scale and plastic handle (also available as replacement part)
- Industrial bucket, round: With flow-out for safe handling
- Industrial bucket, square:
   Lid for reliable protection from contamination, available as accessory
- on request: Branding, print, labelling, individual scales and colours possible

# Oil can

### silver-grey, made of fracture-proof polyethylene with sieve insert



Article no.	Volume (L)		Dimensions D x W x H (mm)		Weight (g)			PU (pcs.)	
821200	13	210 x 505 x 400		860		4			
Article no.	Designation Colour for a Sieve insert Wire thick- Mesh w (mm) s (mm) ness (mm) (mm			Material	PU (pcs.)				
ET-373200	Sieve insert/oil filter			70	0.16	0.42		Stainless steel	10
ET-230902	Small screw cap		24					DE	5
ET-232200	Large screw cap		96					PE	5

#### Can

- very resistant to acids, alkalis and other chemicals
- fitted with two handles for safe handling
- large nozzle opening makes cleaning easier
- Sieve insert in the sealable filling opening and screw cap at the outlet protect contents from contamination
- Fine-meshed sieve insert made of stainless steel (replaceable)

### Replacement parts

# **Laboratory and food**



Wide-mouth jerrycan	59	Containers	69
Water jerrycans	60	- with screw cap	69
- PROFI	60	- with slip lid	69
- ECO	61	Bottles	70
Industrial jerrycan	62	- wide-mouth bottle	70
Carboys / storage tanks	63	- narrow-mouth bottle	70
Corner valves	64	- drinking/storage bottle	71
Spout	64	- washbottles	70
- with threaded		- dispenser bottles	71
connector	64	Fittings	72
- with DIN		- straight spouts	72
Screw cap	65	- nipple for pipes	72
Graduated cans	66	- hose couplings	73
Funnels	67		
Scoops	68		
Buckets	68		





# Wide-mouth jerrycan

### natural-coloured, made of fracture-proof polyethylene















Article no.	Volume (L)	Dimensions D x W x H (mm)	Weight (g)	w / a large opening (mm)	w / a sleeve opening (mm)	PU (pcs.)	Pallet (pcs.)
817100	5	140 x 297 x 280	616		10 / 04	6	120
818100	10	154 x 302 x 397	905		18 / 24	5	75
818200	22	180 x 370 x 475	1,390	88 / 105		3	48
818300	31	252 x 365 x 482	1,500			2	32

### **Jerrycans**

- very large opening (88 mm diameter) allows easy filling, emptying and cleaning
- captive, fillable wide neck screw cap
- useful as settling bottle
- with gripping surface on the base for secure handling
- Art. no. 817100 and 818100: With additional, small spout (Ø 18 mm) and spout nozzle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for longlife
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible

# Valves, corner valves, screw caps, sleeves and seals



Fig. no.	Article no.	Designation	Colour	for a (mm)	Material	PU (pcs.)
1	ET-232400	Wide-mouth screw cap		105		2
2	ET-230600	Sleeve screw cap		24	HDPE	F
3	ET-281200	Spout				5
4	ET-818000	Wide-mouth plug set		22	PE/NBR	
5	Seal for wide-mouth screw cap				NBR	10

# Accessories and replacement parts

- separate accessories:
  - Spigots (art. no. 550100, 560100)
  - Corner valves (art. no. 520100, 520700)
  - R 1/2" thread adapter (art. no. 525400) for fastening hose couplings and other fittings
- Plug set consisting of screw caps and 2 seals
- Wide-mouth screw cap including seal

### **Jerrycans**

- intake integrated in jerrycan for safe, space-saving deposit of spigot and screw plug
- large opening (48 mm diameter) allows easy filling, emptying and cleaning
- captive, fillable widemouth screw cap
- with gripping surface on the base for secure handling
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, branding, print, labelling, individual scales and colours possible



# **PROFI** water jerrycans

natural-coloured made of fracture-proof polyethylene, stackable, including removable spigot

















Article no.	Volume (L)	Dimensions D x W x H (mm)	Weight (g) w /a mm		PU (pcs.)	Pallet (pcs.)
816500	12	165 x 350 x 310	1,020	40 / 05	5	90
816700	22	165 x 350 x 495	1,350	48 / 65	3	48

### **Accessories and** replacement parts

- separate accessories:
  - Spigot (art. no. 560100)
  - Corner valves (art. no. 520100, 520700)
  - R 1/2" thread adapter (art. no. 525400) for fastening hose couplings and other fittings
- Replacement parts: Spigot (art. no. 550100) and plug set
- Plug set consisting of screw cap and seal
- Rigid, ventilated spout (art. no. 819510) with blue screw cap, nozzle outside Ø 31 mm and 220 mm long

# Valves, corner valves, spout, screw cap and seal



Fig. no.	Article no.	Designation	Colour	for a (mm)	Material	PU (pcs.)
1	819510	Spout		0.5	LIDDE	3
2	ET-232802	Screw cap		65	HDPE	5
3	ET-816000	Water jerrycan plug set		22	PE/silicone	10



# **ECO** water jerrycans

### natural-coloured, made of fracture-proof polyethylene















Article no.	fitted with	Volume (L)	Dimensions D x W x H (mm)	Weight (g)	w /a mm	PU (pcs.)	Pallet (pcs.)
816100		6	147 x 265 x 247	400		6	144
817400	Spout	12	160 x 290 x 331.5	480		5	120
817600		22	190 x 370 x 440	750	29 / 38	3	48
817500		12	160 x 333.5 x331.5	485		5	90
817700	Spout	22	190 x 415 x 440	830		3	48

# Spigot, spouts and screw cap



Fig. no.	Article no.	Designation	Colour	for a (mm)	Nozzle exter- nal Ø (mm)	Length (mm)	Material	PU (pcs.)
1	ET-231610	ECO screw cap						5
2	818900	rigid spout			24	260	HDPE	3
3	819704	flexible spout		38		265		_
4	550300	PROFI spout			19		HDPE/LDPE	5

## **Jerrycans**

- fitted either with spout (art. no. 819704) or ECO fixed mounted spigot made of LDPE with sleeve connection 3/4"
- captive screw cap
- resistant to greases, resins, alkalis, oils and acids
- on request: Branding, print, labelling, individual scales and colours possible
- separate accessories: PROFI spout (art. no. 550300)

### **Accessories and** replacement parts

- separate accessories: PROFI spout with screw cap S38
  - pressure resistance up to 0.4 bar
  - with integrated ventilation to guarantee quick liquid transfer without gurgling
  - Run-out speed > 3.5 L/min
- flexible spout with bellows

### **Jerrycans**

- compact shape convenient and stackable
- very resistant to acids, alkalis and other chemicals
- separate accessories: Spigots with screw cap DIN 45 and DIN 60/61



# **Industrial jerrycans**

### natural-coloured, made of fracture-proof polyethylene













Article no.	Volume (L)	Dimensions D x W x H (mm)	Weight (g)	w (mm) / a	PU (pcs.)	Pallet (pcs.)	UN certification
426201	5	145 x 195 x 252	190	34 / DIN 45	12	192	3H1/Y1.9/130//A/ PA-03/417130/AMO
426301	10	192 x 232 x 306	365		6	96	3H1/Y1.9/150//A/ PA-03/408651/AMO
426401	20	231 x 294 x 399	810	47 (50) 00	3	45	3H1/Y1.9/180//A/ PA-03/44094/AMO
426501	30	230 x 288 x 578	1,210	47 / DIN 60	2	30	3H1/Y1.9/180//A/ PA-03/44094/AMO

### **Accessories and** replacement parts

- separate accessories:
  - PROFI and ECO spigots with screw cap DIN 45 (art. no. 550600 and 560200)
  - PROFI and ECO spigots with screw cap DIN 60/61 (art. no. 550500 and 560500)
- Replacement parts:
  - red closures with original ring and PE seal

# **Spigots and screw caps**

### made of polyethylene







Article no.	Designation	for a (mm)	PU (pcs.)	
426211	Screw cap	45	100	
426411	Screw cap	60	100	



# **Carboys / storage tanks**

# natural-coloured, extra-thick walls, made of fracture-proof polyeth-



















# ylene, with/without scale



Art. no. without scale	Art. no. with scale	Volume (L)	Dimensions d x h (mm)	Weight (g)	w /a (mm)	PU (pcs.)	Pallet (pcs.)
823300	823310	5	167 x 348	570	50 / 65	5	120
823400	823410	10	210 x 427	884		4	64
823500	823510	25	275 x 580	1,780		2	30
823600	823610	60	350 x 830	2,710		1	12

# Valves, corner valves, handles, screw cap and seals



Fig. no.	Art. no.	Designation	Colour	for carboy (L)	Material	PU (pcs.)
1	ET-320600	Handle with PE tube		5, 10, 25	Metal	40
2	ET-319200	Carrying handle with bolt		60		10
3	ET-232100	Screw cap		5 00	HD-PE	5
4	ET-823000	Carboy plug set	-	5 - 60	PE	10

### **Carboys / storage tanks**

- large opening (50 mm diameter) allows easy filling, emptying and cleaning
- captive screw cap
- useful as settling bottle
- resistant to greases, resins, alkalis, oils and acids
- UV protection for long life
- opening sealed with screw plug for screwing in spigots and corner valves (wide thread 22 mm)
- on request: Custom-made product without screw plug opening, print, labelling, individual scales and colours possible

### **Accessories and** replacement parts

- separate accessories:
  - Spigots (art. no. 550100, 560100)
  - Corner valves (art. no. 520100, 520700)
  - R 1/2" thread adapter (art. no. 525400) for fastening hose couplings and other fittings
- Replacement part:
  - Plug set consisting of screw cap and 2 seals

### **Valves and spigots**

- in PROFI and ECO design
- made of fracture-proof polyethylene with sleeve connection for a hose
- very resistant to acids, alkalis and other chemicals
- Wide thread suitable for wide-mouth jerrycans, carboys and PROFI water
- Corner valves allow for extra-precise dosing
- Spout PROFI
  - quick liquid transfer without gurgling thanks to integrated ventilation
  - rotatable through 360° in any position desired

# **Corner valves and spigots**

### for controlled emptying of liquid from barrels and jerrycans













for threads	Corner valve angled	Corner valve straight	Angular spout	PROFI spout	ECO spout
Pictograms					
R 3/4"	-	-	-	550000	560000
Wide thread 22 mm	520700	520100	-	550100	560100
R 1/2"+R 3/4"	-	-	-	550200	-
R 1/2"	520800	520300	523800	-	-
Sleeve outside Ø in inches (mm)	1/2"	(13)	1/2" (13)	3/4" (19)	3/4" (19)
Run-out speed in L/min	> 1.5	> 3.0	> 3.0	> 3.5	> 1.5
max. pressure resistance bar	1.5	5	1.5	0.4	0.4
Ventilation	with	out	without	with	without
Material	HDPE/	LDPE	HDPE	HDPE/LDPE	LDPE
Sealing screw cap	with	out	without	PE foam (550000 only)	PE foam (560000 only)
PU (pcs.)			5		



# **Spigots with DIN screw cap**

### for controlled emptying of liquids from industrial jerrycans













for screw cap in line with	1) PROFI 2) ECO			
DIN 45	550600	560200		
DIN 50	550400	560300		
DIN 51	550700	560400		
DIN 60/61	550500	560500		
DIN 71	550800	560600		
Colour				
Sleeve outside Ø in inches (mm)	3/4" (1	9)		
Run-out speed L/min	> 3.5	> 1.5		
max. pressure resistance bar	0.4			
Ventilation	with	without		
Material	HDPE / LDPE			
Sealing screw cap	PE foam			
PU (pcs.)	5			

### **Spout**

- in PROFI and ECO design
- made of fracture-proof polyethylene with sleeve connection for a hose
- very resistant to acids, alkalis and other chemicals
- with red DIN screw cap
- Spout PROFI
  - quick liquid transfer without gurgling thanks to integrated ventilation
  - with red knob
  - rotatable through 360° in any position desired
- ECO drain valves specially designed for jerrycans with additional ventilation opening
- DIN 45 suitable for industrial jerrycans (art. no. 426201 and 426301)
- DIN 60/61 suitable for industrial jerrycans (art. no. 426401 and 426501)

#### **Graduated cans**

- suitable for dishwasher, microwave and deep freezer
- all graduated cans with injection moulded, transparent scale, alternatively with additional blue embossed scale
- Extra stable version thanks to closed handle, space-saving and stackable with open handle
- ergonomic handle and flow-out for safe handling
- Graduated cans PP:
  - fracture-proof and dimensionally stable
  - good chemical resistance to alcohol, greases, resins, alkalis, oils and acids
  - especially resistant to temperatures of -20 °C to +100 °C
  - autoclavable
- Measuring cans PE:
  - fracture-proof
  - very good chemical resistance to alcohol, acids, alkalis and other chemicals
  - resistant to temperatures of -20 °C to +70 °C
- Measuring cans SAN:
  - especially dimensionally stable
  - chemical resistance to alcohol, greases, alkalis, oils and acids
  - resistant to temperature of -20 °C to +85 °C
- on request: Branding, print, labelling, individual scales and colours possible
- separate accessories: Lid made of PP reliably protects contents from contamination



### **Graduated cans**

made of polypropylene (PP), polyethylene (HDPE) or styrene-acrylonitrile (SAN)















					_			Iolumo (mi	`		
							<u> </u>	/olume (ml	)		
Fig.	Mate- rial	Colour	Handle	Graduation	120	250	500	1000	2000	3000	5000
1			011	transparent + blue	-	-	935000	936000	937000	938000	939000
			E	transparent	-	930000	935100	936100	937100	938100	939100
2				transparent + blue	-	-	935500	936500	937500	938500	939500
	PP	//			-	-	935600	936600	937600	938600	939600
				transparent	-	-	F	930700 duated car PU (pcs.) 12 1000 + 20	2	-	-
					931200	-	-	-	-	-	-
3	HD-PE		() E (	transparent + blue	-	-	-	936200	937200	938200	939200
4	SAN	//		transparent	-	-	935300	936300	-	-	-
		Scale (S	Subdivisio	n in ml)	10	5	10	10	20	50	100
	Dimensions d x h (mm)		57.5 x 75	72 x 120	90 x 135	117 x 165	151 x 206	175 x 238	203 x 257		
	PU (pcs.)			10	25	16	1	2	10	5	
5-6	5-6 Accessories lid PP art. no.			-	-	-	258000	259000	-	-	
		Р	U (pcs.) lid	d	-	-	-	32	16	-	-



## **Funnels**

### natural-coloured, made of fracture-proof polyethylene















. S
4
ATTION I
//
/######
\ <del></del>
(41111111111111111111111111111111111111
WHITE OF





Article no.	Designation	Picto- grams	Colour	w (mm)	e (mm)	Total height (mm)	Capacity (L)	Sieve insert s (mm)	Length (mm)	Mate- rial	PU (pcs.)
953100	Funnels			253	50	190	3.5	105		HDPE	
953300	Pipe nozzles	7		50	21	170				HDPE	10
957200	Flexible tube with connector piece			50	20				530	HDPE/ LDPE	





Article no.	Designation	Colour	s (mm)	Wire thick- ness (mm)	Mesh width (mm)	Material	PU (pcs.)
958100	Replacement sieve insert		50	50			
958200	Replacement sieve insert		80	0.16	0.42	Stainless steel	10
958300	Replacement sieve insert		105				

### **Funnels**

- very resistant to acids, alkalis and other chemicals
- with eye hook or handle
- Venting ribs at the funnel end (art. no. 950200-954500)
- Art. no. 951100, 951200, 953100, 954100 and 954200 with overflow rim (splash guard) and extra-fine sieve insert made of stainless steel (interchangeable)
- Replacement parts: Sieve inserts (art. no. 958100, 958200, 958300)
- separate accessories for drum funnel: Pipe nozzle and flexible tube

### **Scoops**

- very resistant to acids, alkalis and other chemicals
- dishwasher safe
- on request: Print, labelling and individual colours possible



# **Scoops**

natural-coloured, especially sturdy, made of fracture-proof polyethylene









Article no.	Volume (ml)	Length L (mm)	Weight (g)	PU (pcs.)	
920400	110	187	187 16		
920600	230	250	37	12	
920700	470	310	58	6	
920800	725	350	86	_	
920900	1,390	400	154	3	

### **Buckets**

- very resistant to acids, alkalis and other chemicals
- with embossed scale and plastic handle (also available as replacement part)
- Industrial bucket, round: With flow-out for safe handling
- Industrial bucket, square: Lid for reliable protection from contamination, available as accessory
- on request: Branding, print, labelling, individual scales and colours possible

# **Industrial bucket**

natural-coloured, made of fracture-proof polyethylene, in two variations



Article no.	Designation	Volume (L)	Dimensions d x h / D x W x H (mm)	Weight (g)	PU (pcs.)	Accessories lid art. no.	PU (pcs.) Lid
941100	Declare was a side as a side	10.5	286 x 283	580	9		
942100	Bucket, round with spout	17.0	330 x 315	890	8		
943100	Bucket, square without spout	14.0	292 x 292 x 292	710	6	945100	6





# **Screw cap containers**

### natural-coloured, round, made of polypropylene





Article no.	Volume (ml)	Dimensions d x h (mm)	w (mm)	PU (pcs.)
915200	250	104 x 50	00	25
915300	500	104 x 100	90	14
915600	1,000	125 x 126	111	12

### **Containers**

- dustproof screw cap made of PP reliably protects contents from contamination
- fracture-proof and dimensionally stable
- resistant to greases, resins, alkalis, oils and acids
- suitable for dishwasher, microwave and deep freezer
- on request: Print, labelling and individual colours possible
- Material variant containers made of polyethylene: better impact resistance than PP at low temperatures

# **Containers with slip lid**

natural-coloured, round and square, made of fracture-proof polyethylene

















Article no.	Shape	Volume (ml)	Dimensions d x h / D x W x H (mm)	PU (pcs.)
911100		200	98 x 42	30
913100		250	78 x 88	60
911200		400	114 x 55	20
913200	round	500 95 x 127		24
911300		700	114 x 88	25
911400	1,000		136 x 110	20
911600		2,000	169 x 143	25
910100		500	103 x 103 x 64	20
910200		1 000	103 x 103 x 127	16
910300		1,000	103 x 208 x 64	18
910400	square	1,500	103 x 208 x 94	
910500		0.000	103 x 255 x 94	20
910600		2,000	208 x 208 x 64	
910700		3,200	208 x 208 x 94	14

### **Containers**

- dustproof hooded lid made of LDPE reliably protects contents from contamination
- stackable
- very resistant to acids, alkalis and other chemicals
- suitable for dishwasher, microwave and deep freezer
- on request: Print and labelling possible

### **Bottles**

- ideal for keeping samples
- can be easily squashed and retain its shape
- very resistant to acids, alkalis and other chemicals
- suitable for dishwasher and deep freezer
- Replacement part: Cap



# Wide and narrow-mouth bottles

natural-coloured, made of fracture-proof polyethylene (LDPE)











Article no.	Designation	Volume (ml)	Dimensions d x h (mm)	w /a mm	Replacement screw cap	PU (pcs.)
420100		50	39 x 76	00.0/00	410000	10
420200		100	48 x 93.5	23.8 / 32		
420300		200	59 x 114		410100	
420400		250	64 x 120	30.8 / 40		
420500	\A/'	300	67.5 x 128			
420600	Wide-neck	500	77 x 154	00.0 / 50	410200	
420700		750	88 x 173	39.2 / 50		
420800		1,000	95 x 205	50 / 65	410300	
420900		1,500	108 x 226			
421000		2,000	120 x 247			
422400		50	37.5 x 86	100/10	410500	
422500		100	47 x 105	12.9 / 18	410500	
422700	Narrow-neck	250	61.3 x 140	19 / 25	410600	
422800		500	75 x 177	19 / 25		
422900		1,000	97.5 x 223.5	21.5 / 28	410700	
423000		2,000	120 x 264	21.3728	410700	
423100		3,000	138 x 300	23.8 / 32	410000	

## Bottles

- Bottles allow for extra-precise dosing
- very resistant to acids, alkalis and other chemicals
- Angle spray tube with fine tip

# **Washbottles**

natural-coloured, round, made of fracture-proof polyethylene (LDPE)



Article no. Volume (ml) Dimension		Dimensions d x h (mm)	w (mm)	PU (pcs.)
842200	500	78 x 164	40	15
842300	1,000	79 x 265	18	12



# **Drinking/storage bottles**

### natural-coloured, made of fracture-proof polyethylene















Article no.	Volume (ml)	Dimensions D x W x H (mm)	w /a mm	PU (pcs.)
832100	500	55 x 79 x 203	10 / 20	15
832300	1,000	69 x 100 x 235	18 / 30	
833200	1,500	85 x 115 x 275		18
833300	2,000	86 x 128 x 294	29 / 38	15
833400	3,000	100 x 147 x 316		12

# **Dispenser bottles**

### natural-coloured, made of fracture-proof polyethylene (LDPE)













Article no.	Volume (ml)	Dimensions d x h / D x W x H (mm)	w (mm)	PU (pcs.)
844200	50	28 x 51 x 79		30
843100	50	40 x 84	13	
843200	100	48 x 115		
843400	250 61 x 134		40	
843500	500	78 x 162	18	24

### **Bottles**

- captive, tight-sealing screw
- very resistant to acids, alkalis and other chemicals
- dishwasher safe

### **Bottles**

- Bottles allow for extra-precise dosing
- very resistant to acids, alkalis and other chemicals
- with round or oval shape (art. no. 844200)
- Replacement parts: Oiler tips with yellow union nut and red protective cap (ET-840000) for 843400 and 843500, PU (pcs.) 10

### **Fittings**

- natural-coloured, with sleeve and / or thread connection
- made of fracture-proof polyethylene
- very resistant to acids, alkalis and other chemicals
- Art. no. 523200 with seal made of LDPE

### **Fittings**

- natural-coloured, made of fracture-proof polyethylene
- available in various sizes as T, L, Y, reduction and straight connector
- very resistant to acids, alkalis and other chemicals



# Straight spouts with locking function

### for connecting hoses or containers











			Sleeve outside Ø		(Tube) thread outside Ø			
Article no.	Designation	Connections	Side 1 in inches (mm)	Side 2 in inches (mm)	Side 1 in inches	Side 2 in inches	Material	PU (pcs.)
522100		sleeve on both sides	3/8" (10)	3/8" (10)	-	-		
522200			1/2" (13)	1/2" (13)				
522300	Straight spout		3/4" (19)	3/4" (19)				
528700		Sleeve & thread	1/2" (13)			R 1/2"		
528100		thread on		-	R 1/2"			
523200		both sides	-		R 3/4"	R 3/4"	LDPE	5
522400			1/2" (13)	3/8" (10)				
522500	Reduction straight spout	sleeve on both sides	3/4" (19)	3/8" (10)		-	1/2"	
522600				1/2" (13)	-			
528800		Sleeve & 3/8" (10)	3/8" (10)			R 1/2"		
528600		thread	3/4" (19)	-				

# Nipple for pipes


### with sleeve connections for hoses













### **Hose couplings**

#### for connecting hoses to containers



Designation	Pictograms	Sleeve Ø in mm	R 1"	R 3/4"	R 1/2"	R 3/8"	PU (pcs.)
		10		-	531100		
Hose coupling with outside		13	-	531300	531200		
thread		16		531400			
		19	531600		-		
		10		_	532100		
Hose coupling with union		13	-	532300			
nut		16		532400	-		
	U	19	532600				
		10		-	540400	-	
Angled hose coupling with		40	-	540100			10
union nuts (with rubber seal except 540100)		13		540200	-		
		19	540300	-			
Union nuts		-	530600	530300	530100		
I I I I I - I		13			-	541300	
Hose coupling with outside thread and		19	-	-	541400		
hexagon	1	25		541500	-	-	















Designation	Pictograms	AF (mm)	R 1"	R 3/4"	R 1/2"	R 3/8"	PU (pcs.)
Wide thread adapter for R 1/2" inner thread		27		-	525400	-	
		27			543300		
Shoulder nipple		32	-	543400	-		10
	0	22				527100	
Have somet made	-	27		-	527300		
Hexagonal nuts	' ∄	36		527400		-	
		46	527500	-	-		

#### **Fittings**

- natural-coloured, made of fracture-proof polyethylene
- very resistant to acids, alkalis and other chemicals
- Angle hose couplings
  - with rubber seal (except art. no. 540100)
  - Art. no. 540200 with union nut made of POM e.g. for washing machines
- Wide-thread (22 mm) adapter to R 1/2" inner thread (art. no. 525400) for inch connections to hünersdorff jerrycans with wide thread connection



### **Technical parts**



# We'll solve your problems for custom-made products:

- quickly
- innovatively
- competently

Interested? We look forward to hearing from you:

www.huenersdorff.de/en/service/sales-of-technical-parts.html

### **Technical parts**



Competence, know-how and decades of experience in the processing of plastics: These are the prerequisites for being able to sell individual products, the technical parts.

In close cooperation with the customer, our specialists design and develop hünersdorff plastic injection and blow moulding dies as well as their peripherals, also for highly complex mouldings.

This naturally also includes competent advice and support - from the first planning meeting up to the finished product.

Modern and efficient machines and equipment are available for the production of high-quality plastic products satisfying the quality and precision standards of hünersdorff. In total 20 injection moulding machines with a closing force of 400 kN to 5,000 kN and 18 blow moulding machines with a closing force of 60 kN to 600 kN and a blowing volume of 100 ml to 120 L are available.





### **Keyword index**

Keyword	Page	Keyword
oops	68	EXPLO-SAFE fuel can
perforated panel accessories	48	Dolly for aluminium boxes
t	64	Dolly for BoxOnBox
igots with DIN screw cap	65	Mobile racks for storage bins
PHA tool box	53	Mobile frames for MultiStore
minium box dolly	52	Flexible tube for funnel
ıminium boxes	51	Flexible tube for graduated oil cans
minium boxes, accessories	52	Funnel
ction pump	13	File/socket holder
ction pipe for metal cans	15	Bottles
tings	72-73	FuelFriend fuel can
out for fuel cans	12	Tool and device boxes
out for wide-mouth jerrycan	59	Plastic device boxes
outs for diesel vehicles	12	Metal appliance crates
out for combined jerrycan	22 15	Rack for service bucket
pouts for metal fuel cans sout for funnels	17	Large assortment boxes Labels for fuel cans
outs fuel cans plastic	12	Valves
uts water jerrycans	60-61	Rail for storage bins
l-out stop for shelf box	27	Heating oil can
rboys	63	Industrial bucket
rboys rboy plug set	63	Industrial jerrycan
trol can	8-12, 14-15	Jerrycans
elling system	13	Adhesive jerrycan labels
E FILLER – filling system	11	Can holder for fuel can
/Allen key holder	48	Cans
xes and crates	50-55	Child safety catch for
xOnBox tool box	54	Fuel can
ASSIC fuel can	10.14	MultiStore tilt boxes
ASSIC screw cap for fuel cans	12	Small parts crates, perforated panel acce
DMPACT fuel can	9	Metal small parts case
ds for buckets	57, 68	Complete set tool panel BoxOnBox
ds for insert boxes	37	Fuel can
ds for Eurocontainers	50	Metal fuel cans
ls for graduated cans	66	CLASSIC fuel cans
ls for storage bins	24	COMPACT fuel cans
for assortment box PS	29-30	EXPLO-SAFE fuel cans
I for assortment box PS	31-33	FuelFriend fuel cans
als for carboys	63	PREMIUM fuel cans
als for metal cans	15	PROFI fuel cans
als for PROFI water cans	60	PROFI EXPLO-SAFE fuel cans
als for wide-mouth jerrycans	59	STANDARD fuel cans
puble hook, perforated panel accessories	47	Cold water can
ombined jerrycan ECO	21	Service bucket with sponge tray
ombined jerrycan PROFI	20	Plastic rails for storage bins
oulder nipple	73	Open-fronted storage box
ontainers	69	MultiStore storage system
raight spouts orner valves	72 64	Lengthwise dividers for storage bins, PP
rner valves O spigots	65	Perforated plates Perforated plate wall system
O spigots O aluminium boxes	51	Perforated plate accessories
O aluminium boxes O combined jerrycans	21	Perforated plate accessories Perforated plate accessories set
O screw cap for fuel cans	12	MultiStore storage cupboards
CO screw cap for fuel cans CO screw cap for water jerrycans	61	Graduated oil cans
O screw cap for water jerrycans O water jerrycans	61	Plastic graduated can
uckets	68	Graduated can made of tin plate
icket lids	57, 68	Graduated can made of the plate
uckets for petrol stations	18	Graduated can lids
ling systems	21	Metal assortment boxes
zzle for motorbikes	11	Metal can spout
ert for BoxOnBox	55	Small-parts metal cases
ert boxes	37	Metal fuel can
sert box lid	37	CLASSIC metal fuel cans
ngle hook, perforated panel accessories	46	EXPLO-SAFE metal fuel cans
arrow-mouth bottles	70	PREMIUM metal fuel can
bels for fuel cans	10	Metal rack for storage bins
abels for shelf bin	27	Metal rails for storage bins
bels for storage bins	26	Metal tool box
rocontainers	50	MultiStore storage cupboards
rocontainer lids	50	MultiStore storage system

### **Keyword index**



word	Page	Keyword
Store wall set	40	Sieve insert for funnels
ore storage system	38-41	Assortment boxes made of PP
asin	13	Assortment boxes made of PS
r tips for dispenser bottles	71	Dispenser bottles
ilter/sieve insert for heating oil can	57	Washbottles
can	57	Steel device boxes
aduated oil cans made of plastic	17	STANDARD spout for fuel jerrycans
duated oil cans made of tin plate	18	STANDARD fuel cans
change jerrycans	13	Stands for storage bins
change set	13	Stands for MultiStore
change systems	13	RIGID spout for fuel jerrycans
FICE aluminium boxes	51	Plug set for PROFI water jerrycans
orage bins PP	24-27	Cap set for wide-mouth jerrycans
assortment boxes	28-30	Part box
P-CLASSIC assortment box	30	Petrol station can
P-COMPACT assortment box	29	Petrol station bucket
P-MAXI assortment box	28	Deep-drawn insert for BoxOnBox
P-MINI assortment box	28	Standing desk rack
-PREMIUM assortment box	34	Handle for carboys
EMIUM spout for fuel jerrycans	12	Carrying handle for carboys
EMIUM spout for fuel jerrycans EMIUM fuel cans	8.14	Tool caddy
	8.14 65	Dividers for MultiStore
OFI Aluminium hoves		
OFI Aluminium boxes	51	Dividers for shelf bins
OFI for large	20	Dividers for storage bins
OFI fuel cans	8	Funnels, plastic
OFI water jerrycans	60	Funnels, tin plate
storage bins	26	Funnel sieve insert
assortment boxes	32-35	Drinking bottle
S-CLASSIC assortment box	33	T-nipple for pipes
-CLASSIC-FLEX assortment box	35	Sleeve screw cap for wide-mouth jerrycans
-COMPACT assortment box	32	Union nuts
-MINI assortment box	31	Transfer system
ick direct fuelling system	13	Universal container
t of wheels for aluminium boxes	52	Universal funnel
me set for MultiStore	39	Valves
duction straight spouts	72	Locks for assortment boxes
duction nipple for pipes	72	Closures for wide- and narrow-mouth bottles
elf bins	27	Sealing cap for nozzle
elves for storage bins	42-45	Screw cap for carboys
serve fuel can	10	Screw cap for water can
ItiStore storage systems	38	Screw cap for wide-mouth jerrycan
pe nozzles	67	Screw caps for FuelFriend
und hook, perforated panel accessories	47	Screw caps for heating oil can
w holder, perforated panel accessories	48	Screw caps for industrial jerrycan
ddlebag for combined jerrycan	22	Screw caps for fuel can
, ,	35	
nges for assortment boxes am insert for BoxOnBox	55	Storage bottle
		Storage bottle
se couplings	73 70	Wall hook assortment, perforated panel accessorie
pple for pipes	72 25	MultiStore wall hanging cabinets
otted wall set for storage bins	25	Wall rails for storage bins
inted hook, perforated panel accessories	46	ECO water jerrycans
pboards	41	PROFI water jerrycans
pboards with MultiStore	41	Wide-mouth bottles
rew cap containers	69	Wide-mouth jerrycan
ench holder, perforated panel accessories	48	Tool pocket for combined jerrycan
ench holder	48	Tool clips, perforated panel accessories
readed joints for industrial jerrycans	62	Tool boxes
awers for MultiStore	38	ALPHA tool case
am tray for service bucket	18	BoxOnBox tool case
kagonal nuts	73	Plastic tool boxes
ety nozzle for fuel	21	Metal tool cases
fety nozzle for motorbikes	11	Tool panel for BoxOnBox
ety nozzle for motorbikes	21	Tool caddy
cking pin for metal cans	15	Angular spout
storage bins (made of polypropylene)	24	Angle hose couplings
		Angle nose couplings  Angle nipple for pipes
		ATIQUE TUDDIE TOT DIDES
storage bin sets (made of polystyrene)	26	
storage bin sets (made of polystyrene) rage bin sets	26 25	Y nipple for pipes
storage bin sets (made of polystyrene) rage bin sets rage bin lids	26 25 24	Y nipple for pipes Pliers holder, perforated panel accessories
storage bin sets (made of polystyrene) rage bin sets	26 25	Y nipple for pipes



### **Article number index with GTIN / EAN**

Art. no.	EAN 4007228	P.															
252500	252507	37	434400	434408	14	460222	459876	38	490021		17	540400	705812	73	617300	703870	31
252600	252606	37	434404	434392	14	460223	459869	38	490030		18	541300	702224	73	618100	703054	32
252700	252705	37	434601	704488	14	460224	459852	38	490031		18	541400	702231	73	618200	703061	32
252800	252804	37	434604	434606	14	460225	459845	38	490032		18	541500	702248	73	618300	703078	32
252900	252903	37	434701	704495	14	461101	461107	39	520100	701906	64	543300	702255	73	620100	620108	37
253000	252996	37	434704	434675	14	461102	461091	39	520300	701913	64	543400	702262	73	620200	620207	37
258000	258004	66	434800	704501	15	461103	461084	39	520700	701920	64	546000	702279	13	620300	620306	_ 37
259000	259001	66	434801	434804	15	461118	461114	40	520800	701937	64	550000	549997	64	620400	620405	37
306100	306101	10	434802	434798	15	461130	461138	40	522100	705737	72	550100	550108	64	620599	620597	36
374000 374100	374001	25 25	434803 434804	434774	15 15	461133 461143	461121	40	522200 522300	703795	72 72	550200 550300	550207	64 61	620700 620800	620702	36 36
374200	703397	25	435300	702507	15	462001	462005	39	522400	522402	72	550400	550306	65	621000	620801	36
375000	704181	25	435400	705089	15	462003	461992	39	522500	522501	72	550500	550504	65	622100	703030	37
410000	410006	70	435500	435504	15	465916	465914	41	522600	522600	72	550600	550603	65	622200	700145	37
410100	410105	70	435600	435603	15	465925	465921	41	523200	523201	72	550700	550702	65	622300	700152	37
410200	410204	70	435700	435702	15	465926	465907	41	523800	523805	64	550800	550801	65	622400	700169	37
410300	410303	70	435800	435801	15	465933	465938	41	525400	525403	73	560000	560008	64	622500	622508	37
410500	410501	70	437100	705119	56	465942	465945	41	527100	527100	73	560100	560107	64	622600	622607	37
410600	410600	70	437200	705249	56	465969	465884	41	527300	701975	73	560200	560206	65	622700	622706	37
410700	410693	70	438300	438307	56	466016	465983	41	527400	701982	73	560300	560305	65	622800	622805	37
411100	411102	15	444450	444452	14	466025	466027	41	527500	527506	73	560400	560404	65	624100	624106	37
411200	411201	15	444650	444650	14	466026	465976	41	528100	528107	72	560500	560503	65	624200	705645	37
417018	416817	50	444750	444759	14	466033	466034	41	528600	528602	72	560600	560602	65	624300	624304	37
417107	417173	50	449900	449907	18	466042	466041	41	528700	528701	72	600100	600100	34	624400	624403	37
417340		28	451000	450996	51	466069	466065	41	528800	528800	72	600600	704266	34	651100	700275	26
417400	417401	50	451005	451054	51	466121	466096	41	530100	530100	73	600700	704228	34	651200	700282	26
417401	417395	50	451006	451061	51	466131	466072	41	530300	705744	73	600800	704235	34	651300	700299	26
417402	417388	50	451100	451108	51	466132	466102	41	530600	530605	73	600900	704242	34	651400	700305	26
417403	417371	50	451200	451207	51	466138	466133	41	531100	705751	73	603600	704112	29	651500	700312	26
417404	417364	50	451300	451306	51	466148	466058	41	531200	701999	73	603700	704129	29	652100	700336	26
417410	417418	50	451400	451405	51 51	466150	466126	41 41	531300	702002	73 73	603800	704396	29	652200	700343	26
417420 417500	417425	50 50	452000 452100	452006	51	466154 466155	466157	41	531400 531600	531404	73	603900	704136	29 30	652300 652400	700350	26 26
417501	417494	50	452200	452204	51	466169	466164	41	532100	705775	73	604800	704310	30	652500	700307	26
417502	417487	50	452300	452303	51	466174	466171	41	532300	702026	73	604900	704327	30	653100	700398	26
417503	417470	50	452400	452402	51	466180	465891	41	532400	532401	73	606000	606003	28	653200	700404	26
417504	417463	50	454002	453980	52	466190	466188	41	532600	702033	73	606100	606102	28	653300	700411	26
420100	420104	70	456400	456400	52	466221	466218	41	535000	535006	72	608100	704082	29	653400	700428	26
420200	703092	70	456500		53	466231	466201	41	535100	535105	72	608200	704099	29	653500	700435	26
420300	420302	70	456900	456905	52	466232	466225	41	535200	535204	72	608300	704105	29	654100	700459	26
420400	703108	70	456901	456912	52	466238	466232	41	535300	535303	72	611300	703986	30	654200	700466	26
420500	701548	70	456902	456929	52	466248	466249	41	535400	535402	72	611400	703993	30	654300	700473	26
420600	701555	70	456904		53	466250	466256	41	535800	535808	72	611500	704006	30	654400	700480	26
420700	701562	70	456905		53	466256	466195	41	535900	535907	72	611700	703917	30	654500	700497	26
420800	701579	70	456907		53	466257	465952	41	536000	536003	72	611800	703931	30	655100	700510	26
420900	701586	70	460110	460117	38	466269	466263	41	536100	702088	72	611900	703955	30	655200	700527	26
421000	701593	70	460111	460049	38	466274	466270	41	536200	702095	72	612100	702521	35	655300	700534	26
422400	422405	70	460112	460032	38	466280	466287	41	536300	702101	72	612200	702538	33	655400	700541	26
422500	422504	70	460113	460025	38	466290	466294	41	536400	702118	72	612300	702545	33	655500	700558	26
422700	422702	70	460114	460018	38	471000	471007	54	536500	702125	72	612400	703115	33	656400	703399	25
422800 422900	422801	70 70	460115 460120	460001	38	471100 471200	471106	54 54	536600 536800	702132	72 72	612500 613200	702569	33	656420 656500	656428	25 25
423000	423006	70	460121	459975	38	471300	471304	54	536900	536904	72	613300	613308	35	656520	656527	25
423100	423105	70	460122	459973	38	471322	471328	54	537000	537000	72	613400	702729	32	656600	703153	25
425100	701609	26	460123	459968	38	471400	471403	54	537100	705799	72	613500	702736	32	656820	656824	25
425200	701616	26	460124	459951	38	471500	471502	54	537200	702149	72	613600	702743	32	657030	704198	25
425300	701623	26	460125	459944	38	472000	472004	55	537300	706628	72	613700	702750	32	657200	702583	26
425400	701630	26	460126	459838	38	472100	472103	55	537400	702156	72	613800	702767	32	657300	702590	26
426201	426205	62	460127	459821	38	472200	472202	55	538700	538700	72	613900	702774	32	657400	702606	26
426211	426182	62	460130	460131	38	472300	472301	55	538800	538809	72	614700	703047	33	663000	705126	53
426301	426304	62	460131	459937	38	472400	472400	55	538900	538908	72	614800	702873	33	663100	705140	53
426401	426403	62	460132	459920	38	472500	472509	55	539000	705058	72	614900	703023	33	663200	705164	53
426411	426397	62	460133	459913	38	472600	472608	55	539200	702187	72	616000	616002	31	671005	671001	24
426501	426496	62	460134	459906	38	472700	472707	55	539300	702194	72	616200	616200	31	671100	703245	24
			100105	450000	38	472900	472905	55	540100	705805	73	616300	616293	31	671200	671209	24
434200	434200	13	460135	459890	- 30	772300	77 2 3 0 0		340100	703003		010000	010200		07 1200		
434200 434210	434200	13	460220	459890	38	473000	473001	55	540200	702200	73	616400	702811	31	671300	703252	24

### **Article number index with GTIN / EAN**



Art. no.	EAN 4007228	P.	Art. no.	EAN 4007228	P.	Art. no.	EAN 4007228	P.	Art. no.	EAN 4007228	P.	Art. no.	EAN 4007228	P.	Art. no.	EAN 4007228	P.
671700	671704	24	781130	781137	43	784028	783773	47	815520	815528	11	911600	911602	69	950601	950618	16
671900	671902	24	781140	781144	43	784029	783766	47	815710	815719	11	913100	913101	69	950700	701326	67
672100	703269	24	781150	781151	43	784030	784039	47	815720	815726	11	913200	913200	69	950701	950717	16
672200	672206	24	781160	781168	43	784031	783742	46	816100	702316	61	915200	915204	69	951100	701333	67
672300	703276	24	781170	781175	43	784032	783735	47	816500	816501	60	915300	915303	69	951101	951110	16
672400	672404	24	781180	781182	43	784033	783728	47	816700	816709	60	915600	915600	69	951200	701340	67
672700	672701	24	782000	782004	44	784034	783711	47	817100	817102	59	920400	701074	68	951201	951202	16
672900	672893	24	782010	782011	44	784035	783704	47	817400	817409	61	920600	701081	68	951500	951493	16
673005	673005	24	782020	782028	44	784036	783698	47	817500	817508	61	920700	701098	68	951600	951608	16
673100	703306	24	782030	782035	44	784037	783681	47	817600	817607	61	920800	701104	68	953100	702996	67
673200	673203	24	782040	782042	44	784038	783674	47	817700	817676	61	920900	701111	68	953300	703016	67
673300	703313	24	782050		44	784039	783667	47	818100	700732	59 59	921401	703726	13	953500	701364	16
673400 673700	673401	24	782060 782070	782066	44	784040	783575	47 47	818200	700749	59	921510	701128	13 66	954100	701371	67 67
674005	674002	24	782100	782073	44	784041 784042	783650	48	818300 818900	703405	61	930000	930702	66	954200 954500	954500	67
674100	703320	24	782110	782110	44	784043	784046	48	819100	819106	12	931200	931204	66	954600	954609	16
674200	674200	24	782110	782110	44	784044	783636	48	819110	819113	12	932500	701180	17	955200	701395	16
674300	703337	24	782130	782134	44	784045	783629	48	819500	700763	12	932600	701197	17	956200	701401	16
674400	674408	24	782140	782141	44	784046	783612	48	819510	819502	60	932700	701203	17	957200	701418	67
674700	674705	24	782140	782158	44	784047	783605	48	819600	702705	12	933800	701203	17	958100	701416	67
675005	674996	24	782160	782165	44	784048	783599	48	819700	700770	12	933900	704983	17	958200	958201	67
675100	703603	24	782170	782172	44	784049	783582	48	819700	819717	12	934000	701227	17	958300	703009	67
675200	675207	24	783000	783001	45	795900	795905	22	819702	819724	12	935000	935004	66	ET-207100		28
675300	703610	24	783010	783018	45	796000	796001	22	819704	819700	61	935100	935103	66	ET-230400		12
675400	675405	24	783020	783025	45	800200	800203	8	819710	819694	12	935300	935301	66	ET-230600		59
675700	675702	24	783030	783032	45	800300	800302	8	819800	819793	21	935500	935509	66	ET-230702		12
682100	703283	24	783040	783049	45	800400	800395	8	819801	819786	21	935600	935608	66	ET-230902		57
682200	682205	24	783050	783056	45	800500	800500	8	819811	819816	21	936000	936001	66	ET-231320		12
682300	703290	24	783060	783063	45	800600	800609	8	819845	819847	11	936100	936100	66	ET-231330		12
682400	682403	24	783070	783070	45	800700	800708	8	819851	819854	21	936200	936209	66	ET-231503		12
682900	682908	24	783080	783087	45	801000	801002	8	819901	819908	22	936300	936308	66	ET-231505		12
683100	704013	24	783090	783094	45	801060	801064	8	820300	820300	18	936500	936506	66	ET-231506		22
683200	683202	24	783100	783100	45	801100	801101	8	821200	700794	57	936600	936605	66	ET-231610		61
683300	704020	24	783110	783117	45	802000	802009	8	823300	705003	63	937000	937008	66	ET-231620		12
683400	683400	24	783120	783124	45	802060	802061	8	823310	823318	63	937100	937107	66	ET-232100		63
687500	687507	37	783130	783131	45	802100	802108	8	823400	704990	63	937200	937206	66	ET-232200		57
780001	780000	27	783140	783148	45	803900	803907	20	823410	823417	63	937500	937503	66	ET-232400		59
780002	779998	27	783150	783155	45	804000	804003	20	823500	702972	63	937600	937602	66	ET-232800	232806	12
780011	780017	27	783160	783162	45	804900	804904	20	823510	823516	63	938000	938005	66	ET-232802	232790	60
780012	779981	27	783170	782998	45	804962	804935	20	823600	823608	63	938100	938104	66	ET-253700	253702	35
780021	780024	27	783180	783186	45	805000	805000	20	823610	823615	63	938200	938203	66	ET-254000	254006	35
780022	779974	27	783190	783193	45	805062	805048	20	824900	824902	21	938500	938500	66	ET-254100	254105	35
780031	780031	27	784000	784008	46	810000	810004	13	825000	825008	21	938600	938593	66	ET-254300	254303	35
780032	779967	27	784001	783995	46	810200	700657	9	832100	700824	71	939000	939002	66	ET-254600	254600	35
780041	780048	27	784002	783988	46	810900	704860	9	832300	700848	71	939100	939101	66	ET-254700	254709	35
780042	779950	27	784003	783971	46	811400	704976	9	833200	700855	71	939200	939200	66	ET-276100	276107	21
780051	780055	27	784004	783964	48	811500	812107	9	833300	700862	71	939500	939507	66	ET-281200	281200	59
780052	779943	27	784005	783957	49	811560	811568	9	833400	702392	71	939600	939606	66	ET-281302	281293	12
780100	780109	27	784006	783940	49	811570	811575	9	842200	700954	70	941000	941005	18	ET-282800	282801	35
780200	780208	27	784010	784015	46	811580	811582	9	842300	700961	70	941100	701241	68	ET-283400	283396	18
780300	780307	27	784011	783933	46	811590	811551	9	843100	700978	71	941200	705669	57	ET-319200	319200	63
780400	780406	27	784012	783926	46	811900	702293	10	843200	700985	71	942100	701258	68	ET-320600	320602	63
780500	780505	27	784013	783919	46	812300	700701	10	843400	700992	71	942200	942200	57	ET-331100	331103	59
781000	781007	42	784014	783902	46	812400	700718	10	843500	701005	71	943100	705683	68	ET-373200	373202	57
781001	780994	42	784015	783896	47	812800	704792	9	844200	701012	71	943300	702378	57	ET-389000	389005	35
781010	781014	43	784016	783889	47	812869	812848	9	862800	862805	9	945100	705690	68	ET-389100	389104	35
781020	781021	43	784017	783872	47	812873	812794	9	910100	701432	69	945200	945201	57	ET-816000	816006	60
781030	781038	43	784018	783865	47	812893	812787	9	910200	701449	69	950100	701265	67	ET-818000	818000	59
781040	781045	43	784019	783858	47	813500	704914	9	910300	701456	69	950200	701272	67	ET-823000	823004	63
781050	781052	43	784020	784022	47	813530	813531	9	910400	701463	69	950201	950212	16	ET-840000	840001	71
781060	781069	43	784021	783841	47	813550	813555	9	910500	701470	69	950300	701289	67			
781070	781076	43	784022	783834	47	813569	813562	9	910600	701487	69	950301	950311	16			
781080	781083	43	784023	783827	47	815210	815214	11	910700	701494	69	950400	701296	67			
781100	781106	42	784024	783810	47	815220	815221	11	911100	911107	69	950401	950410	16			
781101	781090	42	784025	783803	47	815310	815313	11	911200	911206	69	950500	950502	67			
781110	781113	43	784026	783797	47	815320	815320	11	911300	911305	69	950501	950496	16			
781120	781120	43	784027	783780	47	815510	815511	11	911400	911404	69	950600	701319	67			



### **General Terms and Conditions**

#### § 1 Conclusion of the Agreement

1. Unless otherwise expressly agreed, the "General Delivery Terms and Conditions" alone shall apply to all agreements, deliveries and other services included in business transactions with non-co ers as defined by § 310, paragraph 1 of the German Civil Code [Bundesgesetzbuch - BGB]. As part of an ongoing business relationship between business people, the terms and conditions shall also then become an integral component of the agreement, if the seller has not expressly made reference thereto in the individual instance in question.

2. Any conflicting terms and conditions, particularly the buyer's conditions of purchase, are hereby rejected. Other terms and conditions of the purchaser shall not be valid except where these involve individual agreements. Deviations as a result of individual agreements must be made in writing. Conflicting conditions of purchase on the part of the purchaser shall not apply even if they are included in a letter of confirmation from the purchaser following our confirmation of contract and we have not expressly contradicted them. A lack of response on our part shall be deemed rejection thereof. Our terms and conditions shall be accepted with effect from acceptance of the goods by the purchaser at the latest, in particular in the case of telephone orders.

3. Supply contracts shall be concluded either by means of our written order confirmation following a

written order or upon delivery. All verbal (particularly via telephone), secondary and auxiliary agree ments, even those concerning fulfilment of the order, shall require our specific written confirmation in order to be valid.

4. Any documents associated with the quotation such as diagrams, drawings, weights and measurements shall only be approximate unless expressly referred to as binding. We hereby retain ownership of and copyright over cost estimates, drawings and other documents, which may not be disclosed to third parties.

#### § 2 Delivery

- 1. The scope of delivery shall conform to our written order confirmation.
- 2. Within our standard range (§ 5 No. 2) deliveries rounding the order quantity up or down in sealed packaging units, or in the case of special designs (§ 5 No. 5) additional or short deliveries shall be permitted by up to 10%. We hereby reserve the right to fulfil orders in partial deliveries. The purchaser hereby undertakes to inform us at least three months in advance and in writing of cancellations of or change requests to listed items which have optional extras in accordance with its own specific requirements, and to continue to accept goods with the former features up to the average volume of sales for three months.
- 3. All items delivered shall be subject to changes in structure or shape that are attributable to improvements in technology or legislative requirements during the delivery period, providing the object supplied is not significantly modified thereby and providing the changes are reasonable for the purchaser.

  4. Should we subsequently receive indications of irregular payment by the purchaser, of the appli-
- cation for or initiation of a moratorium or insolvency proceedings or of any other deterioration in its financial circumstances, we shall be entitled to make delivery dependent on payment of the purchase price in advance or deliver by cash on delivery.
- 5. In the event of non-acceptance of the delivery (even cash on delivery consignments), the purchaser shall bear all transportation and postage costs as well as any additional expenses incurred. In the case of a delay in acceptance by the purchaser, the costs for storing orders ready for dispatch shall be calculated at a minimum of 0.5% of the order value for each part month. The purchaser shall be provided with proof that damage has not occurred or is equivalent to less than the amount of the above mentioned fixed sum. We shall be entitled to prove that the damage is greater than the above mentioned fixed sums.
- 6. In addition to Clause 1, the scope of supply and the object supplied shall, where applicable, result from additional performance specifications where these have become an object of the contractual agreement.
- 7. We hereby reserve the right to provide equivalent performance in terms of quality and price. In the event of non-availability, we also hereby reserve the right not to provide the service as promised.

#### § 3 Delivery Deadline and Acceptance

 Subject to timely and proper delivery from our own suppliers, we will make every effort to comply with delivery deadlines as far as possible. All delivery deadlines shall be non-binding however. In the event of difficulties with supply from our own suppliers as regards availability of the goods or the timeliness of this availability, then we hereby undertake to provide immediate notice hereof.

Where delays of more than six weeks are concerned, in such cases, both contracting partners shall be entitled to withdraw from the agreement by sending a written declaration to the respective other party. In this scenario, any benefits already received must be returned. There shall be no other claims, in particular, claims for damages. Where a fixed date for delivery is included in the purchaser's order and where we only specify an approximate date or a date specified in calendar weeks in the order confirmation, this period shall be agreed upon as the delivery deadline if the purchaser fails to contradict it within one week following receipt of our order confirmation.

- 2. The delivery period shall commence upon sending of the order confirmation but not before the provision of any documents, approvals or releases to be obtained from the purchaser or before receipt of any advance payment agreed upon.
- 3. The delivery deadline shall be deemed to have been complied with when notice is given that the goods are ready for dispatch or that the delivery items have left the factory, before its expiry. 4. In the event of measures associated with industrial action, in particular strikes and lockouts, and in the event of unforeseen hindrances beyond our control, e.g. operational disturbances, delays in the supply of essential materials, the delivery deadline shall be extended where such hindrances can be proven to have had a significant impact on delivery of the items to be supplied. This shall also be the case when circumstances arise with sub-suppliers. The delivery deadline shall be extended in line with the duration of such measures and obstacles. The aforementioned circumstances shall also not be attributable to us should they arise as a result of an existing delay. In important cases, we shall inform purchasers of the start and end of such hindrances as soon as possible.
- 5. Compliance with the delivery deadline shall also be dependent on fulfilment by the purchaser of contractual obligations under other transactions with us.

#### § 4 Packaging and Dispatch

- 1. Goods shall be dispatched (including any returns) at the expense and risk of the purchaser unless otherwise agreed. This shall also be the case where we deliver the goods using our own vehicles. In all cases, we shall be entitled to charge delivery costs up to the amount that would have been incurred had a different method of dispatch been chosen.
- 2. We shall have discretion to select the method of dispatch. We shall not accept any liability for the cheapest dispatch.
- 3. We hereby reserve the right to dispatch the goods not from the place of fulfilment as defined by
- §12, clause 1, but from another venue of our choosing.

  4. In the case of a delivery from the standard range in accordance with § 5, no. 2, we shall provide basic packaging (without special packaging and without pallets) free of charge. Otherwise, packaging shall be charged for separately.

#### § 5 Ouotations and Prices

- 1. Prices shall be from the manufacturing plant plus any applicable statutory value added tax. A discount scheme shall apply to § 7, no. 2.
- 2. The standard range shall be those items featured and described in our catalogue. Unless expressly quoted as net prices or otherwise agreed, the gross prices applicable at the time of delivery shall apply to these items ex works, including basic packaging.
- 3. The minimum order value is €50 net product value. For orders below the minimum order value, we charge a low-quantity surcharge of €5. We cannot accept any orders under €00 net product value. 4. For orders of €50 net product value or more, we provide free delivery within Germany. For orders below this value, we charge a flat shipping rate of €.40.

  5. Items made to order shall be items manufactured in accordance with the purchaser's drawings,
- prototypes or other specifications. Unless expressly agreed to the contrary, prices shall be quoted as
- at net prices ex works and excluding packaging.

  6. List and catalogue prices shall not be binding. We shall always charge the prices applicable on the date of delivery. In particular, we shall be entitled to adjust prices if the price of raw materials required by us and any additional expenses associated therewith, e.g. import duties etc., increase. In the event of the price increase in this respect amounting to more than 10% of the previous applicable price, then the purchaser shall be entitled to withdraw from the agreement
- 7. In the event of billing for certain tools being referred to in our prices and invoices as a price component, payment of this item shall in no way confer any rights over the tool on the part of the
- purchaser.
  Such tools shall merely refer to tools provided in order to supply the purchaser and the corresponding price elements shall represent purchaser and product-specific overheads which the purchaser is allotted and billed for. Insofar as the tools bear the name of the purchaser, this serves purely to allocate production resources to production for the relevant purchaser and shall in no way give rise to any rights on the part of the purchaser over the tool, in particular, not to ownership thereof. Nor would constructive possession shall arise as a result hereof.

#### § 6 Retention of Title

- 1. We hereby reserve ownership of the goods supplied for all receivables under the present and future business relationship with the purchaser (current account retention). The addition of individual items to an open account or balancing of the account and acceptance of the same shall not lift the
- 2. We shall be entitled to take back our retained goods during the purchaser's normal hours of business should the latter fail to fulfil its obligations to us, in particular in the case of payment arrears, and enter all storage and business premises of the purchaser for this purpose. Such removal shall not constitute unlawful interference.
- 3. In the event of processing of our goods or combining thereof with other products, we shall acquire joint ownership over the objects resulting from the processing or combining, which the purchaser shall store on our behalf free of charge with the due diligence of a prudent businessperson. Our joint ownership share shall be determined based on the portion corresponding to the value of our goods in relation to the value of the resulting object. Should the purchaser acquire sole ownership as a result of the combining, it shall hereby assign joint ownership thereof to us based on the ratio of the value of the retained goods to the value of the resulting object. Clause 4 below shall apply to resale. Any receivables arising from the resale or on some other legal basis, are hereby assigned to us to the value of the aforementioned portion.
- 4. In the event of the retained goods being sold by the purchaser alone or together with goods not belonging to us, the purchaser hereby assigns any receivables arising from the resale to us, in the amount of the value of the retained goods with all additional rights and priority above the remainder. We hereby accept the assignment. The value of the retained goods shall be our invoice amount.
- 5. The purchaser shall only be entitled to resell, exploit or incorporate the retained goods in the normal course of business. The purchaser shall not be entitled to any other disposal of the retained goods and in particular to attachment or assignment as security thereof. In the case of payment by cheque/bill of exchange procedure, the right of retention shall only lapse once the bill of exchange/ cheque clears and the invoice amount is credited.
- 6. The authorisation to resell, exploit or incorporate the retained goods shall not apply if the purchaser concludes terms and conditions with a third party under which it is not permitted to assign third party claims to us.
- 7. The purchaser hereby authorises us to collect the receivables assigned to us until further notice. We shall refrain from exercising our authority to collect providing the purchaser fulfils its payment obligations. At our request, the purchaser shall be required to provide information regarding the status of any goods over which we have retained title and of any receivables and rights assigned to us, and shall inform its customer of the assignment. We shall be entitled, but not obliged, to notify the purchaser's customers of the assignment and to independently assert any claims assigned to us, at any time. Assertion of the rights assigned shall be at the cost and risk of the purchaser without giving rise to any obligation on our part in this respect or to the possibility of us being held liable by the purchaser as a result hereof.
- 8. The purchaser must inform us immediately in the event of our retained goods or claims assigned to us becoming involved in third party enforcement measures and must supply us with any documentation required to contradict the measures.
- 9. We hereby undertake to release securities to which we are entitled, at the purchaser's request, to the extent that the value of such securities exceeds the value of the debts to be secured by more than 20%, and insofar as these remain outstanding.
- 10. Attachments on or assignment of the retained goods or rights to which we are entitled, as collateral or security and other methods of disposal by the purchaser impacting upon our rights shall not be permitted.

#### General Terms and Conditions



- 11. If third parties attempt to secure the retained goods, the claims thereto assigned to us or any rights established under the foregoing paragraphs, the purchaser shall inform such parties of our ownership and shall inform us immediately, sending all documentation required to intervene.
- 12. Recovery of the retained goods or attachment thereof by us shall not constitute withdrawal from the agreement, such measures serve purely to secure our claims.
- 13. In the event of a resale of the retained goods, we do not consent to the initiation of court settlement or insolvency proceedings.

#### § 7 Payments

- 1. Unless otherwise agreed, invoices shall be payable to us 30 days following the invoice date at the latest and in the currency of the Federal Republic of Germany. Our representatives shall not be authorised to accept payments.
- 2. A 2% early-payment discount shall be granted for advance payment, cash on delivery, direct debit or payment within 10 days after the date of invoice. Early payment discounts shall not be granted if the purchaser is in arrears with payment for earlier deliveries. Otherwise, no early payment discount or other allowances shall be granted unless there is a written agreement to that effect.
- 3. All payments must be made free of any charges to our registered office. Should we face additional charges from banks or other institutions for the purchaser's payment, then these shall be borne by the latter and the latter shall be billed for these by us.
- 4. Payments by bill of exchange shall be prohibited unless otherwise expressly agreed upon in writing. An exceptional assumption of acceptance shall only be deemed deferral of the purchase price providing no adverse changes have occurred or are known in the purchaser's financial circumstances. Payments by bills of exchange shall not be deemed cash payments. Discount charges and other fees for bills of exchange must always be paid by the purchaser immediately upon presentation of the bill of exchange. We shall not accept any liability for the prompt presentation, protest and/or return of bills of exchange. Cheques shall only be accepted on account of payment and not in lieu
- 5. We shall calculate interest on arrears at 8% p.a. above the relevant Deutsche Bundesbank bank interest rate. They shall be increased or decreased if we are able to prove that we have been charged a higher rate of interest or where the purchaser is able to prove lower charges.
- 6. The withholding of payments on the grounds of any counter-claims of the purchaser not legally established or acknowledged by us shall not be permitted, nor shall the offsetting of such counter-claims.
- 7. In the event of failure to comply with the payment terms or conditions or should facts come to light suggesting that claims to the purchase price may be endangered as a result of liquidity prob-lems on the part of the purchaser, we shall be entitled to make subsequent deliveries conditional upon advance payment or the provision of security.

#### § 8 Transfer of Risk

All risks shall pass to the purchaser once the consignment leaves our registered office or when dispatch is deferred at the request of the purchaser following notice of readiness of the goods for dispatch. Transportation damage or loss of the goods shall not be covered by us. Insofar as claims may be asserted against liable third parties and/or insurers (insurance at the request and expense of the purchaser only), any claim by the purchaser against us shall lapse upon assignment of the claim to the purchaser

#### § 9 Warranty

- 1. Where the goods supplied to the purchaser have not been manufactured by us but purchased from upstream suppliers, we shall fulfil our warranty obligations by hereby transferring all of our own warranty claims against our upstream suppliers to the purchaser. The purchaser hereby accepts this transfer by way of provisional performance. In the case of unenforceability or failure, the subsidiary warranty claims against us shall be based on the terms and conditions set out in Clause 2 below.
- The goods supplied shall demonstrate the quality set out in the product description or shall be of merchantable quality. Declarations regarding quality shall not represent any warranty if not expressly referred to as such. In general, no guarantee shall be offered regarding the warranty pursuant to these terms and conditions or the statutory warranty. The purchaser shall be required to examine the received goods for defects and quality immediately. We are to be notified in writing of any defects within one week following delivery.

Regardless hereof, the purchaser's right to complain shall lapse if it has already modified, processed or combined the goods purchased from us prior to expiry of the aforementioned period. Other statutory provisions shall remain unaffected. We must be notified in writing of any concealed defects

within one week of their discovery.

In the event of identifying a defect, the purchaser shall be obliged to submit the goods in question to us for inspection no later than one week following the dispatch date of the written notice of defects. All claims shall lapse in the event of deliberate refusal. The aforementioned reporting obligation shall also apply where the purchaser is informed of defects in the goods supplied by us or components thereof by its own customers. In the event of the purchaser's complaint being justified, it shall be entitled to request supplementary performance in the form of a repair or a replacement. We shall be entitled to refuse the chosen supplementary performance type where such would only be possible at disproportionate expense or where the selected supplementary performance type is more costly than the other and where the latter does not involve any significant detriment for the purchaser in relation to the other supplementary performance option. In the case of supplementary performance by way of a repair, our right to remedy the defects shall be limited to three attempts for a single defect and to a total of six attempts for all defects. If the purchased goods are to be taken to a location other than the original delivery destination following supplementary performance, any additional costs incurred in this respect shall be borne by the purchaser. The same shall apply in the event of the purchaser returning the defective items to us from a location other than its registered office or the delivery destination for the supplementary performance. The purchaser shall only be entitled to assert further warranty claims once it has granted us a reasonable period to undertake the repair or replacement and this has expired without success. In the event of a minor defect only, the purchaser shall not be entitled to withdraw from the agreement. The entitlement to a reduction in the purchase price shall remain unaffected hereby.

3. There shall be no warranty obligations where

- a) the defect is attributable to improper use, operation or maintenance or to poor maintenance, incorrect assembly and commissioning or to a violent impact or other external influences or as a result of storage or transport-related circumstances providing such are not attributable to us.
- b) the defect concerns an unauthorised modification to the object supplied, in particular the use of unsuitable, especially third party, replacement parts and where the damage is a direct result of the modification or improper use

- c) the defect relates to quality or defects in product components or elements of our products (e.g.: films) that the purchaser gave us specifications for and stipulated that we must use. Normal wear and tear or damage due to negligence or incorrect operation or handling shall be excluded from the warranty.
- 4. The disputed goods must be returned to us together with the original delivery note or a photocopy thereof. Negotiations regarding complaints shall not constitute a waiver on our part to an objection that the defect was not reported correctly or promptly.
- 5. The purchaser shall only be entitled to withhold payments and assert claims for defects to the extent, proportionate, in good faith, to the defect reported, in other words, only up to a maximum of the portion of the purchase price for the item specifically reported as defective.

  6. In the event of the purchaser or a third party performing unauthorised repairs, we hereby accept
- no liability for the duration of any consequences thereof. The same shall apply to any modifications
- made to the item supplied without our prior written consent.

  7. Paragraph 10 shall also apply in the case of claims for damages.

  8. The warranty obligation for material defects shall be one year following delivery of the goods. This shall not apply where we are liable for a defect of which we are aware due to intent or malicious non-disclosure; in such cases, we shall be liable in accordance with the legal stipulations. A shorter period shall apply where the defect relates to a product for which the normal wear and tear period is usually and typically less than one year. In such cases, the warranty shall be limited to the usual wear and tear period.
- 9. The purchaser shall not be entitled to employ any advertising not approved by us as part of the sale of goods manufactured by us. In the event of customers of the purchaser asserting claims for defects based on deviations of the goods purchased from advertising statements by sales partners, the latter shall not be entitled to derive claims against us as a result of such circumstances.

- 1. With regard to damages for the purchaser, regardless of the legal basis thereof, in particular due to the breach of obligations under the agreement or tortious acts, we shall only be liable in the case of intent or gross negligence, providing
  a) there is no liability on the grounds of loss of life, physical injury or impairment of health
- b) there is no liability for the breach of fundamental contractual obligations.
- 2. The claim for damages on the grounds of a breach of fundamental contractual obligations shall be limited to the foreseeable damage typical for the contract.
- 3. This shall also apply in cases of liability for defects.
- 4. The liability limitations in articles 9 and 10 shall also apply in respect of any liability on the grounds of incorrect advice, incorrect assembly instructions and other breaches of secondary obligations.
- 5. Any other claims for damages are hereby excluded.
- 6. Article 9, Clause 8 shall apply to the limitation period for the aforementioned claims accordingly.

#### § 11 Offsetting / Right of Retention

- 1. The purchaser may only offset counter-claims against our claims where the counter-claims have been legally established in a court of law or are undisputed.
- Unless otherwise stipulated to the contrary in these terms and conditions of business, this shall also apply to the assertion of rights of retention.

#### § 12 Place of Fulfilment and Court of Jurisdiction

- 1. The place of fulfilment shall be Ludwigsburg. Nevertheless, in individual cases, we shall be entitled to specify the location of any other supplying factory as the place of fulfilment.

  2. If the purchaser is a registered trader, a legal entity under public law or a public law special fund,
- legal proceedings for any disputes arising under the contractual relationship must be filed with the court with jurisdiction over our registered office. We shall also be entitled to file legal proceedings at the purchaser's main location.

#### § 13 Applicable Law

German law alone shall apply to the exclusion of the laws on the international purchase of movable property, even if the purchaser is headquartered abroad.

#### § 14 Formality Agreements

- 1. Any amendments, additions and supplementary agreements to these general terms and conditions and to individual agreements must be made in writing in order to be valid. This shall also apply to elimination of the written form requirement for amendments.
- 2. No verbal subsidiary agreements have been entered into.

- 1. Any transfer of rights and obligations incumbent upon the purchaser under the agreement concluded with us shall require our written consent in order to be valid.
- 2. In the event of individual provisions of the foregoing general terms and conditions being or becoming voidable or invalid, in full or in part, the validity of the remaining provisions and the contract as a whole shall not be affected thereby. The contract parties shall then implement the agreement using a valid replacement clause which most closely reflects the economic purpose of the nullified clause



www.huenersdorff.de/en/service/download.html



### **Your Notes**

### hünersdorff is there for you



## Want to get in touch with us personally? Find your contact person here:



www.huenersdorff.de/en/service/sales.html

# Find more detailed information about our products here:

From here you will be taken to the online shops of various renowned retailers and will be able to order your desired product directly from the shop of your choice.









hünersdorff GmbH Plastic processing Eisenbahnstraße 6 D-71636 Ludwigsburg (Germany)

Tel. +49 7141 147-0 Fax +49 7141 147-290 E-Mail info@huenersdorff.de www.huenersdorff.de